ROOM/AREA	FLOOR	SKIRTING	0400	WALLS	CILL	CORNICE	CEILING	SUNDRIES	NOTES
FACULTY OFFICES AND ACCOUNTS DEPARTMENT	All offices to have close carpeting on cement screed.	Power skirting on all perimeter walls. All other walls or partitions to have 75 mm black vinyl skirting placed after carpet is laid.		All off-shutter concrete walls or columns to be painted P.V. to full height. Brick walls rendered and set and painted P.V.A. to full height. Drywall partition walls to be painted P.V.A. to full height also. Face brick cill panels between columns to 1 197 mm above f.f. level.	Afrormosia veneer one side and edged to reveals with Afrormosia strip to all cill panels. Finish: oiled and waxed.	NIL	Off-shutter concrete painted P.V.A.	2 kw flush convector heaters on all cill walls between columns.  See Electrical Consultants' drawing.	
COMMITTEE ROOM	Ditto	Power skirting on all perimeter walls. On all oth walls or partitions 75 mm hardwood skirting stained, with 20 mm quadrant stained, placed after carpet is laid.		Ditto	Ditto		See ceiling drawing for suspended ceiling.	2 kw flush convector heaters on all cill walls between columns. See Electrical Consultants' drawing.	
GENERAL OFFICE FEES OFFICE MAILING OFFICE FEES ENQUIRIES CASHIERS  ZMACHINE ROOM REGISTRY ENQUIRIES		Power skirting on all perimeter walls. On all oth walls or partitions 75 mm black vinyl skirting placed after carpet is laid.		columns to be painted P.V. to full height. All walls rendered and set and painted P.V.A. to full height. Face brick cill panels between columns to 1 197 mm above f.f. level.			Off-shutter concrete painted P.V.A.	Bullet-proof screens to Cashiers' Offices/Public Space to detail. See drg. 02.70.  Screens to Fees Enquiries/Public Space to detail. See drg. 02.70.	
CONCOURSE	Terrazzo tiles on cement screed. Total thickness 85 mm.			Off-shutter shaped columns unpainted.			to detail.	For Concourse Stairs and Balustrade see drg. 02.70.	
NORTH ENTRANCE  CONCOURSE CORRIDORS (between grids 39E, 39N,	Ditto from grid 48N to 39N  Terrazzo tiles on cement screed. Total thickness			Face brick to Upper Art Gallery Stores. Bookshop side to be decided later.  All off-shutter columns, shaped and other, unpainted.			See ceiling drawing for suspended ceiling.  Ditto		
CORRIDORS, GENERAL - WAITING AREAS	Asphalt tiles on cement			•	22 mm Blockboard with				
WAITING AREAS	screed.			P.V.A. to ceiling height. Al.	Afrormosia strip to all cill panels in waiting area.		Ditto	2 kw flush convector heaters on all cill walls in waiting area. See Electrical Consultants' drawing.	
LIFT LOBBY				National Ceramic tiles to east and west walls up to ceiling height. Panels over lift openings to detail. Glazed screens to north and south walls.		NII	Ditto	Notice board in Lift Lobby to detail. See drg. 02.70.	
TOWER BLOCK STAIRS	Landings: Asphalt tiles on Experience cement screed.  RISERS: Comment screed.  RISERS: Comment screed.  Rosing: Bildon.  Around stair well on landings treads and risers a black tinted granolithic screed margin strip, 100 mm wide, to be formed to a height of 12 mm above normal screed level.	skirting to walls 75 mm above line of nosing. On stair well side, the black tinted granolithic margin strip to return downwards over stringer and landing concreted edges and to project 5 mm	te	Off-shutter concrete walls to have applied texture paint finish full height to later specifications. North and south walls to be rendered and set and painted P.V.A. to full height. Timber glazed screens on north side to detail.		NII	All soffits off-shutter painted P.V.A. to line of walls on one side and to line of downward black stringer on well side.	For handrails to stairs see details on drg. 02.70.	
NORTH WEST STAIRS SOUTH WEST STAIRS NORTH EAST STAIRS SOUTH EAST STAIRS	Ditto	Ditto		Exposed off-shutter concrete columns to have face brick infill panels to full height. Cavity wall to corridors in face brick to full height.			Ditto	For handrails to stairs see details on drg. 02.70.	
NORTH EAST LINK STAIRS AND LINK CORRIDORS		Ditto		Finishes of walls to be determined later.		NIL	Ditto	For handrails to stairs see details on drg. 02.70.	
				No. By Date REVISION  A RUS CESTA GENERAL OF DATE		Univers		ntersrand Johannesburg FINSHING SCHEDULE  John Fassler associates - architects  3 Junction avenue Parktown  Johannesburg. Tel. No. 44-9361	Checked;  LEVEL ± 00  Scales; Drawing Number  Drawn; C.K.P.  02-70-905  Checked;