

```
{  
    "nbformat": 4,  
    "nbformat_minor": 0,  
    "metadata": {  
        "colab": {  
            "provenance": []  
        },  
        "kernelspec": {  
            "name": "python3",  
            "display_name": "Python 3"  
        },  
        "language_info": {  
            "name": "python"  
        }  
    },  
    "cells": [  
        {  
            "cell_type": "code",  
            "execution_count": 1,  
            "metadata": {  
                "colab": {  
                    "base_uri": "https://localhost:8080/"  
                },  
                "id": "R9zhD9bTfi8L",  
                "outputId": "1a5ec8e7-fb9d-4643-caa7-935f5c217fee"  
            },  
            "outputs": [  
                {  
                    "output_type": "stream",  
                    "name": "stdout",  
                    "text": [  
                        "Requirement already satisfied: flask in  
/usr/local/lib/python3.12/dist-packages (3.1.3)\n",  
                        "Collecting flask_sqlalchemy\n",  
                        "  Downloading flask_sqlalchemy-3.1.1-py3-none-  
any.whl.metadata (3.4 kB)\n",  
                        "Collecting flask_login\n",  
                        "  Downloading Flask_Login-0.6.3-py3-none-any.whl.metadata  
(5.8 kB)\n",  
                        "Collecting pyngrok\n",  
                        "  Downloading pyngrok-7.5.0-py3-none-any.whl.metadata (8.1  
kB)\n",  
                        "Requirement already satisfied: blinker>=1.9.0 in  
/usr/local/lib/python3.12/dist-packages (from flask) (1.9.0)\n",  
                        "Requirement already satisfied: click>=8.1.3 in  
/usr/local/lib/python3.12/dist-packages (from flask) (8.3.1)\n",  
                        "Requirement already satisfied: itsdangerous>=2.2.0 in  
/usr/local/lib/python3.12/dist-packages (from flask) (2.2.0)\n",  
                        "Requirement already satisfied: jinja2>=3.1.2 in  
/usr/local/lib/python3.12/dist-packages (from flask) (3.1.6)\n",  
                        "Requirement already satisfied: markupsafe>=2.1.1 in  
/usr/local/lib/python3.12/dist-packages (from flask) (3.0.3)\n",  
                        "Requirement already satisfied: werkzeug>=3.1.0 in  
/usr/local/lib/python3.12/dist-packages (from flask) (3.1.6)\n",  
                        "Requirement already satisfied: sqlalchemy>=2.0.16 in  
/usr/local/lib/python3.12/dist-packages (from flask_sqlalchemy)  
(2.0.47)\n",  
                    ]  
                }  
            ]  
        }  
    ]  
}
```

```
    "Requirement already satisfied: PyYAML>=5.1 in
/usr/local/lib/python3.12/dist-packages (from pyngrok) (6.0.3)\n",
    "Requirement already satisfied: greenlet>=1 in
/usr/local/lib/python3.12/dist-packages (from sqlalchemy>=2.0.16-
>flask_sqlalchemy) (3.3.2)\n",
    "Requirement already satisfied: typing-extensions>=4.6.0 in
/usr/local/lib/python3.12/dist-packages (from sqlalchemy>=2.0.16-
>flask_sqlalchemy) (4.15.0)\n",
    "Downloading flask_sqlalchemy-3.1.1-py3-none-any.whl (25
kB)\n",
    "Downloading Flask_Login-0.6.3-py3-none-any.whl (17 kB)\n",
    "Downloading pyngrok-7.5.0-py3-none-any.whl (24 kB)\n",
    "Installing collected packages: pyngrok, flask_sqlalchemy,
flask_login\n",
    "Successfully installed flask_login-0.6.3 flask_sqlalchemy-
3.1.1 pyngrok-7.5.0\n"
]
}
],
"source": [
    "!pip install flask flask_sqlalchemy flask_login pyngrok"
]
},
{
    "cell_type": "code",
    "source": [
        "%writefile app.py"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "EqU6acCMfwd5",
        "outputId": "30e0abb8-0da7-47eb-af89-cce373619ca2"
    },
    "execution_count": 2,
    "outputs": [
        {
            "output_type": "stream",
            "name": "stdout",
            "text": [
                "Writing app.py\n"
            ]
        }
    ]
},
{
    "cell_type": "code",
    "source": [
        "<h2>Add Doctor</h2>\n",
        "\n",
        "<form method=\"post\">\n",
        "  <input name=\"name\" placeholder=\"Doctor Name\" required><br>\n",
        "  <input name=\"username\" placeholder=\"Username\" required><br>\n",
        "  <input name=\"password\" placeholder=\"Password\" required><br>\n",
        "  <input type=\"submit\" value=\"Add Doctor\">\n"
    ]
}
```

```

    " <input name=\"specialization\" placeholder=\"Specialization\"><br>\n",
    "\n",
    " <select name=\"status\">\n",
    "   <option>Active</option>\n",
    "   <option>Inactive</option>\n",
    " </select><br>\n",
    "\n",
    " <button type=\"submit\">Add Doctor</button>\n",
    "</form>"
],
"metadata": {
  "colab": {
    "base_uri": "https://localhost:8080/",
    "height": 463
  },
  "id": "qbYeKrEsf5ZS",
  "outputId": "f9f0d8de-c109-408a-e9f2-90f2f0ae481f"
},
"execution_count": 3,
"outputs": [
  {
    "output_type": "stream",
    "name": "stdout",
    "text": []
  },
  {
    "output_type": "stream",
    "name": "stderr",
    "text": [
      "ERROR:pyngrok.process.ngrok:t=2026-02-27T05:08:07+0000
lvl=eror msg=\"failed to reconnect session\" obj=tunnels.session
err=\"authentication failed: Usage of ngrok requires a verified account
and authtoken.\n\nSign up for an account:
https://dashboard.ngrok.com/signup\nInstall your authtoken:
https://dashboard.ngrok.com/get-started/your-
authtoken\\r\\n\\r\\nERR_NGROK_4018\\r\\n\\n\"\n",
      "ERROR:pyngrok.process.ngrok:t=2026-02-27T05:08:07+0000
lvl=eror msg=\"session closing\" obj=tunnels.session err=\"authentication
failed: Usage of ngrok requires a verified account and
authtoken.\n\nSign up for an account:
https://dashboard.ngrok.com/signup\nInstall your authtoken:
https://dashboard.ngrok.com/get-started/your-
authtoken\\r\\n\\r\\nERR_NGROK_4018\\r\\n\\n\"\n",
      "ERROR:pyngrok.process.ngrok:t=2026-02-27T05:08:07+0000
lvl=eror msg=\"terminating with error\" obj=app err=\"authentication
failed: Usage of ngrok requires a verified account and
authtoken.\n\nSign up for an account:
https://dashboard.ngrok.com/signup\nInstall your authtoken:
https://dashboard.ngrok.com/get-started/your-
authtoken\\r\\n\\r\\nERR_NGROK_4018\\r\\n\\n\"\n",
      "CRITICAL:pyngrok.process.ngrok:t=2026-02-27T05:08:07+0000
lvl=crit msg=\"command failed\" err=\"authentication failed: Usage of
ngrok requires a verified account and authtoken.\n\nSign up for an
account: https://dashboard.ngrok.com/signup\nInstall your authtoken:
https://dashboard.ngrok.com/get-started/your-
authtoken\\r\\n\\r\\nERR_NGROK_4018\\r\\n\\n\"\n"
    ]
}

```



```
\u001b[0;34m\u001b[0m\u001b[0m\n\u001b[0;32m--> 202\u001b[0;31m
\u001b[0;32mreturn\u001b[0m
\u001b[0mprocess\u001b[0m\u001b[0;34m.\u001b[0m\u001b[0mget_process\u001b[0m\u001b[0;34m(\u001b[0m\u001b[0mpyngrok_config\u001b[0m\u001b[0;34m)\u001b[0m\u001b[0;34m(\u001b[0m\u001b[0mpyngrok_config\u001b[0m\u001b[0;34m)\u001b[0m\u001b[0;32m 203\u001b[0m \u001b[0;34m\u001b[0m\u001b[0m\u001b[0m\n\u001b[0;32m 204\u001b[0m \u001b[0;34m\u001b[0m\u001b[0m\u001b[0m\n",
        "\u001b[0;32m/usr/local/lib/python3.12/dist-
packages/pyngrok/process.py\u001b[0m in
\u001b[0;36mget_process\u001b[0;34m(pyngrok_config)\u001b[0m\n\u001b[0;32m 269\u001b[0m          \u001b[0;32mreturn\u001b[0m
\u001b[0m_current_processes\u001b[0m\u001b[0;34m[\u001b[0m\u001b[0m\u001b[0mpyngrok_config\u001b[0m\u001b[0;34m]\u001b[0m\u001b[0;34m[\u001b[0m\u001b[0m\u001b[0mngrk_path\u001b[0m\u001b[0m\u001b[0;34m]\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;32m 270\u001b[0m \u001b[0;34m\u001b[0m\u001b[0m\u001b[0m\n\u001b[0;32m 271\u001b[0;31m      \u001b[0;32mreturn\u001b[0m
\u001b[0m_start_process\u001b[0m\u001b[0;34m(\u001b[0m\u001b[0m\u001b[0mpyngrok_config)\u001b[0m\u001b[0;34m)\u001b[0m\u001b[0;32m)\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;32m 272\u001b[0m
\u001b[0;34m\u001b[0m\u001b[0m\u001b[0m\u001b[0;32m 273\u001b[0m
\u001b[0;34m\u001b[0m\u001b[0m\u001b[0m\n",
        "\u001b[0;32m/usr/local/lib/python3.12/dist-
packages/pyngrok/process.py\u001b[0m in
\u001b[0;36m_start_process\u001b[0;34m(pyngrok_config)\u001b[0m\n\u001b[0;32m 445\u001b[0m \u001b[0;34m\u001b[0m\u001b[0m\u001b[0m\n\u001b[0;32m 446\u001b[0m          \u001b[0;32mif\u001b[0m
\u001b[0m_mngrk_process\u001b[0m\u001b[0;34m.\u001b[0m\u001b[0m\u001b[0mstartup_error\u001b[0m\u001b[0;32m \u001b[0m\u001b[0;32mis\u001b[0m \u001b[0;32mnot\u001b[0m
\u001b[0;32mNone\u001b[0m\u001b[0;34m:\u001b[0m\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;32m--> 447\u001b[0;31m
raise PyngrokNgrokError(f\"The ngrok process errored on start:
{ngrok_process.startup_error}.\", \n\u001b[0m\u001b[1;32m 448\u001b[0m
\u001b[0m_mngrk_process\u001b[0m\u001b[0;34m.\u001b[0m\u001b[0m\u001b[0mlogs\u001b[0m\u001b[0;34m,\u001b[0m\u001b[0m\u001b[0;34m\u001b[0m\u001b[0m\u001b[0;32m 449\u001b[0m
ngrok_process.startup_error)\n",
        "\u001b[0;31mPyngrokNgrokError\u001b[0m: The ngrok process
errored on start: authentication failed: Usage of ngrok requires a
verified account and auth token.\nSign up for an account:
https://dashboard.ngrok.com/signup
Install your auth token:
https://dashboard.ngrok.com/get-started/your-auth-token\r\n\r\n."
    ]
  }
},
{
  "cell_type": "code",
  "source": [
    "{% extends \"base.html\" %}\n",
    "{% block content %}\n",
    "\n",
    "<div class=\"auth-page\"\n",
    "  <div class=\"auth-card\"\n",
    "\n",
    "    <h2>Edit Doctor</h2>\n",
    "\n",
    "    {% with messages = get_flashed_messages() %}\n"
  ]
},
```

```

        "      {%- if messages %}\n",
        "      {%- for message in messages %}\n",
        "          <div class=\"flash\">{{ message }}</div>\n",
        "      {%- endfor %}\n",
        "      {%- endif %}\n",
        "      {%- endwith %}\n",
        "\n",
        "      <form method=\"POST\">\n",
        "\n",
        "          <label>Name</label>\n",
        "          <input type=\"text\" name=\"name\" value=\"{{ doctor.name }}\" required>\n",
        "\n",
        "          <label>Username</label>\n",
        "          <input type=\"text\" name=\"username\" value=\"{{ doctor.username }}\" required>\n",
        "\n",
        "          <label>Specialization</label>\n",
        "          <input type=\"text\" name=\"specialization\" value=\"{{ doctor.specialization }}\" required>\n",
        "\n",
        "          <label>Status</label>\n",
        "          <select name=\"status\">\n",
        "              <option value=\"Active\" {%- if doctor.status == 'Active' %}selected{%- endif %}>\n",
        "                  Active\n",
        "              </option>\n",
        "              <option value=\"Inactive\" {%- if doctor.status == 'Inactive' %}selected{%- endif %}>\n",
        "                  Inactive\n",
        "              </option>\n",
        "          </select>\n",
        "\n",
        "          <label>New Password (optional)</label>\n",
        "          <input type=\"password\" name=\"password\">\n",
        "\n",
        "          <button type=\"submit\" class=\"btn-primary\">\n",
        "              Update Doctor\n",
        "          </button>\n",
        "\n",
        "      </form>\n",
        "\n",
        "  </div>\n",
        "</div>\n",
        "\n",
        "{% endblock %}\n"
    ],
    "metadata": {
        "id": "658mWvCRjkOI"
    },
    "execution_count": null,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [
        "{% extends \"base.html\" %}\n",
        "{% block content %}\n",

```

```

"\n",
"<div class=\"auth-page\">\n",
"    <div class=\"auth-wrapper\">\n",
"\n",
"        <div class=\"auth-brand\">\n",
"            <h1>Admin Console</h1>\n",
"            <p>\n",
"                Manage hospital operations, staff, system
settings,\n",
"                and monitor platform activity securely.\n",
"            </p>\n",
"        </div>\n",
"\n",
"        <div class=\"auth-card\">\n",
"            <h2>Admin Login</h2>\n",
"\n",
"            {% with messages = get_flashed_messages() %}\n",
"            {% if messages %}\n",
"                {% for message in messages %}\n",
"                    <div class=\"flash\">{{ message }}</div>\n",
"                {% endfor %}\n",
"            {% endif %}\n",
"            {% endwith %}\n",
"\n",
"            <form method=\"POST\">\n",
"                <label>Username</label>\n",
"                <input type=\"text\" name=\"username\""
required>\n",
"                "\n",
"                <label>Password</label>\n",
"                <input type=\"password\" name=\"password\""
required>\n",
"                "\n",
"                <button type=\"submit\" class=\"btn-
primary\">Login</button>\n",
"            </form>\n",
"        </div>\n",
"\n",
"    </div>\n",
"\n",
"    {% endblock %}"
],
"metadata": {
    "id": "TTWl_bIGjnm5"
},
"execution_count": null,
"outputs": []
},
{
"cell_type": "code",
"source": [
    "{% extends \"base.html\" %}\n",
    "{% block content %}\n",
"\n",
"<div class=\"auth-page\">\n",
"\n",
"    <div class=\"auth-wrapper\">\n",

```

```

"\n",
"      <!-- LEFT BRAND SECTION -->\n",
"      <div class=\"auth-brand\">\n",
"          <h1>Patient Care Portal</h1>\n",
"          <p>\n",
"              Secure access to your medical records,\n
prescriptions,\n",
"                  and doctor consultations – all in one place.\n",
"                  </p>\n",
"              </div>\n",
"\n",
"      <!-- RIGHT LOGIN CARD -->\n",
"      <div class=\"auth-card\">\n",
"          <h2>Patient Login</h2>\n",
"\n",
"          {% with messages = get_flashed_messages() %}\n",
"          {% if messages %}\n",
"              {% for message in messages %}\n",
"                  <div class=\"flash\">{{ message }}</div>\n",
"              {% endfor %}\n",
"          {% endif %}\n",
"          {% endwith %}\n",
"\n",
"          <form method=\"POST\">\n",
"              <label>Username</label>\n",
"              <input type=\"text\" name=\"username\" required>\n",
"              <label>Password</label>\n",
"              <input type=\"password\" name=\"password\" required>\n",
"              <button type=\"submit\" class=\"btn-primary\">Login</button>\n",
"          </form>\n",
"\n",
"          <p class=\"auth-footer\">\n",
"              New patient?\n",
"              <a href=\"{{ url_for('register_patient') }}\">Create an account</a>\n",
"          </p>\n",
"      </div>\n",
"\n",
"  </div>\n",
"\n",
"  {% endblock %}\n",
],
{
"metadata": {
    "id": "F1rq6dUSjqZ-"
},
"execution_count": null,
"outputs": []
},
{
"cell_type": "code",
"source": [

```

```

    "% extends \"base.html\" %}\n",
    "% block content %}\n",
"\n",
"<div class=\"auth-page\">\n",
"    <div class=\"auth-wrapper\">\n",
"\n",
"        <div class=\"auth-brand\">\n",
"            <h1>Pharmacy Portal</h1>\n",
"            <p>\n",
"                View prescriptions, manage medicine
inventory,\n",
"                and ensure timely fulfillment.\n",
"            </p>\n",
"        </div>\n",
"\n",
"        <div class=\"auth-card\">\n",
"            <h2>Pharmacy Login</h2>\n",
"\n",
"                {% with messages = get_flashed_messages() %}\n",
"                    {% if messages %}\n",
"                        {% for message in messages %}\n",
"                            <div class=\"flash\">{{ message }}</div>\n",
"                        {% endfor %}\n",
"                    {% endif %}\n",
"                {% endwith %}\n",
"\n",
"                <form method=\"POST\">\n",
"                    <label>Username</label>\n",
"                    <input type=\"text\" name=\"username\""
required>\n",
"\n",
"                    <label>Password</label>\n",
"                    <input type=\"password\" name=\"password\""
required>\n",
"\n",
"                    <button type=\"submit\" class=\"btn-
primary\">Login</button>\n",
"                </form>\n",
"            </div>\n",
"\n",
"        </div>\n",
"\n",
"    {% endblock %}"
],
"metadata": {
    "id": "sIYfoAZAjvCy"
},
"execution_count": null,
"outputs": []
},
{
"cell_type": "code",
"source": [
"% extends \"base.html\" %}\n",
"% block content %}\n",
"\n",
"<h2>Patient Dashboard</h2>\n",

```

```

"\n",
"<h3>Your Prescriptions</h3>\n",
"\n",
"<table border=\"1\" cellpadding=\"10\">\n",
"<tr>\n",
"    <th>Medicine</th>\n",
"    <th>Dosage</th>\n",
"    <th>Notes</th>\n",
"</tr>\n",
"\n",
"{{% for pres in prescriptions %}}\n",
"<tr>\n",
"    <td>{{ pres.medicine }}</td>\n",
"    <td>{{ pres.dosage }}</td>\n",
"    <td>{{ pres.notes }}</td>\n",
"</tr>\n",
"{{% else %}}\n",
"<tr>\n",
"    <td colspan=\"3\">No prescriptions found</td>\n",
"</tr>\n",
"{{% endfor %}}\n",
"</table>\n",
"\n",
"<hr>\n",
"\n",
"<h3>Chat With Doctors</h3>\n",
"\n",
"{{% for doctor in doctors %}}\n",
"    <a href=\"{{ url_for('chat', doctor_id=doctor.id) }}\">\n",
"        <button>Chat with Dr. {{ doctor.name }}</button>\n",
"    </a>\n",
"    <br><br>\n",
"{{% endfor %}}\n",
"\n",
"{{% endblock %}}"
],
"metadata": {
    "id": "lYBkfYbRj1gy"
},
"execution_count": null,
"outputs": []
}
]
}

```