Off. no. 2, 1st floor, 'Gold Wings', opp. Big Bazaa', Behind Aditya Nakoda Enclave, Above Darshan Tyres, Sinhgad Road, Parvati, Pune - 411030 Telefax - 020 - 24251225 | Cell-9822021012 | E-mail - kamalbiyani@gmail.com





FINAL SURVEY REPORT

Surveyor Ref:

No: 15064/ICICI/19-20 **Claim No.:** FIR004212589

Report Date: 19th October 2019

STRICTLY CONFIDENTIAL & PRIVILEGED FOR THE USE OF INSURERS AND THEIR LEGAL ADVISORS ONLY

1.0 POLICY PARTICULARS

1.1	Insured	:	M/s. Power Care Systems
			234, Parvati Bramhacaitanya Ashram
			Sai Darshan Society, Shop No E Pune
			411009, Maharashtra.
1.2	Insurers	:	ICICI Lombard GIC LTD, 206-219 Sohrab
			Hall, Opposite to Pune Railway Station,
			Pune 411001
1.3	Type of Policy	:	Standard Fire And Special Perils Policy
1.4	Policy No.	:	1001/163961254/00/000
1.5	Period of Insurance	:	28.01.2019 to 27.01.2020
1.6	Occupancy	:	Office premises, Meeting Rooms
			Authorised Cannon (Digital Camera)
			Service centre.
1.7	Total Sum Insured	:	Rs. 10.00,000.00
1.8	Item Affected	:	Plant and Machinery
1.9	Sum insured for affected	:	Stock Rs. 10,00,000.00
1.10	Excess	:	5% of claim amount subject to minimum

of Rs.10000.00

1.11 Clauses : Agreed Bank Clause

Designation of Property Clause

Reinstatement Value Policies

1.12 Financial Institute Name : Shree Sharada Sahakari Bank Ltd,

Bibvewadi.

2.0 INCIDENT

2.1 Heavy rains poured in Pune from 25th September 20019 to early morning of 26th September 2019. Due to this flood situation occurred at many places in pune city and surrounding area. The incidence is well reported in TV and print media all over the countries. Due to this, water logged at insured's named location.

3.0 OBSERVATIONS

Place of survey : M/s. Power care Systems

234, Parvati Bramhacaitanya Ashram Sai Darshan Society, Shop No E Pune

411009, Maharashtra.

Date of Survey : 28th September 2019

Period of inundation : From 25th September 2019 to 26th

September 2019

Cause of Loss : Flood/Inundation

> Water level : 3.5 feet

4.0 Nature & Extent of Damages

Plant and Machinery: The premises were inspected thoroughly.

After detailed inspection at the site, it was observed that the premises were flooded.

However, prior to our visit the premises

were cleaned and the affected machine RSM3200 (Lens adjuster machine laser operated for SLR camera) was already cleaned and serviced. Insured confirmed us the machine was operational and found in working condition after servicing and cleaning. The withdrawal letter dated 29th September 2019 is submitted by the insured. Hence we are closing our file as **NO CLAIM**.

5.0 ADMISSIBILITY

Policy Period Covered
 Date of loss Covered
 Loss location Covered
 Peril operated Covered

- 5.1 The date of loss falls within the policy period. The peril operated is also covered under the Policy issued to and held by the Insured. Hence, the claim is admissible under the policy. However, as elaborate in our earlier para, there was no loss to affected machinery. Insured confirmed us his wish to withdraw the claim as machine was operational after loss. Accordingly, we are closing our file as **NO CLAIM.**
- This report is issued without prejudice & subject to the terms, conditions and warranties to the policy issued to & held by the insured.

7.0 DECLARATION

- We hereby declare that the photographs of the affected property
 as detailed in our report were snapped by us by our Digital Camera
 and uploaded on our Office Computer. These were got printed inhouse and are not manipulated.
- We hereby declare that we have no interest in the subject matter in question and reported as above. We are neither related to the Insured nor the business either by blood, business or share-holding of whatsoever nature.





K R BIYANI KAMAL BIYANI ASSOCIATES

License No. SLA 34365 valid till 27.11.2019

Encl:

- Withdrawal Letter
- Photographs,
- Our Fee Bill