

01 - Login and Logout

Execution Environment

Host name	isaac - DESKTOP-BPONDF2
OS	Windows 10 64bit
Katalon version	8.2.0.208
Browser	

Summary

ID	Test Suites/01 - Test Suites/03 - Regression/01 - Login and Logout		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2022-02-16 16:55:12	End	2022-02-16 17:00:54
Elapsed	5m - 42,288s		

#	ID	Description	Status
1	Test Cases/01 - eWallet/02 - Login/2 - Login Successfully - First Time		FAILED
2	Test Cases/01 - eWallet/02 - Login/4 - Login and Logout Successfully		FAILED

2 - Login Successfully - First Time

Information

ID	Test Cases/01 - eWallet/02 - Login/2 - Login Successfully - First Time		
Description			
Tag			
Start	2022-02-16 17:00:51	End	2022-02-16 17:00:52
Elapsed	0,193s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

2 - Login Successfully - First Time

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("01 - eWallet/0 - Common Steps/01 - Start Application/Start Application"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/01 - eWallet/0 - Common Steps/01 - Start Application/Start Application' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/01 - eWallet/0 - Common Steps/01 - Start Application/Start Application' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 2 - Login Successfully - First Time.run(2 - Login Successfully - First Time:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1645041136455.run(TempTestSuite1645041136455.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to start app at: 'C:\Users\isaac\Desktop\Clientes\Actuales\Everis\AbInbev\app-stagingMx-universal-release. apk' (Root cause: java.io.IOException: GetExitCodeProcess error=6, Controlador no válido at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager.</p>	0,151s	FAILED

2 - Login Successfully - First Time

#	Description	Elapsed	Status
	startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:407) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:473) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:539) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:452) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword. groovy:49) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute (StartApplicationKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.startApplication (MobileBuiltinKeywords.groovy:78) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords\$startApplication. call(Unknown Source) at Start Application.run(Start Application:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 138) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)		

2 - Login Successfully - First Time

#	Description	Elapsed	Status
	at 2 - Login Successfully - First Time.run(2 - Login Successfully - First Time:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:442)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:433)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:412)			
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:281)			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:363)			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:363)			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:363)			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:202)			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:164)			
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
105)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1645041136455.run(TempTestSuite1645041136455.groovy:36)		
)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:39)			
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
(MobileKeywordMain.groovy:40)			
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain.groovy:23)			
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
startApplication(StartApplicationKeyword.groovy:51)			
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute		
(StartApplicationKeyword.groovy:40)			
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)			
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication		
(MobileBuiltInKeywords.groovy:78)			
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$startApplication.		
call(Unknown Source)			
	at Start Application.run(Start Application:24)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:442)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:433)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:412)			

2 - Login Successfully - First Time

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 138) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 23 more Caused by: java.io.IOException: GetExitCodeProcess error=6, Controlador no válido at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:407) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:473) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:539) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:452) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword. groovy:49) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) ... 38 more)		

4 - Login and Logout Successfully

Information

ID	Test Cases/01 - eWallet/02 - Login/4 - Login and Logout Successfully		
Description			
Tag			
Start	2022-02-16 17:00:54	End	2022-02-16 17:00:54
Elapsed	0,200s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

4 - Login and Logout Successfully

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("01 - eWallet/0 - Common Steps/01 - Start Application/Start Application"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/01 - eWallet/0 - Common Steps/01 - Start Application/Start Application' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/01 - eWallet/0 - Common Steps/01 - Start Application/Start Application' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 4 - Login and Logout Successfully.run(4 - Login and Logout Successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1645041136455.run(TempTestSuite1645041136455.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to start app at: 'C:\Users\isaac\Desktop\Clientes\Actuales\Everis\AbInbev\app-stagingMx-universal-release. apk' (Root cause: java.io.IOException: GetExitCodeProcess error=6, Controlador no válido at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager.</p>	0,168s	FAILED

4 - Login and Logout Successfully

#	Description	Elapsed	Status
	startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:407) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:473) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:539) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:452) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword. groovy:49) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute (StartApplicationKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.startApplication (MobileBuiltinKeywords.groovy:78) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords\$startApplication. call(Unknown Source) at Start Application.run(Start Application:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 138) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)		

4 - Login and Logout Successfully

#	Description	Elapsed	Status
	at 4 - Login and Logout Successfully.run(4 - Login and Logout Successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1645041136455.run(TempTestSuite1645041136455.groovy:36)) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:39) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:23) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute (StartApplicationKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication (MobileBuiltInKeywords.groovy:78) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$startApplication. call(Unknown Source) at Start Application.run(Start Application:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)		

4 - Login and Logout Successfully

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 138) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 23 more Caused by: java.io.IOException: GetExitCodeProcess error=6, Controlador no válido at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:407) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:473) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:539) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:452) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword. groovy:49) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) ... 38 more)</pre>		