Campus reconstruction brief

Ten circled game targets compared with their real street-view references

Scope and image order. Each pair is shown side by side: the left image is the current game and the right image is the real target, in exactly the supplied order. The circles are selection marks, not geometry to render. The reference photographs describe the target condition visible at their capture time. Aerial plans and surveyed dimensions were not supplied with this set, so exact footprint coordinates and elevations must be checked in the existing project.

Priority. Rebuild massing and construction state first. A rough open parcel must stay open; an exposed concrete frame must stay unfinished; low kiosks must not become complete houses. Then reconcile road and ground surfaces, large trees, entrances, signs, and small props. Match each camera before judging apparent dimensions. Preserve connected circulation and other already correct campus areas.

Confirmed placement. Pairs 1 and 2 show the same GCB Bank near Ernest Chemist and Legon Police Station; this is distinct from the GCB classroom building. Pair 2 includes Legon City Mall behind the bank. Pair 3 looks behind the bank from the main-road side toward the mall. Pair 5 is at the bank front; Pair 6 is opposite, against Legon Police Station's side wall. Pair 7 is the west side of Legon Main Gate when approaching from the police station. Pair 8 is at the JQB front. Pair 9 is the overhead crossing in front of the main gate; its asymmetric approach lengths are detailed after the pair pages. Pair 10 is across the road from the unfinished structure at JQB.

Pair index

1	**GCB Bank near Ernest Chemist, first view**
2	GCB Bank near Ernest Chemist with mall behind
3	Mostly open parcel and distant shed
4	GMI Motors frontage and Legon City Mall
5	Roadside strip in front of GCB Bank
6	Roadside stalls against Legon Police Station wall
7	West side of Legon Main Gate
8	JQB front parking court and unfinished frame
9	Overhead crossing in front of Legon Main Gate
10	Office across road from unfinished JQB building

Evidence rule. The visible façade, roofline, road edge, slope cues and construction state control the corrections. Do not infer unseen interiors, exact heights, hidden roof forms or unreadable small signs. Cars, people, produce and parked vehicles are optional props. HUD elements, circled annotations and Street View overlays are excluded from world geometry.

Pair 1 | GCB Bank near Ernest Chemist, first view

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The circled game object is a generic white, single-storey classroom block with an orange hipped roof, repeated windows, a manicured lawn and a floating black label. The reference shows a long, low GCB frontage dominated by white or silver cladding and bright blue bands. A recessed central entrance, square GCB emblem, shallow steps and a right-side accessibility ramp with metal railing organize its face. The red roofs and partly scaffolded upper framework are behind the frontage; do not turn them into the bank's own roof.

Instructions for Claude


Geometry and construction stage. Replace only the selected placeholder with the low bank massing. This is GCB Bank near Ernest Chemist and Legon Police Station, not the campus GCB classroom building. Model the panel joints and broad blue horizontal and vertical zones, the darker entry recess, glass, sign block, steps and sloping ramp. This is the same bank seen in Pair 2; use one shared bank footprint and check its corners and frontage from both cameras. Keep the rear red-roofed buildings and visible unfinished framework as separate depth layers where the viewpoint supports them. Copy clear GCB branding; leave tiny unreadable writing generic. Do not fill the rear open frame with finished windows.

Ground and environment. Change the pristine grass foreground to the rough pale-brown earth and sparse weeds seen before the entrance. Include the low stained concrete boundary, narrow drain or edge, mature spreading trees, overhead utility wires and realistic shade. A dark parked car is a movable reference prop, not a fixed part of the building. Preserve a walkable approach to both steps and ramp.


Acceptance view. From a matched camera, the target should read immediately as a long, blue-and-white low bank facade with its central entry and right ramp, not a tiled classroom. Verify that the red roofs and skeletal framework stay behind it.

Pair 2 | GCB Bank near Ernest Chemist with mall behind

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The circled low game block is another view of the very same GCB building in Pair 1. The white-clad bank face with GCB signs, a tall dark glazed recess, canopy and entrance ramp occupies the right foreground. The tall blue reflective storey building at left rear is Legon City Mall, seen behind the bank because of the photograph's angle. The game instead uses generic repeated windows and orange roof tiles and loses this foreground/background relationship.

Instructions for Claude

Geometry and construction stage. Use the shared GCB Bank near Ernest Chemist and Legon Police Station asset and footprint from Pair 1. Rebuild the bank's visible return and this white panel-clad elevation, strong rectangular frame, deep vertical blue-glass recess, projecting entrance canopy, stairs, ramp and roof-edge GCB sign. Put the tall blue-glass mass on the separate Legon City Mall footprint behind it; coordinate its skyline with Pair 4. Never label, attach or model the mall tower as an upper storey of the bank or as the GCB classroom building. Match the visible overlap and perspective before changing either building's scale.

Ground and environment. Rework the bank frontage as paved access with planted islands, low shrubs and realistic trees instead of a continuous green carpet. Place the visible flags on slender poles near the approach. Use the roofline, mall-bank occlusion and camera angle as placement checks. Maintain an unobstructed entrance and accessible route.

Acceptance view. One low GCB building must work for Pairs 1 and 2, while the taller mall remains a separate structure behind it in this camera. The two silhouettes and their overlapping edges should align with the reference.

Pair 3 | Mostly open parcel and distant shed

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The circled game area contains completed little white roofed buildings, another block and ordered streets on clean grass. The reference foreground is largely undeveloped reddish soil, uneven and lightly overgrown, with scattered rubble and a few shrubs or banana plants. A small, pale, single-storey gable building sits well back and is partly screened by trees; the mall is glimpsed farther to the left.

Instructions for Claude

Geometry and construction stage. Place this view behind GCB Bank near Ernest Chemist and Legon Police Station, from the main-road side toward the area in front of Legon City Mall. Remove the unsupported foreground buildings and artificial road segments inside the selected parcel. Keep the distant low shed only at its observed depth, with the dark roof edge and few visible openings. Resist inferring a finished building from background roofs. Do not move the bank or the mall merely to fill this open interval.

Ground and environment. Use compacted red-brown earth, patches of tall grass, stones, construction debris and irregular mounds, with mature trees and overhead lines. Preserve the pavement or curb along the public road and the modest local level change. Do not lay an immaculate lawn over the parcel or create a steep grade from perspective alone.


Acceptance view. The area behind GCB and facing the mall should read as an open, rough lot. The low shed should be a distant partial view through vegetation, not a row of complete new structures.

Pair 4 | GMI Motors frontage and Legon City Mall

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

Two red circles select different errors. At left, the game makes the nearer commercial frontage a three-storey white tiled institutional block. At right, it renders Legon City Mall as an oversized, regular blue-glass box. The reference shows a low GMI Motors frontage to the left and a large, built mall behind and to the right, with grey solid masses, varied glazed bays, a stepped flat roofline and rooftop mall sign. The gravelly open foreground remains rough and sparsely occupied.

Instructions for Claude


Geometry and construction stage. Treat the left showroom and right mall as separate assets at separate depths. Replace the classroom block with a low commercial building bearing the supported GMI Motors sign and large display openings. Rework the mall into the visible stepped rectangular masses, alternating light-grey panels and dark blue glass rather than an all-glass grid. Position and scale the rooftop LEGON CITY MALL sign by the reference silhouette. Keep the visible building complete while leaving the forecourt unfinished-looking.

Ground and environment. Build the pale gravel/soil parking area and a few optional cars. Add the foreground chain-link fence on red-brown posts, roadside paving, asphalt, poles, wires and mature roadside trees. Ensure the fence does not become a solid masonry wall and that the mall sits behind the near frontage.


Acceptance view. Both red-circled structures should be recognizable at once, with the low GMI building in front, the larger varied mall behind, and an open gravel foreground rather than a landscaped campus lawn.

Pair 5 | Roadside strip in front of GCB Bank

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The blue-outlined game strip is a neat continuous framework with repeated upright poles and colored panels over a clean surface. The reference is less regular: reddish compacted earth, a small shed or kiosk, low masonry partitions, broken pavers and an open edge with vegetation. A long thin-roofed vehicle shelter and parked cars stand behind this informal foreground, while a blue tarp canopy appears at the right.

Instructions for Claude

Geometry and construction stage. Place this strip in front of GCB Bank near Ernest Chemist and Legon Police Station, beside the road. Separate the small foreground kiosk, partition walls and rear parking shelter into different meshes. Give the shelter a shallow metal sheet roof on slender supports at the actual setback, without turning it into an uninterrupted street-market facade. Model only the visible incomplete or makeshift edges; avoid inventing a continuous finished shop row. A blue tarp and simple stall structure may be modular props at the right.

Ground and environment. Replace smooth ground with red earth, patchy grass, stones, open drainage or gaps where visible and a rough transition to the asphalt road. Place the large left tree, overhead shade, a simple pole and sporadic plants. Keep the parking cars movable and preserve usable clearances along the roadside.


Acceptance view. The front-of-GCB roadside scene should show rough small structures in front of a light vehicle canopy. Repeated painted panels must no longer dominate the view. Pair 6 is across this road.

Pair 6 | Roadside stalls against Legon Police Station wall

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The game replaces the real informal roadside market line with three complete, equally spaced white-and-red houses, matching hip roofs, regular windows and tidy lawn. The reference has small kiosks and open stalls of different heights and widths. Timber and painted metal fronts sit beneath weathered corrugated metal roofs; some produce is set on simple tables. A white connecting wall and gate appear farther back.

Instructions for Claude

Geometry and construction stage. Position these stalls directly opposite Pair 5, attached along the side walls of Legon Police Station. Remove the cloned house templates. Make each supported kiosk a simple separate structure with low roof pitch, sheet-metal or timber cladding, open front, irregular fascia and modest awning. Use restrained readable signage only where the photograph supports it. Preserve the police station's connecting masonry wall and any distinct rear roof rather than treating all visible shapes as one building. Allow openings and gaps between shops.

Ground and environment. Rebuild the raised rough thresholds, broken steps, compacted reddish earth, stones, patchy weeds and hard roadside edge. Mature branches and power lines cross the scene. Small produce tables and goods can be optional props, positioned to avoid obstructing the playable route. Keep material wear local: rust, dirt and faded paint should vary.


Acceptance view. At bicycle height, the road between the GCB frontage and the police station wall should pass a varied low row of corrugated kiosks, with earthy ground and open fronts; no identical completed houses should remain.

Pair 7 | West side of Legon Main Gate

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The circle targets the generic three-storey game block in the center. The reference centers on a low white gate or service frontage with a red-brown base, weathered red-tile roof and dark recessed grille or colonnade at the passage. At right, a separate, genuinely taller two-storey gable-ended block has a circular high opening and glass notice boards. The game's uniform storeys and window grid erase this height variation.

Instructions for Claude


Geometry and construction stage. Place the view at the west side of Legon Main Gate when approaching from the front of Legon Police Station. Replace the circled central mass with the lower gatehouse and its correct roof profile, piers and deep dark portal. Keep the taller right block as a distinct mass with the circular high vent or window and framed notice displays. Match the join and roof heights from shared edges; do not lower the real two-storey volume when correcting the central placeholder. Use bars and deep recesses only where visible.

Ground and environment. Add the mature broad-canopy trees and palms, shaded uneven grass, low stone-edged planted bed, conical shrub, roadside earth and small gravel patches. The landscaping should have worn transitions instead of uniform green. Check clearance through the gate or path and align it with the nearby circulation.


Acceptance view. The finished comparison should have a clearly low middle frontage beside the separate two-storey gable at right, with a deep shaded opening and densely planted surroundings.

Pair 8 | JQB front parking court and unfinished frame

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The large blue circle includes several orderly, completed white campus blocks in the game. In the reference the prominent left building is completed, but the central multi-storey structure is an unfinished grey concrete frame: exposed columns, slabs, beams and open upper bays, without installed facade, windows or finished roof. A thin metal carport shelters cars on the right. Treating every footprint as a finished white block misses the key state of the site.

Instructions for Claude

Geometry and construction stage. Place this scene at the front side of the JQB building. Retain or rebuild the completed left-hand JQB mass separately, including its deep eaves, broad blank wall and visible open ground-level bays. Replace the central generic finished block with an exposed structural grid at the photographed number of visible levels. Show open air through its bays and bare slab edges; keep its roof frame open. Avoid adding glass, plaster, completed railings or a decorative roof not in evidence. Model the right carport with thin posts and a shallow sheet roof. Pair 10's target building is across the road from this unfinished structure.

Ground and environment. Rework the asphalt parking court with subtle local grade and curb transitions, planted edges, mature trees, parked cars and distant telecom masts as alignment cues. Make cars optional props. Confirm whether the slope is perceptible through matched cameras before setting its exact elevation. Collision should follow the asphalt and avoid stray obstacles on the rideable path.


Acceptance view. A clean render must make the completed left building, unfinished central frame and lightweight right carport visibly different construction types.

Pair 9 | Overhead crossing in front of Legon Main Gate

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The circled game target is the overhead crossing in front of Legon Main Gate. In this real viewpoint, the traveled upper road curves right beside a low stone-filled triangular splitter island with black-and-yellow chevrons and a blue keep-right sign. The lower opening beneath the overhead structure is visible at left. A second game/real comparison and the user-annotated top view clarify the length of its approaches: the purple-arrow side in the game is already about right, while the yellow-arrow side ends too soon. The longer blue arrow marks the approximate desired run to the main road.

Instructions for Claude


Geometry and construction stage. Reconcile both road levels and their connections before changing meshes. Keep the purple-arrow side at its present approximate extent. Extend the short yellow-arrow underpass approach approximately along the blue-arrow alignment to its downstream main-road merge; reposition its retaining wall, parapet, roadway and grade transitions together. Preserve the overhead deck and lower opening; do not flatten or delete the grade separation. Shape the photographed upper traveled approach as a rightward curve around the triangular stone island, with its raised pedestrian sidewalk. Check the extension from the game map and both ground-level viewpoints rather than scaling the entire underpass uniformly.

Ground and environment. Add trees along the far verge, local signposts and utility details where visible. Match slight changes in grade from surface and curb evidence, not a guessed surveyed slope. Cars, bus and people are optional moving references. Give the curb, stone island and bridge edge suitable simple collision; do not drive the bicycle through the island.

Acceptance view. From the reference camera the rightward curve and triangular divider should dominate, while the genuine lower passage remains visible at left. In plan, the purple extent stays, and the yellow side reaches the approximate blue-arrow endpoint before merging smoothly into the main road.

Pair 10 | Office across road from unfinished JQB building

CURRENT GAME — circled target



REAL STREET VIEW — target



What the game gets wrong

The circled game frontage repeats neat completed white-and-red one-storey blocks with bright orange hip roofs and identical windows along a straight lane. The reference has a particular low, long office building with an aged dark grey-brown tiled gable roof, red lower wall, varied barred or recessed openings and an AC unit. A large freestanding sign reads UNIVERSITY OF GHANA / FINANCE DIRECTORATE / STUDENTS ACCOUNTS OFFICE. A broad mature tree and tall grass strongly shape the view.

Instructions for Claude

Geometry and construction stage. Place this circled target in front of JQB, across the road from Pair 8's unfinished building. Replace the cloned row with the visible long single-storey mass and its actual roof pitch, eaves and wall-bay rhythm. Place the dark barred openings, door recesses, red plinth and AC condenser according to the photograph. Put the main sign on two posts at the observed foreground position; reproduce the large legible wording exactly and leave small unreadable lines unresolved. Keep any separate neighboring wing distinct. Include the corroded rectangular gate frame at the left if it remains within the comparison angle.

Ground and environment. Use long uneven grass, a compacted or paved approach gently rising to the right, soil at the tree base and heavy dappled shade. Blend building threshold, route and vegetation naturally. The tree should have a wide realistic canopy rather than a small geometric crown. Do not line the entire lane with identical bright roofs.

Acceptance view. The sign, broad tree, aged dark roof and varied low office facade should anchor the matched view, with the approach and grass occupying the same visual proportions.


Overhead crossing | approach length and levels

This additional game/real view looks along the crossing. The left image is the game; the right is the real roadway. The map beneath shows the user-marked plan correction for the same overhead in front of Legon Main Gate and Legon Police Station.

CURRENT GAME — upper road



REAL VIEW — upper and lower roads





Plan correction

Purple arrow: the existing approach length is approximately correct; preserve its extent.

Yellow arrow: the game ends the opposite underpass approach prematurely.

Blue arrow: extend that short side to approximately this endpoint, where the lower route meets the main road.

Keep the overhead crossing and the vertical separation between the upper road and the lower roadway. Extend the retaining wall, parapet, collision surface and grade transition coherently. The arrow is a placement guide, not a surveyed distance.

Consolidated prompt for Claude

Copy this section along with the ten paired references into the existing game project. The detailed pair sections above are part of the specification.

Task and source order

Implement a reconstruction pass for the ten numbered campus locations in my existing University of Ghana bicycle exploration game. In each pair, the first image is the current game with the selected target circled; the second is the real target. Use the accompanying pair-by-pair instructions. The circles, map/UI labels, dates, and Street View controls are reference overlays, not objects. First match camera location, heading, field of view and eye height approximately; then diagnose building scale and local terrain. Do not treat unprovided coordinates, dimensions or unseen sides as surveyed facts.

Structural priorities

Pairs 1 and 2 are two views of one GCB Bank near Ernest Chemist and Legon Police Station. Replace their generic bank placeholder with one consistent low blue-and-white bank asset. The tall blue-glass building behind it in Pair 2 is Legon City Mall, separate from the bank and from the campus GCB classroom building. Leave Pair 3 behind this bank as a rough mostly open parcel with a distant small shed. Build the low GMI Motors frontage and the varied, larger Legon City Mall as separate assets in Pair 4. Separate the rough kiosks and partitions from the rear vehicle shelter at the GCB Bank front in Pair 5; replace Pair 6 cloned houses with low irregular corrugated stalls attached along the Legon Police Station side wall opposite Pair 5. In Pair 7 the central west-side Legon Main Gate frontage is low while the separate right gable block is two storeys. In Pair 8 at JQB distinguish the completed left building, exposed unfinished multi-storey concrete frame in the center and thin right carport. In Pair 9 preserve the overhead crossing and its lower road. The purple-arrow approach length in the added top view is already about right; extend the opposite short yellow-arrow approach roughly to the blue-arrow endpoint before its main-road merge. Keep the upper road curve and triangular stone splitter from the street view. In Pair 10, across the road from the unfinished JQB structure, replace repeated office clones with the specific long Finance Directorate Students Accounts Office frontage and sign.

Terrain and setting

Keep rough red earth and scattered weeds at the open lot, market strips and informal stalls; pale gravel at the mall forecourt; asphalt in the parking and drivable roads; and the actual mixed grass and paved transitions at the gatehouse and office. Model local curbs, steps, ramps, low walls, island edges and shallow grade changes as geometry. Use natural irregular coverage, broad tree crowns, utility poles and wires where visible. Avoid a continuous flat lawn, identical polygonal trees, repeated clean windows and a universal orange roof material. Reflect aged tile, corrugated sheet, exposed concrete, stained plaster, faded signs and dappled shade without baking photographed glare into textures.

Implementation order and constraints

Inspect the current scene graph, terrain mesh, procedural building templates, road topology, coordinate system and collisions first. Anchor each target to existing game coordinates and nearby shared landmarks. Block out footprints, storeys, roof silhouettes, construction stage, route geometry and local terrain; compare all ten saved cameras before adding facade detail. Then implement entrances, grilles/glass, signage, trees and surface materials; add vehicles, tables and produce last as removable props. Change selected instances rather than globally altering unrelated campus buildings. Expose uncertain footprint offsets, roof heights, road width, curve radius and grade as editable parameters. Keep view-specific corrections coherent from neighboring viewpoints and avoid duplicate buildings or floating props.

Bicycle play and verification

Keep sidewalks and roads continuous and follow the modeled grade with collision surfaces. Give curbs, trees, kiosks, the bridge parapet, splitter island, unfinished frame and carport posts simple collisions. Preserve clearances and access around steps. Save ten clean matched comparison cameras and before-and-after renders without HUD or labels over the subject. Ride each route in both directions; check road levels, intersections, clipping, cracks and unfinished construction state. Report changed files and the exact additional image or measurement needed for unresolved dimensions.