Commonwealth Hall and Great Hall Reconstruction Brief

University of Ghana bicycle exploration game

Purpose. Rebuild the connected Commonwealth Hall and Great Hall precinct in the existing game, using the supplied game and real comparisons, two annotated plans, aerial references and additional ground images. The highest priority is the real spatial sequence: a lower Commonwealth entrance, separate stair flights and level terraces within the hall complex, the upper Commonwealth buildings and amphitheatre, the formal garden axis, and Great Hall farther uphill. The current game simplifies this into generic white blocks, flat lawn and an overly continuous stair or path treatment.

Image convention. O1 to O4 are the four overview images. Pairs 1 to 7 have the game view first and the real target second, exactly in upload order. S1 to S8 are eight additional real references and an annotated layout, not pairs. M1 is the final user-annotated pair map; its numerals have been redrawn as clear circles without changing arrow directions. A route overlay, arrow, floating building label, Google Maps control, drone watermark or photo logo is evidence of viewpoint only and must not become scene geometry.

Key reconstruction decisions


- Keep Great Hall and Commonwealth as separately identifiable but axially related complexes. The overview aerials support their order, courtyards, connecting garden and flanking wings; the game map is only a schematic for placement.
- Build the hillside as stepped platforms. The green marks on S8 indicate stairs, and violet arrows indicate level walks between them. Stair geometry, adjacent terrain and bicycle collision must agree.
- Pairs 1 to 4 share the Commonwealth front and entrance zone. Pairs 5 to 7 share the curving tree-lined road to its east, behind Volta Hall. Model shared buildings, road edges and trees once.
- Use S4 to S6 to reconstruct Great Hall from real evidence even though no matching game camera was supplied for those views. Verify the tall tower, main hall roof, curved projection, side wings and terraced approach against O2 and O3.

Reference index


O1 to O4	**Game map, real aerial, labeled aerial, game drone view**
M1	Circled pair directions 1 to 7
Pairs 1 to 4	Commonwealth front, lower approach, main entrance and pharmacy wing
Pairs 5 to 7	East road and wooded verge near Volta Hall
S1 to S3	Two front aerials and a rear Commonwealth roof view toward Great Hall
S4 to S6	Great Hall oblique aerial, frontal view and entrance terrace
S7 to S8	Bacchus statue and annotated stair and statue plan

Aerial layout of the two halls


O1 Game top view map




O3 Real aerial with labels



O2 Real aerial without labels



O4 Game drone view of Commonwealth



Layout reading. The broad order is present in the game: Great Hall sits at the uphill end, Commonwealth at the lower end and a north-south ceremonial axis links them. The real aerials show more specific connected wing shapes, enclosed and semi-enclosed courts, a broad geometric garden, paired side pavilions, a transverse road and a semicircular amphitheatre at the Commonwealth end. The game drone replaces much of that character with repeated institutional blocks, a narrow tiled promenade, scattered palms and broad smooth grass.

Placement discipline. Match the real roof corners and road crossings after aligning the plan views to common landmarks. These screenshots use different scales and perspectives; do not claim measured offsets from pixel distances. The real labeled map locates the Registry and Public Affairs Directorate around the upper axis, while the Commonwealth blocks and support uses occupy the lower complex. Map labels may name uses within buildings, so use visible roofs and corners for actual footprint geometry.

Annotated directions for the seven pairs

M1 is the supplied real aerial annotation. The circled numerals make its existing arrows easy to identify. The arrowheads show the intended view direction or zone; they are not paths to render. Four views address the Commonwealth entrance area; three follow the wooded eastern road near Volta Hall.



Pairs 1 to 4 Commonwealth front and entrance. Pairs 5 to 7 east road near Volta Hall.


Terrain and stair sequence


The user identifies an uphill progression from the lower Commonwealth front through its internal courts to its rear and onward toward Great Hall. S8 locates the stair positions with small green straight marks; violet arrows show direction and the length of level walks between flights. The Bacchus statue is marked by the small blue rectangle. The diagram at right is a topological explanation, not a measured elevation profile.

S8 Annotated Commonwealth layout



S7 Statue view





Required geometry. Create separate planar terrace surfaces and discrete stair meshes at the marked cross sections. Each staircase terminates on a horizontal walkable landing; the next staircase begins only after its intervening level section. Do not apply a smooth uninterrupted slope or distribute treads uniformly across the full length. Adjust relative platform elevations to fit the surrounding buildings, roof levels and stair landings without guessing exact metre values.

Statue orientation. Place Bacchus at the small blue rectangle inside Commonwealth Hall. The statue faces back toward the rear side of the front entrance along the internal axis, as stated by the user. Match the reference silhouette, pedestal, raised arm, adjacent paved central walk and lawn compartments. Do not replace it with a fountain or duplicate it at the external gate.

Pair 1 Commonwealth front entrance from above

Current game view



Real street view target



Placement. Front entrance and immediate forecourt of Commonwealth Hall. The final map arrow 1 points across this frontage.

Mistakes in the game

The game models the entrance as a generic two-storey white block with repeated dark glass, a small dark doorway and a tall brown roof projection resembling a chimney. Its orange ground plane and painted concentric circle replace the real raised approach. The adjacent wing looks like another generic building rather than a carefully joined part of the hall.

Instructions for Claude

Building and connected geometry. Rebuild a coherent two-storey central entrance block under a broad weathered red tiled roof with deep eaves. Set the main doorway back within a taller recess framed by strong white piers, a dark glazed or grilled door assembly and the narrow patterned ventilation band near the upper wall. Reconnect the lower side wings using the roof returns and wall joints visible in O2 and O3. The roof projection in the game must not become a fake chimney; a separate real Great Hall tower appears farther uphill in other references. Keep the hall crest or sculptural plinth only at its supported forecourt location.

Terrain and environment. Place a broad sequence of actual steps and hard-surfaced landings in front of the entrance. Match the low side edges, planting, mature tree cover and background red-roofed buildings climbing the site. Use textured stone and aged paving rather than an orange painted slab. Aerial vegetation is irregular and dense around the wings; use sparse planting only where hardscape requires it.

Acceptance check. At the comparison camera the roof, recessed central entrance, piers, patterned upper strip, real steps and connected wings must align. The circular game marking and brown chimney must be gone.

Pair 2 Lower gateway and ascending formal approach

Current game view



Real street view target



Placement. Road crossing and lower stair approach toward the Commonwealth front. Map arrow 2 assigns this entry-side view.

Mistakes in the game

The game turns the climb into an excessively long, near-continuous staircase flanked by identical pristine booth buildings, raised repeated posts, symmetric low-poly palms and open lawn. The reference shows smaller separate stair flights with level landings, low stone-edged platforms, two distinct gate structures, white entrance piers and heavy mature trees. The hall sits beyond further terraces, partially filtered by planting.

Instructions for Claude

Building and connected geometry. Position the two low entrance buildings on either side of the central opening with their separate aged low roof forms, doorway/window proportions and readable main sign zones. Build the gate piers and short joining walls as real masses. Lay out the lower street steps, a horizontal landing through the gateway, later shorter stair flights and horizontal walking intervals. The stepped ascent follows the site contour. Reconcile the O2 aerial terraces and S1 and S2; do not build a single continuous ramp-like flight merely because multiple flights overlap in perspective.

Terrain and environment. Use real stone or concrete stair treads, weathered sidewalls, parapets, planted beds, palms near the axis and large branching broadleaf trees overhead. Keep the asphalt road at the bottom and the pedestrian approach connected to it. The ground beside the steps is planted and uneven; do not apply one uniform grassy plane. People and small signs can be optional props.

Acceptance check. From the road, the two gatehouses, white piers and individual flights separated by level walking surfaces must be legible. Walking uphill should encounter stairs, then a genuinely level terrace, then the next stairs.

Pair 3 Commonwealth front facade and parking edge

Current game view



Real street view target



Placement. Closer front view of the same Commonwealth entrance as Pair 1, near its paved forecourt and parking. Use map arrow 3 and one shared entrance model.

Mistakes in the game

The game repeats the false chimney, small central black door, high row of square black openings and flat orange target circle. The real facade has a broad roof edge, high ornamental ventilation panels, a deep two-storey entrance recess, darker framed doors and strong pale piers. The entrance is raised above parking, reached by wide weathered reddish steps. A crest or sculptural plinth stands to the viewer left.

Instructions for Claude

Building and connected geometry. Calibrate this view against Pair 1 rather than constructing a second entrance. Set the roof pitch, eave projection, central recessed bay, vertical piers, high band of dark patterned openings, varied side windows and red or brown stair run. Add the crest/plinth at its supported front-left position. Use the entrance wording only where clear; avoid guessing tiny signs. Keep the adjoining wings attached at the real corners and their levels coherent with the slope.

Terrain and environment. Replace the target circle with the broad stepped forecourt and asphalt parking edge. Position a few cars only as removable comparison props. Add mature palms and shade trees where shown, low planting near the plinth and weathered paving. Do not paint crowd or vehicle shadows into wall materials.

Acceptance check. Pairs 1 and 3 must show the same entrance, roof and stairs. The game must retain a usable parking edge, a grounded crest and a real elevation transition between asphalt and doors.

Pair 4 Connected pharmacy side wing

Current game view



Real street view target



Placement. Commonwealth frontage near the entrance, identified by map arrow 4. The real photo supports a pharmacy sign at this side building.

Mistakes in the game

The game makes the wing an immaculate two-storey gable block with regular large square glazed windows and no meaningful entry or terrain. The real side building has a deep shaded pitched roof, dark soffit, small high ventilation shutters, narrow louvered or shuttered openings and a projecting entry bay. It meets a lower side wing; the pharmacy entrance opens toward a small parking area and raised stone planting terrace.

Instructions for Claude

Building and connected geometry. Keep the photographed gable mass, but replace its smooth triangular roof edge and repeated windows with the deep red-tiled eaves, shaded underside, high vent grouping, vertical louvered shutters and the partly protruding central entrance volume. Connect its right-side return to the neighboring wing where visible. Put the major PHARMACY wording above the actual doorway; do not infer unreadable subtext or hidden rooms. Place AC equipment only where the reference shows it.

Terrain and environment. Model the parking apron, low curb and stone-faced retaining/planting terraces rather than level orange soil and lawn. The planter wall and steps express a local change in level. Add shrubs, a small palm, mature tree canopy and realistic local shade. A parked car is optional and should not establish the building footprint.

Acceptance check. The entrance, roof overhang, shutters, stone-faced planters and relation to the attached wing must remain correct while moving from Pairs 1 and 3 toward this side view.

Pair 5 East road bend near Commonwealth and Volta Hall

Current game view



Real street view target



Placement. Map arrow 5 follows the wooded road corridor east of Commonwealth, near the road behind Volta Hall.

Mistakes in the game

The game opens a smooth lawn and fully visible repeated white blocks to the left, with evenly spaced toy-like trees, sharp angular road edges and continuous oversized roadside channels. The photograph shows a more gently curving marked asphalt road, narrow brick-paved sidewalks, a tall overgrown verge hiding most of Commonwealth, and a nearly continuous deep canopy to the right. Only a little red roof and pale wall emerge over the left growth.

Instructions for Claude

Building and connected geometry. Reshape the road centerline and lane edges as a smooth bend, preserve the relevant intersections from the overhead map and add the real dashed center marking. Give sidewalks proper local curb heights and brick paving. Keep drains only where visibly supported, not a black continuous trench on every side. Correct the left building setback and visibility, but do not move an entire hall solely because vegetation masks it.

Terrain and environment. Model the left shoulder as tall mixed grass and scrub on a local bank; plant overlapping mature trees along the right and back of the view. Use rough bark, root flare, uneven branch structures and dappled asphalt shade. Place slender roadside poles sparsely. Match local grade with the bicycle wheel surface but do not claim a measured slope from this photo.

Acceptance check. The road must read as a shaded two-lane curve with brick sidewalks and partly concealed hall roofs, not a straight campus boulevard bordered by exposed clone buildings.

Pair 6 Tree canopy and screened hall side

Current game view



Real street view target



Placement. Map arrow 6 looks across the east-side road toward the planted ground and partly hidden hall structures.

Mistakes in the game

The game exposes a long row of uniform multi-storey white dormitory facades beyond flat mown grass and evenly sized little trees. In the reference very large mature trunks dominate, broad crowns overlap overhead, and dense waist-high grass, shrubs and a rising planted bank screen most of the red-roofed buildings. The sidewalk is a specific brick surface with curb and localized utility cover.

Instructions for Claude


Building and connected geometry. Preserve the shared road alignment with Pairs 5 and 7. Use actual hall and neighboring roof masses behind the tree screen instead of inserting a new generic facade row for this camera. Place the dominant trunks and branching crowns at appropriate setbacks. Model the brick sidewalk, curb, storm cover or small ground opening and slender pole from the photograph at plausible scale.

Terrain and environment. Change the uniform grass plane to long varied grass and low vegetation across the verge, with darker earth under the canopy. Let building glimpses vary through branches. The large trees must cast broad irregular shade; retain some sky between crowns and avoid identical spheres. Do not place signs or the street-view UI in the world.

Acceptance check. The primary silhouette should be trunks and canopy with occasional red roofs behind them. The roadway and sidewalk must join smoothly with the preceding and following pair.

Pair 7 Opposite road view toward the wooded curve

Current game view



Real street view target



Placement. Map arrow 7 follows the same east-side corridor in the other viewing direction, near Volta Hall.

Mistakes in the game

The game presents an angular asphalt fork with oversized side channels, a broad treeless mown lawn on the right and a tall gridded white block or water-tank structure fully visible. The real road bends gently through a tunnel of mature foliage. A brick sidewalk and trees line the left, while rough grass and shrubs on the right hide nearly all surrounding buildings; a red roof only peeks through at the edge.

Instructions for Claude

Building and connected geometry. Use the same road mesh and planting plan as Pairs 5 and 6. Replace the abrupt angular fork apparent in this view with the photographed smooth curve and dashed center line, checking aerial connections before changing any genuine branch. Build the brick walk and curb on the left and a modest verge on the right. Do not delete Volta Hall or other mapped buildings outright; correct the unsupported close-up exposure and their screening. Keep drainage local and correctly aligned with curbs.

Terrain and environment. Increase canopy density on both sides with wide irregular limbs, patchy shade and leaf/soil transitions. Set the right grassbank and small exposed soil/sidewalk patches from the photo. Road signs, poles and distant structures should be subordinate. Keep the bicycle route continuous and rideable through the curve in both directions.

Acceptance check. Pairs 5 to 7 must feel like one continuous wooded road. From this camera the distant curve, brick walk and dense trees dominate rather than an exposed large building and generic lawn.

Additional aerial evidence of the full hill


S1 Uphill Commonwealth to Great Hall axis



S2 Commonwealth front and garden terraces



S3 From rear Commonwealth toward Great Hall



Sequence. The entrance stair in Pair 2 leads through the Commonwealth area, not directly to Great Hall. Beyond the rear Commonwealth roof, S3 reveals the semicircular tiered amphitheatre, a transverse road, a rectangular formal garden with patterned beds and small paired side buildings, then Great Hall with the tall tower. S1 and S2 show the front of Commonwealth below a raised stone-faced terrace and multiple steps. Model this as one continuous spatial system with several horizontal stages and distinct road and walking connections.

Scale and vegetation. The real views show mature palms near formal spaces and dense broadleaf canopy around the outer edges. Roofs are weathered red tile with varied elevations. The game drone view cannot be fixed by placing a few identical red roofs into a uniform green field; first correct enclosure, axes, hardscape and land levels.

Great Hall form and setting

S4 Oblique aerial of Great Hall



S5 Front facade and tower



S6 Entrance steps side wing and stone terraces




Hall and tower. Create the tall slim white clock tower as a distinct landmark adjacent to Great Hall, with small openings up the shaft, a clearly framed clock or louver zone near its top and a red cap. The hall itself has a broad red tiled roof, white wall planes, high ventilation windows, an entrance portico with strong vertical piers and several dark doors. Its lower side wings wrap to form courts. Keep the tower and main hall at their mapped locations; S4 and S5 are different viewing directions and must resolve into one plan.

Curved projection and ground. S4 reveals a semicircular projecting element and curved walls beside the main hall. S6 shows a stone-faced retaining terrace, shallow curved entrance stairs with an accessibility ramp, an approach walk and parking curb. Build these as purposeful level transitions. Link the low side wing to the main hall; keep its dark shutters and visible AC equipment at plausible locations. Preserve mature palms and broadleaf trees, a mix of paved court, grass and planted beds, and the surrounding access road.

Limits. The aerials establish visible form and plan relationships but not exact tower height, hidden interiors or surveyed stair rises. Use parameters for uncertain heights and ask for a measured dimension only if needed to settle a visible mismatch. Logos or photography watermarks in S4 and S5 are overlays, not building signs.

Bacchus statue and internal Commonwealth courts

S7 Bacchus and the long paved inner axis



S8 Stairs and statue marker in the real footprint



Statue and view. The real statue stands on a simple plinth within an interior Commonwealth court. Its raised arm and body direction are visible in S7, and its placement is the small blue rectangle in S8. Use the user-provided orientation toward the back of the front entrance. Set its scale against the nearby wing doors and paved walk, without inventing surface details on its obscured face.

Courts and thresholds. Commonwealth is made of connected blocks around narrow and broad courts. Between the wings, maintain a central paved route with small planting islands and flanking lawn, with actual stair flights at the marked cross sections. The long purple arrows on S8 represent level stretches after climbing, not additional steps. Align the paths with door openings and the roof footprints. Where the plan image is obscured by labels or canopy, mark the exact stair width or length adjustable rather than guessing it.

Bicycle movement. Keep stairs as stairs and give them appropriate collisions. The bicycle should have a supported adjacent rideable route if one exists in the project or evidence; do not flatten the ceremonial stairs into ramps solely for playability. Test that a rider can navigate the surrounding roads and dismount or continue around the pedestrian courts as intended by the game.

Consolidated implementation prompt for Claude

Give Claude this brief, the embedded images and access to the current game project. The numbered pair instructions and annotated maps are part of the specification.

Task and evidence order

Implement a focused reconstruction of Commonwealth Hall, the uphill Great Hall complex and their connected grounds in my existing University of Ghana bicycle exploration game. O1 is the game top map, O2 and O3 are real aerials, and O4 is the game drone view. Pairs 1 to 7 show current game then real target in that order. M1 marks their viewing directions: 1 to 4 at the Commonwealth entrance and 5 to 7 on the wooded eastern road near Volta Hall. S1 to S8 are additional real views and annotations. Use the real plan and aerials for footprint and route relationships, street photos for facades and local surfaces, and my explicit terrain/stair annotations for the stepped hill. Match camera position, height, direction and field of view before judging apparent scale.

Landform and circulation

The land rises from the lower Commonwealth front through Commonwealth toward Great Hall. Rebuild terrain as locally graded surroundings plus a sequence of discrete level platforms. On S8 the short green marks indicate staircase positions; the violet arrows show direction and level walks after a staircase before the next one. Never make the whole route a continuous ramp or one continuous staircase. Use stair treads, risers, sidewalls and landings at their mapped locations, with each landing flat and traversable. Reconcile those levels with door thresholds, wings, gardens, the amphitheatre, the transverse road and nearby rideable routes. Keep the main pedestrian axis, lateral access routes and outer curving roads connected. Do not invent surveyed gradients or fixed metre dimensions from photographs.

Commonwealth architecture

Make Pairs 1 and 3 one shared main entrance asset: correct broad red-tiled roof, deep eaves, central two-storey recessed doorway with strong white piers, high patterned vents, crest plinth and actual wide stairs. Remove the game chimney, orange target circle and uniform glass-window grid. In Pair 2 build the two low gate buildings and white entrance piers beside a series of shorter stair flights and level terraces; use aged stone/concrete surfaces and mature shade. In Pair 4 replace the generic gable with the pharmacy side wing, deep roof overhang, narrow shutters/high vents, projected doorway, readable PHARMACY sign, connected lower wing, parking and stone-faced planting terrace. Keep all shared corners and roof junctions consistent with O2 and O3.

Commonwealth interior and statue

Use S8 to place the Commonwealth connecting wings, cross paths and green marked stair flights. Put Bacchus at the small blue rectangle on the inner court axis and orient it toward the back of the front entrance. Match the raised arm and pedestal silhouette in S7. Give the long interior walking sections level collision meshes after each stair. Do not duplicate the statue at the outer gate, fill courtyards with identical dorm blocks or replace every hardscape panel with grass.

Great Hall architecture and grounds

Use O2, O3 and S3 to S6 to rebuild Great Hall as a distinct higher complex: slim tall white clock tower with framed upper clock section and red cap, broad red-tile-roofed main hall, high vents, front portico and dark doors, linked lower side wings, interior paving and the semicircular projection visible in S4. Include curved entrance stairs, a small accessible ramp, stone-faced retaining terraces, grass, palms, parking and boundary roads where S6 supports them. Place the amphitheatre between the rear Commonwealth approach and the formal garden, then the garden and Great Hall farther uphill. Integrate the paired garden side buildings, planting beds, central paved features and crossing road shown in S3. Resolve different view angles into one footprint rather than adding duplicates.

Eastern road and environment

Treat Pairs 5 to 7 as consecutive views of one road by the eastern side of Commonwealth, behind Volta Hall. Shape its centerline as a smooth curve with lane markings, brick sidewalks and natural curb transitions. Replace broad uniform lawns, repeated spherical trees, exposed generic blocks and continuous oversized trenches with tall mixed grass, vegetated banks, mature irregular trunks and overlapping canopies. Keep real buildings mostly screened by vegetation in these photographs; do not delete a mapped building just because it is hidden. Match selective roof glimpses and wooded enclosure from both directions. Preserve bike clearance and wheel collision through the curve.

Work order and controls

Inspect the current engine scene organization, map projection, procedural building generator, terrain and road meshes, collision logic and saved game cameras. Establish one coordinate frame from O1 and O3. First block out hall footprints, garden and amphitheatre, stair platform elevations and road centerlines; render checks from all seven pair cameras and the drone view. Then add roof profiles, facade openings, entrances, statue, major trees and ground surfaces. Finally add signs, restrained weathering, planting and optional people or cars. Keep roof heights, setbacks, terrace elevations, stair flights and curve radii editable. Modify only the selected precinct instances; preserve correct neighboring areas.

Verification and deliverables

Provide clean before-and-after screenshots for all seven matched pair cameras, plus elevated comparison views that show the full Commonwealth to Great Hall axis, Great Hall tower and the S8 stair sequence. Hide cyclist and UI overlays in comparison renders, while retaining the normal playable interface. Walk the central route through every stair and genuinely level interval; ride each surrounding road both ways; test collisions around steps, statue, retaining walls, trees and curbs. Check for roof intersections, floating edges, inaccessible entrances, overly regular vegetation and duplicate structures. Report scene/code changes and unresolved dimensions with the exact extra image or measurement needed. Do not claim surveyed precision.

Completion checks by view

Pair 1 At the comparison camera the roof, recessed central entrance, piers, patterned upper strip, real steps and connected wings must align. The circular game marking and brown chimney must be gone.

Pair 2 From the road, the two gatehouses, white piers and individual flights separated by level walking surfaces must be legible. Walking uphill should encounter stairs, then a genuinely level terrace, then the next stairs.

Pair 3 Pairs 1 and 3 must show the same entrance, roof and stairs. The game must retain a usable parking edge, a grounded crest and a real elevation transition between asphalt and doors.

Pair 4 The entrance, roof overhang, shutters, stone-faced planters and relation to the attached wing must remain correct while moving from Pairs 1 and 3 toward this side view.

Pair 5 The road must read as a shaded two-lane curve with brick sidewalks and partly concealed hall roofs, not a straight campus boulevard bordered by exposed clone buildings.

Pair 6 The primary silhouette should be trunks and canopy with occasional red roofs behind them. The roadway and sidewalk must join smoothly with the preceding and following pair.

Pair 7 Pairs 5 to 7 must feel like one continuous wooded road. From this camera the distant curve, brick walk and dense trees dominate rather than an exposed large building and generic lawn.