Commonwealth Hall Connection and Material Corrections

Correct the existing Commonwealth Hall scene using the six attached references and the owner's explicit clarification of the real building connections and finishes. The main hall blocks form a connected complex: the marked breaks require single-storey connector structures. Preserve the two green-circled detached blocks and the designated break south of the dining hall. This brief addresses Commonwealth Hall; the detailed Great Hall correction brief will follow separately.

Priority corrections

- Add the missing single-storey connectors at the short blue marks; preserve the detached/open exceptions.
- Use brown wooden windows throughout Commonwealth Hall and white paint on its painted wall surfaces.
- Replace the marked flat brown frontage finishes with irregular stone, and use textured dark-brown stairs.
- Keep roofs, courtyards, terrain, planting and legitimate bicycle routes coherent.

How to use this brief

Paste the three Claude prompt sections on the following pages together, and attach the six numbered references. The reference pages explain each image's role. All source images retain their original proportions and annotations.

Reference numbering

Picture 1 Game frontage with false block separations

Picture 2 Game side frontage showing a missing connector

Picture 3 Real low connector beside the main frontage

Picture 4 Game frontage surfaces needing stone and stair corrections

Picture 5 Real stone terraces entrance and stairs

Picture 6 Connection map with blue junction marks and green exceptions

The annotated connection map is Picture 6 in attachment order. The draft calls it Picture 5; Picture 5 is actually the real stone-terrace photograph. The prompt uses the corrected numbering to avoid mixing placement and material evidence.

Claude prompt scope and connection geometry

Please correct the existing Commonwealth Hall model in my University of Ghana bicycle exploration game. Inspect the current scene objects, building meshes, roof generation, materials, terrain and collision before editing. Make targeted corrections to this complex and preserve completed work elsewhere. Use the six numbered references in this document together with my clarifications below. Do not interpret annotation lines, circles, map labels, browser controls, HUD, rider or arrival beam as physical architecture.

The present model incorrectly treats several Commonwealth Hall blocks as detached buildings with grass or open space between them. Pictures 1 and 2 show examples of these false gaps. My clarification is that the main Commonwealth Hall blocks are connected; the apparent gaps at the marked positions are occupied by single-storey structures, lower than the adjoining main blocks. Their lower roofs were misread as empty ground from above. Picture 3, especially its purple circle and arrow, shows the intended low connecting structure beside the taller frontage.

Use Picture 6, the annotated connection map, as the location guide. The short blue strokes mark the missing connections. Inventory every marked junction and map it to the correct existing block IDs. Add a real single-storey connector at each indicated connection, with building volume, appropriate roof, facade and attachment to both adjoining blocks. A path, roof-only bridge, hedge or decorative line is not a substitute for the stated structure. The external built envelope must be continuous at those junctions while courtyard interiors and supported circulation remain open.

Fit each connector to the footprint and orientation of the adjacent blocks. Keep its roof and facade clearly below the taller main wings, matching the low red-roof connector visible in Picture 3. Use reference-supported roof direction, pitch, overhang and material; do not create a second floor, extend a tall wing across the whole gap or add an oversized hip roof that hides the stepped height relationship. Keep uncertain spans, roof levels and local dimensions editable. Reconcile the walls and roofs at their ends without tiny leftover gaps, floating eaves, overlapping surfaces or z-fighting.

Preserve the two small green-circled blocks in the centre of Picture 6 as detached objects. Do not add connectors to them, absorb them into the main wings or fill the surrounding courtyard to make the plan fully solid. Also preserve my yellow-marked exception south of the Commonwealth dining hall as an unconnected region. Do not bridge this break. A curved or dashed yellow map/route line must not be interpreted as permission to remove or disconnect every structure it crosses. If the precise limits of the southern exception are unclear, ask me to identify that specific span before editing it; continue the unambiguous blue-marked connections.

Pictures 1-2 identify examples, while Picture 6 gives the wider set of marked junctions. Check every short blue mark rather than fixing only the two most obvious front gaps. Keep the original marked map unchanged as reference evidence and record an old-to-new object mapping for all connector additions. Do not fill genuine courtyards, roads, gate openings or the stated exceptions with buildings.

Claude prompt windows walls stone and stairs

Correct all Commonwealth Hall windows to brown wooden windows. The existing dark blue or black glass-like classroom window treatment is wrong for this requested model. Some parts already use suitable brown wooden elements: retain their good appearance and use them as a local starting point, checking the real photographs for frame, shutter, louvre or panel proportions. Apply the correction throughout the Commonwealth Hall complex, including connectors and less prominent side/rear elevations, rather than recolouring only the front windows.

This is a material and component correction, not merely a brown border around reflective blue glass. Render visible timber faces with brown wood grain, appropriate slat/panel divisions and a matte or restrained finish. Follow the opening sizes and divisions visible in Pictures 3 and 5 and reuse verified geometry where it is already correct. Do not impose one identical classroom grid or invent extra openings. Retain dark recesses behind openings where needed without presenting them as broad glossy glass panes. Audit all local window components and their material assignments so a global shared material does not unintentionally change unrelated campus buildings.

Paint the Commonwealth Hall wall surfaces white. Remove the yellowish-brown or ochre tint on the incorrectly coloured hall blocks and connector walls. Use a consistent white-painted wall family with modest reference-supported wear and normal lighting variation. Different faces can fall into shade, but their underlying paint should remain white. Do not paint stone plinths, retaining walls, steps, timber windows or red roof tiles white; those are separate material groups.

Correct the flat brown or taupe slabs and wall faces marked by blue arrows in Picture 4. These are intended to have the stone-like finish shown in the real terrace/entrance photograph, Picture 5. Treat them as stone-faced surfaces rather than brown-painted concrete. Apply this correction to the incorrectly simplified Commonwealth frontage plinths, terraced/retaining faces, slab edges and other indicated front sections. The stone reference contains irregular masonry pieces, visible joints and varied earthy brown, reddish and grey tones; it is not a single flat colour.

Use a plausible stone scale across the whole frontage. Align texture direction and UV scale so pieces do not stretch across corners or become enormous repeated tiles. Add restrained roughness and normal/bump detail, or lightweight stone geometry where close views need it. Preserve the real terrace, planted strip and stair relationships rather than turning the foreground into monolithic brown blocks. Do not invent exact wall heights from the oblique photograph; keep local terrain and tier levels adjustable where the correspondence is uncertain.

Make the stairs dark brown, following my explicit colour correction. Use a worn, textured dark-brown surface rather than pale beige or a flat bright-brown slab. Retain visible tread/riser geometry, landing levels and the relationship between stairs, terraced stone faces and white frontage. Stair surfaces and vertical stone cladding should have distinct material assignments even when both use earthy colours. Keep steps attached to their ground and landings, without floating stair runs or buried entrances.

Preserve the surrounding planted terrace character visible in the real photographs: palm/shrub beds and larger foliage interrupt and partly obscure stone tiers and lower frontage. Do not remove plants just to expose every repaired surface. These references clarify connections and finishes; they do not authorize an unrelated redesign of all roads, signs, utilities or the hall roofscape. Preserve supported surrounding features and avoid adding unseen interiors.

Claude prompt implementation and acceptance

Implement in this order: save a baseline and identify the complex objects; inventory every blue-marked connector and the three stated exceptions; add and validate single-storey connector geometry; correct the wooden window components and white wall paint; apply stone materials to the marked frontage; darken and texture stairs; reconcile planted terraces, ground joins and collision. Keep per-object/material overrides scoped to Commonwealth Hall so other verified buildings remain unchanged.

Validate topology from an overhead render matched to Picture 6 and oblique/front renders corresponding to Pictures 1 and 2. Show that every blue-marked junction has its intended low built connection, with no residual grass slit between attached volumes. Confirm separately that both green-circled centre blocks remain detached and the designated southern dining-hall break remains open. The rest of each courtyard and supported circulation must still be usable.

Produce close-up comparison images corresponding to the Picture 3 connector and Picture 4 frontage materials, together with a clean front/terrace view comparable to Picture 5. The connectors must read as low structures; windows must read as brown timber rather than glass; painted hall walls must be white; the specified front faces must read as irregular stone; and stairs must read as textured dark brown. Use comparable framing and daylight so lighting does not disguise the remaining errors.

Check the full Commonwealth Hall perimeter, connector faces and shared window materials, not just one screenshot. Inspect roof junctions, material seams, courtyard voids, stone texture scale, wall bases, stair landings and vegetation overlap. Do not count UI labels or annotation graphics as acceptance geometry. Keep normal game interface behaviour, but hide HUD, rider, arrival beam and optional vehicles in the architecture comparison captures.

Update collision meshes for newly added connectors and remove obsolete gap navigation or old collision boxes. Preserve existing bicycle movement, steering, braking, reverse and camera behaviour on legitimate roads and paths. A previously incorrect passage through a new solid connector must cease to be passable; do not reopen a false gap merely to keep that shortcut. Preserve genuine openings and the three exceptions. Do not add an invisible ramp over photographed stairs unless the game already intentionally provides that traversal behaviour.

Return the scene/code changes, a list of the connector junctions repaired, confirmation of the detached/open exceptions, material/component changes and before-and-after comparison screenshots. State any unresolved span or dimension rather than guessing. My general window preference also applies to relevant structures near the Great Hall, but this implementation pass is for Commonwealth Hall. Do not start a separate Great Hall geometry or material redesign before I send its correction prompt and references.


Picture 1 Game frontage with false block separations



Role in the correction

The blue circles and arrows identify front examples of incorrect separation between the main blocks. Replace the intended gaps with low built connectors, using Picture 6 for their plan locations. The large untextured foreground tiers also need to be checked against the stone-frontage references. The circles and arrows are review annotations; the screenshot HUD and floating hall title are not physical objects.

Picture 2 Game side frontage showing a missing connector



Role in the correction

The blue-circled junction contains a false grass/open gap beside the taller block. This is another connector location, not a separate detached site. Some tall narrow openings already show brown timber-like detail, while other windows use dark glass-like panels; the wooden treatment needs to be applied consistently throughout Commonwealth Hall. Do not infer physical sign accuracy from the game pharmacy or floating destination label alone.


Picture 3 Real low connector beside the main frontage



Role in the correction

The purple circle and arrow indicate the lower roofed structure linking the building sequence. Use it to understand the single-storey connector category, lower roof height and attachment to taller blocks. The photograph also supports white-painted walls, brown wooden openings, red roofs and close planting. It does not provide exact surveyed connector width, roof height or concealed interior layout.

Picture 4 Game frontage surfaces needing stone and stair corrections



Role in the correction

The blue arrows identify surfaces currently represented by flat brown or taupe faces around the Commonwealth frontage, terrace/plinth sections and landscape edges. Use separate stone, stair and white-painted wall materials rather than recolouring every face uniformly. Picture 5 supplies the real stone character. Keep the stairs dark brown as explicitly requested, while maintaining their geometry and landing relationships.


Picture 5 Real stone terraces entrance and stairs



Role in the correction

This photograph is the material and landscape reference for the irregular stone-faced terrace fronts and stepped approach. Stone pieces vary in shape and earthy colour and are separated by visible joints. Planting occupies strips above and between tiers; the stairs are distinct from the retaining faces. Match this stone character across the incorrect front surfaces, and follow the owner's dark-brown stair instruction rather than deriving a flat paint colour from photo lighting.

Picture 6 Connection map with blue junction marks and green exceptions



Role in the correction

The short blue strokes locate missing single-storey connections across the wider complex. The two green-circled central blocks must remain detached. Preserve the owner-designated yellow-marked break south of the dining hall; if its exact extent cannot be distinguished from the map's yellow/dashed route graphics, request clarification for that span. This is the sixth attachment and the map referred to as Picture 5 in the draft; the actual fifth attachment is the stone photograph. Do not treat map annotations or route styling as architecture.