Crop Improvement and Agriculture Precinct Reconstruction Brief

University of Ghana bicycle exploration game | Instructions for Claude

Reconstruction task

Rebuild the incorrect buildings around the West Africa Centre for Crop Improvement and the agriculture departments in the existing game. The marked game views have repeated generic two- and three-storey forms where the references show lower, varied white buildings with red tiled roofs and connected courts. Correct the blue-circled game objects as a coherent precinct. Preserve the College of Agric and Consumer Science building already corrected by earlier work; verify its siting and connection only.


Reference order

Pictures	What they show	Required use
1	Blue-circled game block; violet arrows point to its correct building family	Make the circled block match those low buildings in height, color and detailing.
2 and 3	Game west of Crop Improvement; real oblique aerial	Replace incorrect west-side generic masses with the low roofed complex in the aerial.
4 and 5	Game back of Crop Improvement; real aerial with yellow-circled annex	Correct the low rear or side annex and its service setting.
6 and 7	Two game views of the blue-circled agriculture group	Rebuild connected massing, storey counts, roofs and open spaces.
8 and 9	Game map and real oblique aerial of the same group	Use plan relationships and the blue outlined real roofs together.

Evidence and limitation

Pictures 1–9 arrived. The described Picture 10, a separate real top-layout view, was not present among the attachments. Picture 8 supplies the game plan and Picture 9 supplies the visible real roofscape, but neither establishes a surveyed complete footprint. Keep uncertain dimensions adjustable and use Picture 10 for final plan calibration if it is supplied later. Colored markup, HUD text and map labels locate targets; they are not architectural objects.

Picture One Match the nearby low building family



Picture 1 The large blue circle selects the wrong game block; violet arrows select comparison buildings.

Visible error

The selected corner building is a bulky two-storey cream classroom block with repeated large glazed bays and a brown base. The violet arrows identify lower white buildings with a red lower wall and tiled red roofs. The circled mass is therefore too tall and too institutional in its window pattern, wall treatment and overall silhouette for this location.

Instructions for Claude

- Replace the selected two-storey block with a low volume matching the indicated neighboring building family. Set the eave and ridge against the violet-arrow buildings from this camera; remove the unsupported upper floor instead of shrinking its window texture.
- Use white or light plaster walls, a distinct red lower band, a weathered red tiled pitched roof with deep eaves, and the smaller dark window or louver divisions that are actually supported by the neighboring views. Vary openings by elevation rather than cloning the old classroom bays.
- Keep its roadside footprint and adjacent low buildings coherent. Recheck the corner, grass strip, curb and road after changing its width and roof overhang. Do not globally convert other confirmed two-storey campus blocks.

Acceptance

From the Picture 1 ground camera, the corrected building belongs visually to the two violet-arrow structures: comparable height, pale walls, red base and roof language. The road corridor remains open and no upper-floor window row survives on the selected mass.

Pictures Two and Three West side of Crop Improvement



Picture 2 Blue-circled game objects beside the tall Crop Improvement building



Picture 3 Real aerial showing the low west-side roof group

Visible error

The game presents a detached two-storey box, a very long repetitive low block and simplified open space beside the tall ventilated Crop Improvement building. The real aerial shows a more specific set of low white volumes with several connected red-tile hipped or gabled roof planes, offsets, covered edges and a smaller approach canopy. The tall building and paved parking frontage establish the orientation; the blue annotation in Picture 3 selects the low western group.


Instructions for Claude

- Trace separate low roof masses from Picture 3 before making facades. Keep the change in wing direction, projecting or recessed parts and the visible connection or narrow gap between volumes. Treat roof overlaps as evidence of a compound plan, not one generic long rectangle.
- Bring the game corner block down to the low real silhouette. Replace repeated all-purpose classroom windows with the photo-supported white wall segments, dark openings, verandah or shaded edges, and weathered red tiles. Do not invent an upper storey under the roof.
- Fit the group to the tall building's west side and its real paved road or forecourt. Preserve the practical arrival space, small parked-car clearances and curb islands visible in the aerial; keep cars optional while using them as scale cues.

Acceptance

A top oblique from Picture 3 shows a recognizable sequence of low red roofs beside the taller white Crop Improvement building, with the same principal roof directions and access space. A ride-level check from Picture 2 no longer shows a detached two-storey classroom box blocking that relationship.

Pictures Four and Five Rear annex and service yard



Picture 4 Game rear view with blue-circled low objects



Picture 5 Real rear aerial with yellow-circled annex

Visible error

The game fills the right side behind the tall building with repeated generic low blocks and large identical windows. The yellow circle in the real aerial isolates a compact, low white annex with a broad aged red tiled hip roof, limited dark openings, small wall equipment and a more constrained ground edge. The tall Crop Improvement rear wall is an alignment anchor. Black cylindrical water tanks on a pale raised base sit between the foreground yard and annex in the real view.

Instructions for Claude

- Use one coherent low annex at the yellow-circled position. Match its roof footprint and pitch, modest one-storey wall height, sparse windows and connection or separation from the tall building. Remove extraneous repeated blocks only where they conflict with this target.
- Place the black ribbed tanks on their real raised plinth, with simple visible service piping and sensible collision. Avoid a made-up utility maze. Add the small wall-mounted units only where readable.
- Break the broad game lawn into patchy grass, reddish worn earth and connected narrow concrete paths. Keep the yard traversable and the building base grounded; do not flatten the rear site's local grade without checking the reference.

Acceptance

From the Picture 4 viewpoint, the annex reads as the low red-roofed structure at the right of the tall building. In a reverse or raised view it agrees with the yellow-circled target and tank location in Picture 5.

Pictures Six and Seven Agriculture buildings in the game



Picture 6 First circled game view



Picture 7 Second circled game view

What the two views reveal

The game uses repeated white classroom boxes with nearly uniform square windows, broad uninterrupted tiled roofs and generous empty grass between blocks. A particularly prominent three-storey mass on the left reads as a template rather than the low and varied cluster in Picture 9. The two cameras overlap; their left, middle and right blocks must be corrected as one shared scene rather than separate facades built for each screenshot.


Geometry and spacing

- Block the visible footprint group from the game map in Picture 8, then use the real oblique in Picture 9 to set each supported roof and storey height. Remove the unsupported three-storey left block; retain one or two levels in individual real wings only where their window rows clearly support it. Do not make every real building single-storey by rule.
- Replace disconnected repeated rectangles with the real linked wings, shallow offsets, narrow covered passages and enclosed or semi-enclosed courts. Preserve the actual separation between front rows and rear wings. Avoid overlapping roof planes, duplicate hidden boxes and windows facing sealed joints.
- Change the foreground from a continuous bright lawn to realistic grass, tree shade, compacted earth, walks and local service paving. Keep roads and bike movement aligned to supported routes, and soften the abrupt grass-to-asphalt seam with real curbs or worn shoulders.

Acceptance

Ride or move between the two saved game cameras and see the same corrected corner positions, roof ridges, courtyards and tree placements. Neither view should reveal a new generic three-storey template or a broad empty lawn where the real cluster is dense.

Picture Eight Map relationships



Picture 8 Game map. The blue boundary selects the agriculture group above the Crop Improvement label.

Placement guide

In the displayed map crop, the blue-circled group lies above the West Africa Centre for Crop Improvement, across the intervening route. Labels within it include Soil Science, Agric Science Extension, Department of Animal Science and Department of Agriculture Economics and related units. The College of Agric and Consumer Science label sits in the upper middle and its building was already corrected. These labels help identify scene objects; do not turn map text into freestanding signs.

- Find each selected object and record its scene identifier, approximate footprint, orientation, roof type and storey count before editing. Replace only the wrong masses within the circled group, and retain the corrected College building except for necessary alignment at shared paths.
- Use the route that separates the upper group from Crop Improvement as a stable plan anchor. Preserve passages between departments and the approach from the road, allowing bicycle traversal where the current game supports it.

The plan shapes in this game map are a starting index, not proof that every outline is accurate. The missing real Picture 10 would be the check for exact building spacing, orientation and courtyards.

Picture Nine Real roofscape and building sequence



Picture 9 The blue marker encloses the actual group beyond the tall foreground Crop Improvement building.

How to read the aerial

The tall white building and its large roof in the foreground are a camera and scale anchor, not the target in this view. Read the long blue-outlined band behind it. Multiple modest white blocks, aged red-tiled roofs, courts, rear wings and mature trees overlap in depth. Some facades show more than one row of openings, while nearer low wings have a shallower silhouette. The cluster is visibly tighter and more varied than the repeated game blocks of Pictures 6 and 7.

Instructions for Claude

- Separate major roof masses by their visible ridge direction, roof break and intervening gaps. Preserve stepped roof heights and irregular spacing. Assign an editable storey count per mass rather than a single procedural height for the whole zone.
- Build the low front wings, longer middle building and more distant wings as one coherent network. Keep white plaster, dark windows or grilles, muted red tile, red lower-wall accents where visible, and shaded circulation. Do not assume that every roof overlap is a physical connector.
- Use mature varied crowns to occlude portions of the far buildings as in the photograph. Under trees, blend exposed reddish soil, leaf litter, weeds and patchy grass. Keep an actual route through the group rather than a decorative image plane.

Acceptance

A raised camera approximating Picture 9 sees a layered low-rise roofscape beyond the tall foreground building, not a row of nearly identical two- and three-storey school blocks. Hidden dimensions remain adjustable until the real plan reference arrives.

Consolidated prompt for Claude

Implement a targeted reconstruction pass in my existing University of Ghana bicycle exploration game around the West Africa Centre for Crop Improvement and the agriculture department group. Follow the nine attached pictures in the order labeled in this brief. Picture 10 was described as a real top-layout reference but is not in this package; if it is later supplied, use it to refine plan relationships without undoing the photo-supported building heights and roof forms.

Target assignment

Picture 1 selects a game two-storey building in blue that should belong to the low white, red-based and red-roofed family indicated by violet arrows. Pictures 2 and 3 compare incorrect game masses on the west side of Crop Improvement with a real aerial low-roof complex. Pictures 4 and 5 compare the game's rear low blocks with the real yellow-circled annex and tank setting. Pictures 6 and 7 show two overlapping game views of the flawed group in front of Crop Improvement; Picture 8 locates this blue-circled group on the game map, and Picture 9 gives its real oblique roofscape behind the foreground tall building.

Inspect and place before detail

Inspect the current scene graph, map naming, procedural building templates, terrain, vegetation, roads, hard surfaces and bicycle collision. Identify each circled scene object and save its identifier and baseline comparison camera. Search by the full West Africa Centre for Crop Improvement name as well as existing project abbreviations. The College of Agric and Consumer Science building has already been corrected; verify it from the new aerial and preserve its successful form. Build a plan blockout of the remaining selected structures and shared courts before changing materials or props. Keep footprint offsets, eave heights, ridge angles, road edges and camera field of view adjustable.

Building corrections

Reduce the Picture 1 blue-circled block to the indicated low building family; match the roof, white wall, red base and smaller window pattern. Reconstruct the west-side low wing group from Picture 3 with distinct hipped and gabled roof masses, proper offsets and practical parking access rather than a detached two-storey box. Make the Picture 5 rear annex a compact single-storey volume with sparse openings and a weathered tiled roof; place service tanks on the observed raised plinth.

For the Picture 6–9 agriculture group, replace the generic three-storey and repeated two-storey boxes with photo-supported individual heights and a connected set of lower wings. Use the real aerial for roof heights, ridge directions, relative depth and visible openings, and the map for provisional relationships to the named departments. Keep the corrected College building and the tall Crop Improvement building as anchors. Do not duplicate either merely to satisfy a camera.

Consolidated prompt for Claude continued

Terrain circulation and materials

Shape the local ground as functional asphalt routes, defined curbs, narrower paths, service aprons, compacted red earth and patchy grass. Retain real access between the buildings and through courts, including usable bicycle clearance on appropriate paths. Add realistic but economical branching trees with irregular canopy overlap; do not use equal-size spherical trees or uniformly bright-green lawns. Use restrained wall staining, varied roof tile aging, dark louver or grille openings, and sparse AC or service hardware where visible. Keep cars, bins and other movable items subordinate to architecture.

Verification order

- Save comparison cameras for Pictures 1, 2, 4, 6 and 7, and a raised overview corresponding approximately to Picture 9. Match camera height, heading and field of view before scale judgments.
- Block the footprint, storeys and roof volumes first. Verify every camera and the Picture 8 map relationship before window and material detail.
- Add facade bays, roof eaves, tanks, paved routes and vegetation. Remove duplicate procedural objects and check that roofs, curbs and wall bases meet cleanly.
- Test bicycle travel between zones and verify collisions at tanks, trees, service aprons and steps. Render clean images without HUD, rider, map arrows or annotation overlays.

Required output

Provide the edited scene or code, a concise mapping from each old game object to its corrected role, and matched before-and-after views. Report unresolved measurements as editable values. When Picture 10 is available, compare its real layout with Picture 8 and refine footprint spacing without inventing hidden facades or demolishing the already corrected College block.

Acceptance checklist

- Picture 1: the blue-selected building no longer towers above the violet-arrow low buildings and matches their white and red material family.
- Pictures 2 and 3: west of Crop Improvement, low roof masses, offsets and approach paving resemble the aerial rather than a two-storey template.
- Pictures 4 and 5: the rear annex is compact, low and placed next to the tank and service area.
- Pictures 6 to 9: the corrected department group reads as a layered connected precinct with varying heights and roof lines, real courts and mature vegetation.
- The pre-corrected College of Agric and Consumer Science remains intact, and scene labels correspond to their actual objects.