Legon City Mall and GM Motors Correction Brief

University of Ghana bicycle exploration game | Separate reconstruction pass

Task for Claude

Correct three linked errors in the existing game scene: rebuild Legon City Mall to resemble its real façade, add the missing roadside shelter and yard indicated by the game arrow, and assign the two low buildings around GM Motors to the real targets shown by the annotated street view. Keep the working road network and nearby verified landmarks while adjusting footprints and forecourt levels to make the six supplied views consistent.

Image key

Images	Evidence	Decision
1 and 2	Game mall and real mall frontage	Replace generic mall massing and façade.
3 and 4	Game road with arrow and real circled roadside area	Add the omitted structures and roadside environment.
5 and 6	Game circled low block and annotated real street view	Make the circled block GM Motors; assign the former game GM object to the green arrow target.

Evidence rules

The screenshots show current game content and where the user wants edits. The street photographs show visible target forms, finishes, surface types and relative depth; neither supplies surveyed dimensions. Match each ground camera's position, height, heading and field of view before changing scale. Use the indicated arrows and circles as placement evidence, not scene objects. Interface labels, street-view controls, cars and traffic are not permanent architecture.

The real mall is the tall background anchor. GM Motors is the low signed frontage at the left of Image 6. The green arrow in Image 6 marks a different low structure farther into the site, in front of the mall. The roadside group in Image 4 belongs at the indicated side of the road in Image 3. Treat all four as distinct entities even where one view hides another.

Comparison One Legon City Mall



Picture 1 Current game mall



Picture 2 Real mall frontage

Mistake in the current game

The game has a row of repeated white blocks with blue glass ribbons, black louver strips and a narrow glass tower projecting above a largely uniform roofline. Their rhythm, silhouette and frontage do not match the real Legon City Mall. The real image reads as a broad, multi-part commercial complex: a darker central block with large rectangular window bands and a roof sign; a lighter, more open left wing; and a sizable glazed right-hand volume. The game foreground is a nearly empty sandy area with sparse grass instead of the active paved and parking frontage visible in the reference.

Commands for Claude

- Rebuild the shared footprint and silhouettes. Replace the repeated office modules with differentiated central, left and right masses. Match the real roofline changes, setbacks, recessed joints and broad horizontal façade proportions; count visible storey bands and bay spacing against Image 2 before fixing heights.
- Model the frontage. Use dark grey cladding and regular but non-identical rectangular glazing in the central block, the lighter/open structural treatment at left, and the large glazed right wing with its lower void or passage where visible. Preserve correct depth where the wings step back or project.
- Add the prominent roof level LEGON CITY MALL name and colored emblem in the position and scale visible in Image 2. Give the ground floor a varied commercial frontage with canopies and sign bands only where the photograph supports them. Do not invent unreadable shop names or detailed interiors.
- Replace the sandy grass field at the matching viewpoint with the correct paved forecourt and parking circulation. Add curbs, parking positions, a few restrained vehicle props, poles and site edges to establish scale. Place weathering and reflections locally; do not bake photograph lighting into materials.

Acceptance

At a matched camera, the mall must be recognizable by its stepped three-part outline, darker central glazing, distinct right glazed wing and roof sign before props are added. From the distant Image 6 view, it must remain behind the two low foreground targets rather than being moved forward to fill the frame.

Comparison Two Missing roadside area



Picture 3 Game road and placement arrow



Picture 4 Real circled roadside target

Mistake in the current game

The arrowed site to the right of the game road is largely empty lawn and bare red soil, with isolated stylized trees and unrelated repetitive buildings beyond. The real view has a close, irregular roadside cluster: a small covered metal frame or shelter with mesh/railed sides, a tall advertising panel, objects stored under or beside it, a raised concrete edge or platform and dense mature vegetation behind. The road edge is a defined curb rather than grass dissolving into the carriageway.

Commands for Claude

- Place the Image 4 cluster at the arrowed roadside area in Image 3, on the right from that game camera. Align it against the real road edge and sightline toward the mall. Block its footprint, curb and setback first, then verify from both the road view and an oblique cross view.
- Make a lightweight shallow roof on slender metal supports, with visible frame depth, roof sheet/fascia, side mesh or open grille sections and a small sign panel on posts. Keep the silhouette low; do not substitute another full-size classroom or office block.
- Build the varied ground: paved or compacted vehicle area, raised concrete slab/edge, narrow pedestrian border, reddish soil, gravel and worn patches. Connect them without floating curbs or abrupt terrain seams. Use stacked tires, containers or similar readable service objects sparingly.
- Plant dense, irregular mature trees and broad banana-like leaves behind and beside the cluster. Preserve useful road clearance and line of sight. The white car and small figures in the photograph are optional scale props.


Acceptance

The arrowed patch is occupied by a clearly low roadside structure and vegetation, with an actual curb and believable surface transitions. The bike can follow the road without colliding with decorative clutter. The site remains separate from GM Motors and the mall.

Comparison Three GM Motors and the second low structure



Picture 5 Circled game building



Picture 6 Blue arrows GM Motors green arrow other target

Mistake in the current game

The circled game building is a generic low institutional block with a broad orange hipped roof, repeated classroom windows and a large uninterrupted lawn. The two blue arrows in Image 6 identify the actual GM Motors frontage: a low, street-facing commercial building with a long white sign fascia, red GM logo and large red GM MOTORS lettering, a shallower roof/parapet profile, a subdivided open or glazed front and a gravelly fenced forecourt. The green arrow identifies another small, low structure farther back toward the mall. The game currently treats a different object as GM Motors, so the identity and siting of these two objects must be corrected together.

Commands for Claude

- Turn the circled Image 5 building into GM Motors at that game footprint after checking its alignment against Image 6. Replace the orange gable/hip roof and repetitive classroom bays with the low signed façade, pale fascia, red logo and lettering, slender vertical front divisions, dark openings/glazing, and red or dark trim supported by the photograph.
- Rebuild its immediate frontage as a paved/gravel forecourt with modest fence posts or mesh, a sidewalk/curb line and sparse parked vehicles. Remove the unsupported continuous lawn. Keep the mall in the background at the correct relative distance.
- Find the object currently labelled or modeled as GM Motors in the game scene. Reassign and reshape that object for the distinct low structure at the green arrow in Image 6. The arrow marks a target position across the forecourt, not a second GM Motors sign. Do not simply swap floating name labels; update object identity, massing, material, footprint and collision.
- Validate the two targets from Image 6's camera: GM Motors sits on the left in the foreground with a readable long fascia; the green-arrow structure is smaller and farther back, between that foreground and the mall. Keep their access paths and the broad open forecourt between them.

Acceptance

The game no longer has two GM Motors buildings or a classroom-like GM facade. The circled Image 5 object matches the blue-arrow storefront. The former GM object becomes the separate green-arrow target and occupies the correct relative depth.

Consolidated prompt for Claude

Implement a targeted correction pass in my existing University of Ghana bicycle exploration game around Legon City Mall and GM Motors. The supplied images are ordered exactly as follows: Image 1 is the current game mall, Image 2 is its real target; Image 3 is the game road with an arrow to a missing roadside area, Image 4 is the circled real target for that area; Image 5 circles a game low building, and Image 6 marks the real GM Motors building with two blue arrows and a different low structure with a green arrow. Follow the three illustrated comparisons and the instructions below.

Inspect and block out

Inspect the existing scene organization, procedural building templates, terrain, roads, signage, minimap labels and collision logic. Identify the actual mall object, the circled Image 5 object, and the separate object currently used as GM Motors. Give them stable scene identifiers before editing. Work on these selected objects and the indicated roadside parcel rather than globally replacing every campus building. Preserve the verified nearby GCB Bank, Legon Police Station, road and main-gate connections from earlier work.

Use Image 6 as the main depth and adjacency check: the signed GM Motors frontage is at the left foreground, the green-arrow low target is behind it toward the center, and Legon City Mall rises behind both. Use Image 3 to locate the additional roadside cluster on the right of that route. Reconcile the views with the in-game plan before moving assets. Record adjustable footprint offsets, facade widths, heights and camera parameters; these photographs do not prove surveyed distances.

Rebuild the mall

Replace the generic repeated white-and-blue mall blocks with the differentiated real masses. Establish the roofline, central darker commercial block, lighter open left side and right glazed wing; then set the glazed bay rhythm and ground-floor openings. Add the legible roof name and emblem at correct scale. Construct the paved parking frontage and site boundaries. Render a no-HUD comparison from Image 1's view and a distant check from Image 6. Rework proportions until the silhouette reads correctly before small storefront detail.

Add the roadside cluster

At the Image 3 arrow location, make the low shelter or service structure from Image 4 with a roof on thin supports, mesh or open frontage, raised slab, vertical sign panel and restrained stored items. Shape curb, compacted earth, paving and gravel to match the road edge. Rebuild the tall irregular tree canopy and banana-like growth behind it, keeping the structure visible. This is local scene geometry with plausible rideable surfaces and collisions, not a decal or a new large building.

Consolidated prompt for Claude continued

Correct the two low buildings

Transform the circled building of Image 5 into GM Motors, matching the signed low frontage indicated by the two blue arrows in Image 6. Change its massing and roof edge, front bay pattern, sign fascia, foreground fence and ground surfaces. Take the scene object currently used as GM Motors and repurpose it to represent the separate green-arrow low structure in Image 6, positioned farther back toward the mall. Rename scene references and minimap labels consistently. If that object's present geometry cannot match the green-arrow target, rebuild the visible portion instead of preserving a wrong template. Never put the GM MOTORS sign on the green-arrow target.

Environment and game behavior

Match the actual hierarchy of asphalt roadway, curb, paved sidewalk or forecourt, gravel parking ground, compacted red soil and planted edges. The game should not retain a uniform bright-green lawn across all three corrections. Connect local grades naturally; do not infer a steep slope from camera perspective alone. Use mature irregular trees, not evenly spaced spherical canopies. Keep poles, signposts, parked cars and small stock objects as removable props. The cyclist must ride along the road and across supported forecourt routes; give the low structures and posts simple collision volumes and avoid floating slabs, overlapping roofs and duplicate facades.

Implementation order

- Save baseline comparison cameras for Images 1, 3 and 5, plus a distant Image 6 check. Disable HUD and the cyclist only for the clean comparison renders.
- Correct plan relationships and object assignments first. Block mall volumes, both low buildings, the roadside cluster, road edge and forecourts using plain materials.
- Match elevations and roof silhouettes against Images 2, 4 and 6. Add structural glazing, storefront openings, GM sign, roadside shelter and vegetation only after footprints agree.
- Complete paving, gravel, soil, curbs, limited props, weathering and collision. Test bicycle travel and visual continuity between cameras.

Deliverables and checks

Return the scene/code changes, an object mapping naming the old and new roles for each edited scene object, and four clean comparison renders: mall from Image 1, roadside parcel from Image 3, GM site from Image 5, and overall alignment from Image 6. State unresolved dimensions explicitly as adjustable values. Do not claim measured precision or invent small sign wording that is not legible.

- Mall: the roof sign, differentiated dark and glazed volumes, ground-floor frontage and paved forecourt read like Image 2.
- Roadside: the arrowed right-side parcel contains the low shelter cluster, mature vegetation, defined curb and realistic surface changes in Image 4.
- GM site: the circled Image 5 object is the blue-arrow GM Motors frontage; the former game GM object is the separate green-arrow target, with the mall behind both.