
Legon Road and La Bawaleshie Reconstruction Brief

Reconstruct the 19 supplied viewpoints in the existing bicycle game. Game views remain on the left and real street views on the right. Detailed corrections follow each pair; six additional maps and aerial views locate the work, followed by the consolidated Claude prompt.

Current game view



Real street view



Pair 1

Main road facing the institutional frontage

Mistake in the current game

The game fills the opposite side with white tiled-roof campus blocks and widely spaced trees. The real view has a compact beige institutional volume with a tall dark grey rectangular face, a nearby communications mast, lower roadside structures and a much less manicured verge. The silhouette and setbacks need replacement, not a recolor of the current classroom template.

Corrections for Claude

Model the beige block and its dark vertical face from the reference, preserving the blank planes and few visible openings. Place the lattice mast as a separate slender landmark behind or beside the frontage. Reconcile the road-facing position with Additional Reference 1; keep low roofs and boundary treatments subordinate. Hidden rear geometry can remain simple and adjustable.

Environment and acceptance

Replace the uniform lawn with patchy grass, exposed soil, small planted trees, curb edges and pedestrian ground where shown. Use the mast and dark face as alignment cues from a bicycle-height camera. The view must retain the actual carriageway and median relationships without inserting a campus lawn between every road and frontage.

University of Ghana View Pair Reference

Current game view	Real street view
	

Pair 2

Along the main-road commercial edge

Mistake in the current game

The game repeats multi-storey white blocks and evenly spaced trees along an open grass strip. The reference shows an uneven commercial roadside sequence with a beige building edge, mast, low sheds, tall advertising panel and a cream-and-orange block farther away. Its built edge is neither continuous campus architecture nor a park.

Corrections for Claude

Use Pair 1 for the shared beige frontage and mast. Add the low roadside roof sequence and the distant taller cream-and-orange block at their distinct depths. Build advertising panels on slender supports; copy only legible major wording if useful. Preserve the actual order of landmarks rather than spacing all objects equally.

Environment and acceptance

Model the narrow verge, sidewalk or worn route, curbs and sparse shrubs. Parked vehicles are optional scale cues and must not determine footprints. Moving from Pair 1 to Pair 2 must show the same mast and frontage corner while revealing the longer commercial strip.

University of Ghana View Pair Reference

Current game view



Real street view



Pair 3

Scrubland beside the main road

Mistake in the current game

The game places several large classroom-style buildings across a bright open lawn. The real target is largely dense unmanaged vegetation on uneven ground with a narrow path or roadside margin. Those invented buildings change the entire land-use impression.

Corrections for Claude

Remove unsupported blocks from this selected sightline. Keep only background roofs or structures actually evidenced beyond the vegetation. Shape a shallow irregular planted embankment or verge, with layered shrubs, vines and taller weeds; do not assume an extreme hill from the photograph alone.

Environment and acceptance

Build the path and curb along the road, with exposed soil patches and restrained litter or stones. Use irregular vegetation heights and density rather than one grass plane or identical trees. Acceptance: this saved camera reads as a vegetated roadside parcel, with distant buildings partly obscured, and the bike route remains on its real road surface.

University of Ghana View Pair Reference

Current game view	Real street view
	

Pair 4

Cream and orange commercial block

Mistake in the current game

The game repeats pale institutional blocks across an open setback. The real street image has a distinctive approximately three-level cream commercial block with orange vertical or corner accents, dark or blue window bands and a low occupied frontage. Large empty grass gaps overstate the distance to the built edge.

Corrections for Claude

Rebuild the identifiable cream-and-orange mass as a distinct asset with its visible storey bands, rectangular roof edge, window rhythm and orange stair or entrance accent. Match visible heights by facade rows after calibrating the camera. Retain smaller shops and sheds at the lower frontage; do not extend the accent color to every nearby building.

Environment and acceptance

Keep traffic lanes and median continuous with Pairs 1 and 2. Add low boundary edges, practical forecourt ground and the reference-scale roadside planting. Vehicles and pedestrians can be removable. Acceptance: the colored block, lower frontage and mast sequence remain correctly aligned as the player travels along the highway.

University of Ghana View Pair Reference

Current game view	Real street view
	

Pair 5

Junction looking toward the sports stadium

Mistake in the current game

The stadium is too distant and isolated in a broad generic field, while the game junction lacks the concentrated signal, paving, poles and roadside hardware visible in the reference. The real view has the stadium behind its enclosure and approach surfaces, with a busy junction in front.

Corrections for Claude

Correct the stadium setback and perceived scale using Additional References 1 and 2. Preserve its oval footprint and alternating muted red, pale and dark vertical facade strips. Rebuild the junction mouths, islands, signal posts and stadium boundary before detail. Keep signal heads and billboard supports separate from the main building.

Environment and acceptance

Add worn paving, curb corners, local soil and grass transitions, the visible small utility cabinet and short protective bollards where supported. Do not model transient traffic as permanent clutter. Acceptance: the stadium roofline and enclosure sit behind the same junction geometry used by Pairs 6 and 7.

Current game view	Real street view
	

Pair 6

Stadium facade across the junction

Mistake in the current game

The game simplifies the stadium into low repeated striped sections and excessive foreground lawn. The real image has a broad continuous stadium enclosure, substantial facade height, a lower dark/grey structural band, fence layers and several tall floodlight masts.

Corrections for Claude

Use one shared stadium model for Pairs 5 to 8 and 14. Reconcile the curved envelope with the aerial oval; do not create unrelated straight striped boxes for each camera. Build the facade screen as vertical bays with visible height and depth over its lower base. Match floodlight poles and their rectangular lamp arrays without multiplying unsupported poles.

Environment and acceptance

Place boundary fences, approach road, curb and ground strips in the right order. Keep the near signal and advertisement supports as scale references, with optional cars. Acceptance: stadium strips, lower band and masts remain visible and consistent from this closer viewpoint.

Current game view	Real street view
	

Pair 7

Turn toward the stadium junction

Mistake in the current game

The game offers a smooth empty turn surrounded by lawn and palms. The supplied real view repeats the same stadium-facing evidence as Pair 6, including signal equipment, fences and the harder roadside surfaces. It cannot establish a second independent stadium frontage.


Corrections for Claude

Use the same stadium, junction and roadside objects already corrected for Pair 6. Fix the game turn radius and island relationship against the annotated aerial instead of inventing extra lanes from the repeated photograph. Treat the repeated real image as a shared target and keep the saved game camera separate.

Environment and acceptance

Replace ornamental sparse palms with reference-supported planting and maintain the road edge, utility cabinet, signal and pedestrian space. Acceptance: moving through this turn reveals the existing Pair 6 scene without duplicate stadium shells or conflicting signal positions.

Current game view



Real street view



Pair 8

Stadium side elevation and approach strip

Mistake in the current game

The game contains an oversized grid of vehicles and a broad uninterrupted lawn in front of a fragmented striped stadium. The real view has a continuous curved facade, fenced approach, floodlight masts, verge growth and a narrow roadside pedestrian strip.

Corrections for Claude

Fix the stadium oval and curved facade against the aerial. Model the real approach enclosure and distinguish parking bays from lawns; use the paved parking pattern in Additional Reference 1 rather than scattering vehicles over grass. Retain only supported access lanes and gates.

Environment and acceptance

Build the narrow path, patchy grass, fence base and exposed earth. Add occasional billboards and vehicles as optional props. Acceptance: the stadium reads as one large venue with a coherent paved approach and parking area; the repeated car grid no longer substitutes for ground geometry.

Current game view	Real street view
	

Pair 9

Forward view along the divided road

Mistake in the current game

The game has a clean straight corridor with identical landscape objects and very little roadside development. The real road view is anchored by commercial frontages, billboards, varying pole types, irregular verges and the stadium at the side or farther back.

Corrections for Claude

Preserve the divided-road topology and junction location from the aerial. Recheck lane width, median, shoulder and visibility of the next intersection after matching the camera. Add the distinct billboard silhouettes and low frontages in the proper sequence; avoid inventing an extra highway solely to match the perspective.

Environment and acceptance

Blend short grass, red soil, pedestrian margins and planting. Use worn but restrained asphalt texture and supported markings. Acceptance: traveling toward the junction passes the same shops, billboards and stadium assets seen in adjacent pairs, with continuous collision surfaces.

Current game view	Real street view
	

Pair 10

Main-road junction and turn markings

Mistake in the current game

The game uses simplified open grass islands and generic buildings beyond the junction. The real reference shows a complex signalized road edge with a worn triangular or tapered island, turning guides, stop lines and commercial structures close to the roadway.

Corrections for Claude

Block all connected road mouths and median breaks from the aerial before adding lanes. Recreate the visible island outline, signal locations and turn/stop markings at proper road scale. Place the shops and utility poles beyond the real curb; leave unseen signal phasing or lane counts adjustable rather than claiming them from one photo.


Environment and acceptance

Give the island patchy soil and grass with concrete edges, and keep pedestrian waiting space clear. Acceptance: junction surfaces join without gaps, signals stand on plausible islands or verges, and a bike can take each supported approach without being forced over a decorative curb.

Current game view



Real street view



Pair 11

Opposite frontage at the junction

Mistake in the current game

The game populates the opposite side with campus blocks and lawn. The reference instead has a low yellow frontage, a taller beige background volume, small dark or metal-roofed shops, communications equipment and overhead utility lines.

Corrections for Claude

Replace selected campus templates with the low commercial sequence visible here. Separate the low yellow wall or building from the taller background mass and nearby shed roofs. Reuse the mast and shared junction anchors from earlier pairs. Model only visible frontage detail until the real roof layout supports rear geometry.

Environment and acceptance

Add paved or compacted forecourts, curb, poles and restrained overhead wire spans. Keep vehicle queues optional. Acceptance: this cross-road view reveals the same commercial corner used by Pair 12 and the correct relationship to the La Bawaleshie road mouth.

Current game view



Real street view



Pair 12

Retail facade at the highway corner

Mistake in the current game

The game substitutes white tiled-roof residential or classroom blocks for a dense retail frontage. The real image has a cream/beige approximately two-level frontage with upper windows, colorful ground-floor signs, shuttered or dark shop bays, an orange lower wall and utility structures.

Corrections for Claude

Model the visible commercial facade as a distinct mass with its flat or shallow roof edge, upper windows and subdivided shop bays. Put sign bands on the facade rather than floating labels. Match legible large text only; small advertisements may be abstract panels. Reuse the same corner building when it appears in Pairs 18 and 19 only after verifying the map and facade match.

Environment and acceptance

Rebuild the curb and active sidewalk/forecourt with realistic offsets to utility poles. Vehicles must not hide all acceptance views. Acceptance: the facade reads as a shop block with practical street frontage, not an institutional building across a lawn.

Current game view



Real street view



Pair 13

Continuity of highway and median

Mistake in the current game

The game has uniform green setbacks and repeated lights along a simplified road. The real view contains the approach to the junction, irregular planted and worn median edges, a range of billboards and utility poles, and commercial buildings along both visible sides.

Corrections for Claude

Use the same highway and junction geometry as Pairs 9 and 10. Refine only supported lane markings, curbs, median outlines and roadmouth transitions. Set billboard depth and storefront sequence against the annotated map; do not independently move the stadium to satisfy this camera.

Environment and acceptance

Add patches of dry soil, sparse shrubs and narrow pedestrian ground, maintaining safe rideable surfaces. Acceptance: a forward bicycle route links this view to Pair 9 and the intersection without a jump in road width, missing median segment or duplicated frontage.

Current game view	Real street view
	

Pair 14

Oblique stadium facade and billboard frames

Mistake in the current game

The game again shows separated stadium strips beyond a simplified lawn. The real image shows the venue at an angle through fences, large empty billboard frames, utility poles, tall lighting and mixed vegetation.

Corrections for Claude

Reuse the corrected stadium shell and its parking/approach geometry. Add billboard frames with thin metal uprights, crossbars and real depth instead of opaque rectangular boards where the photo shows an empty frame. Keep the facade curved and its vertical strips continuous with Pairs 6 and 8.

Environment and acceptance

Layer fences, frame supports, grass, exposed soil and paved edges without obstructing the road. Acceptance: the same stadium is recognizable through the sparse foreground structures, and no empty billboard panel is incorrectly filled with a fabricated advertisement.

Current game view	Real street view
	

Pair 15

Commercial frontage from the shared viewing position

Mistake in the current game

The game fills the target side with large white tiled-roof blocks, spaced trees and lawn. The real view shows an occupied commercial strip and vehicle forecourt with smaller differentiated buildings, signage and little room for a broad ornamental setback.

Corrections for Claude

Use the shared arrow origin marked 15–16 in Additional Reference 1. Rebuild the supported mix of low commercial roofs and taller background masses at realistic relative scale. Keep distinct front setbacks, gaps and access points rather than one continuous institutional facade. Use Pair 16 to check the adjoining frontage.

Environment and acceptance

Model forecourt paving or compacted ground, roadside verge and signposts. Optional vehicles can demonstrate scale but should be disabled for architecture checks. Acceptance: this view and Pair 16 occupy the same supplied map position and reveal compatible parts of one commercial sequence.

Current game view



Real street view



Pair 16

Adjacent frontage from the same marked view

Mistake in the current game

The game remains a uniform campus-style setting. The real reference has a mixed frontage with a pale and red-trimmed low building, an individually shaped green gable-front structure, forecourt vehicles, tall mature trees and local signs.

Corrections for Claude

Preserve the user's shared 15–16 arrow assignment. Model the distinct low building and green gabled frontage only to their visible forms, and reconcile their positions with Pair 15. Do not manufacture two separate sites because the photographs frame different portions of the frontage. Keep hidden roof connections unresolved.

Environment and acceptance

Replace the lawn with the supported verge, pedestrian ground and occupied forecourt surfaces. Use mature narrow and broad crowns where visible rather than uniform blob trees. Acceptance: both views can be reproduced by changing heading or framing at the shared map origin without teleporting structures.

Current game view	Real street view
	

Pair 17

La Bawaleshie mouth looking toward the low frontage

Mistake in the current game

The game uses detached white multi-storey campus blocks across open lawns. The real street view shows a low yellow commercial frontage with a prominent sign or dark display, small metal-roofed shops, a palm, boundary walls and an asphalt street with a rough pedestrian edge.

Corrections for Claude

Follow the Pair 17 arrow in Additional Reference 3 to the selected roadside side. Replace the local generic blocks with the low yellow frontage and adjacent small shop roofs. Build blank walls, sign/display face and door/window divisions to the reference; retain the actual narrow gaps and uneven frontage line. Do not assign a business identity to unreadable signs.

Environment and acceptance

Use compacted soil, paved margins, shallow drainage/curb edges and realistic utility placement. Acceptance: the road mouth and yellow frontage remain connected to Pairs 18 and 19, with no campus lawn between the street and its shops.

Current game view



Real street view



Pair 18

View along La Bawaleshie Road

Mistake in the current game

The game is a wide, straight boulevard through repetitive tiled-roof buildings. The real route is a tighter commercial street with irregular one- and two-level frontages, metal roofs, upper balconies or galleries in places, shop signs and dense overhead utilities.

Corrections for Claude

Use the Pair 18 arrow and real satellite roof pattern to define the street axis and frontage setbacks. Reconstruct a varied row of low sheds, taller cream/blue commercial masses and side access gaps, not repeating the same campus template. Do not transfer the divided-highway median into this local road. Keep exact lane width adjustable until the camera and curb positions agree.

Environment and acceptance

Add narrow usable pedestrian margins, uneven paving or compacted earth, utility poles and wire spans, with simplified collision. Acceptance: the view down the road reads as a continuous mixed commercial neighbourhood and shares the corner geometry seen in Pair 19.

Current game view



Real street view



Pair 19

Corner shop block and utility area

Mistake in the current game

The game represents the corner as a detached institutional block on lawn. The real photo has a cream commercial block with multiple upper windows, ground-level signs and shutters, an orange lower strip, neighbouring blue frontage and a nearby utility/power installation.

Corrections for Claude

Use the Pair 19 arrow in Additional Reference 3. Build the corner facade, roof edge, upper openings, shops and billboard/sign supports at their actual street setback. Model the utility poles, diagonal support and visible cabinets or equipment with simple meshes; wires are visual detail and need not become bike collision hazards. Confirm whether this is the same facade as Pair 12 before sharing an asset.

Environment and acceptance


Create the street-facing pedestrian strip, curb, rough service ground and visible vegetation pockets. Acceptance: a turn from Pair 18 reveals the same corner, poles and shop bays; the satellite roof plan and the street facade belong to one coherent building footprint.

Additional Reference 1 Real aerial and pair directions



The annotated real aerial locates Pairs 1–16 along the main road beside the University of Ghana sports stadium and the La Bawaleshie junction. Preserve every supplied arrow and its number. Pairs 15 and 16 share one arrow origin. The stadium and organized parking are on the left of the displayed main road; the denser commercial neighbourhood lies on the right. North of the stadium approach, the aerial shows substantial scrub or open ground rather than a field of campus buildings. Use arrow tails as approximate camera zones and heads as viewing directions, then calibrate against the street photos. Do not turn arrow lengths into surveyed distances.

Additional Reference 2 Game map of the main corridor




The game map helps find scene assets and shows road and stadium topology, but it is not proof of correct building heights, materials or ground surfaces. Keep the stadium oval, the main divided-road axis and the local-road junction aligned to Reference 1. Compare parking lanes and site boundaries first; correct the 3D scene without globally replacing every building footprint in the map.

Additional Reference 3 Real La Bawaleshie layout and directions



The real satellite crop gives Pairs 17, 18 and 19 their directions at the main-road junction. It shows a dense, irregular collection of small roofs north of La Bawaleshie Road, larger individual roof masses south of it, multiple side accesses and shallow street setbacks. Pair 18 looks along the road; Pairs 17 and 19 address opposite or differently angled frontage portions from the indicated origins. Use the street views to verify the exact target at each head. Small map business labels do not establish architecture or authorize invented signs.

Additional Reference 4 Game plan around La Bawaleshie



The game map is an object-location index for the local street. Match the main junction, La Bawaleshie axis, frontage plots and side streets to Reference 3 before facade edits. Keep the difference between a small alley and a carriageway. Satellite roof outlines may include lightweight canopies or sheds, so do not turn every roof polygon into a multi-storey building.

Additional Reference 5 First flawed game aerial



The marked game region contains repeated white two- and three-storey buildings with red hip roofs, broad grass voids and highly regular vegetation. This cannot represent the real mixed commercial neighbourhood shown in Reference 3 and Pairs 17–19. Replace selected templates with individually proportioned low sheds, mixed commercial blocks, walls, canopies, courtyards and actual frontage ground. The large Diamed label and arrival beam are interface markers; they are not evidence that every circled mass belongs to a medical compound.

Additional Reference 6 Second flawed game aerial



Use this oblique as a second consistency check of the same selected neighbourhood. Shared roof corners, street widths, side access and repaired frontages must agree with Reference 5. Remove duplicated templates and unsupported lawn areas inside the selected parcel. Keep a simplified representation for obscured rear buildings, using the real satellite roof direction and height categories supported by photos. Do not invent complete interiors or replace nearby verified landmarks without evidence.

Consolidated Claude prompt Scope and evidence

Implement the next reconstruction pass in my existing University of Ghana bicycle exploration game. Recreate the Legon Road corridor beside the sports stadium and the La Bawaleshie Road junction and neighbourhood using the 19 game/real comparisons and six additional references in this document. Follow each pair's corrections. Images are evidence; ignore HUD controls, map arrows, Google Street View interfaces and floating game labels as scene content.

Use Additional Reference 1 for the supplied Pairs 1–16 viewing zones, and Reference 3 for Pairs 17–19. Preserve the shared arrow for Pairs 15 and 16. References 2 and 4 are game maps, not independent proof of accurate architecture. References 5 and 6 show the incorrect game neighbourhood from two aerial cameras. Street photographs establish elevations, visible materials and local ground; satellite images establish roof footprints and relative placement. Neither supplies surveyed dimensions. Keep measurements editable and explicitly separate observed features from estimates.

Inspect the engine, scene graph, procedural building templates, terrain, road mesh generation, labels, vegetation and bicycle collision before edits. Identify the selected buildings and parcels by stable IDs. Preserve the existing working scene and make targeted replacements. Main-road commercial frontages must not use the generic campus classroom template. The scrub parcel in Pair 3 must stay vegetated rather than receiving invented buildings. The stadium must be one consistent venue across Pairs 5–8 and 14.

Fix plan relationships before detail

Create a blockout of the main-road carriageways and median, the stadium footprint and paved parking, the La Bawaleshie road mouth, commercial corners and local side accesses. Align the real and game maps at these stable anchors before judging frontage setbacks. Do not add lanes, deep drains, steep slopes or large buildings from perspective alone. Fit the roads and terrain locally, preserving correct road continuity between every pair. Validate the 19 cameras before detailed materials.

Consolidated Claude prompt Architecture and environment

Replace the erroneous main-road classroom blocks with the observed mix: a beige institutional frontage with dark vertical face and mast; varied low shops and sheds; the cream-and-orange taller commercial block; the retail corner with upper windows and ground shop signs; and the individual low buildings at the shared 15–16 view. Model these as differentiated assets with realistic roof edges, blank walls, window divisions, sign fascia, setbacks and boundary walls. Copy only legible major wording and avoid invented businesses.

Rebuild the stadium as a coherent curved envelope following its oval plan, alternating muted vertical facade strips, dark or grey lower structural band, boundary fences and tall floodlight arrays. Rectilinear parking rows must lie on parking surfaces, with actual access and landscape strips. Remove car grids used as a substitute for paving. Junction geometry must include the supported island outlines, curb corners, signal posts, waiting space, utility boxes and worn road markings.

For La Bawaleshie Road, replace the repeated red-roofed campus blocks visible in both game aerials with the dense and varied real roofscape. Use the satellite crop to trace separate small sheds, larger roof masses, courts and side gaps. Use Pairs 17–19 for visible storefront massing and height: low yellow frontage, small metal-roof shops, cream/blue commercial blocks and the cream corner retail block with utility equipment. Do not assign a single storey count or roof material to the whole neighbourhood. Upper-floor galleries or incomplete rooftop frames are added only where visible. Hidden rear heights remain adjustable.

Replace the uniform green ground with appropriate asphalt, paved forecourts, narrow sidewalks, compacted earth, gravel, exposed reddish soil, short grass and taller scrub. Model local level changes and curb/drainage transitions where supported. Use mature irregular vegetation, retaining the dense scrub and overhead utility character of the real setting. Place poles, wire spans, frames and signs economically; no continuous collision on thin overhead wires. Cars, motorbikes and people are optional props and should not conceal architecture in acceptance renders.

Consolidated Claude prompt Implementation and acceptance

Implement in this order: record baseline cameras and scene IDs; correct the map-aligned roads and building blockout; verify storeys and major roof silhouettes in all pairs; add facade and stadium detail; build ground transitions and major vegetation; finish limited props, weathering and collisions. Expose frontage widths, setbacks, roof heights, camera heading/FOV and local ground levels as adjustable parameters. Use instancing for repeated facade components and restrained detail levels for distant assets.

Save 19 comparison cameras matched approximately to the supplied viewpoints, including the shared location relationship of 15 and 16. Use clean renders without HUD, rider, arrival beam or floating labels obscuring targets; retain normal interface behavior during play. Add two clean aerial renders corresponding to Additional References 5 and 6, and an overhead scene render aligned to References 1 and 3. Check that all cameras show one scene, not camera-specific duplicate buildings.

Ride the main road, the junction turns and La Bawaleshie Road in both directions. Wheels must follow the actual road and local grade. Verify usable clearances around curb corners, poles and frontage accesses. Eliminate cracks, floating curbs, intersecting roofs, z-fighting, wrong object labels and duplicate collision volumes. Minor ground debris is visual detail rather than a repeated collision hazard.

Return the code/scene changes, an old-to-new object mapping, before-and-after comparison images, overhead and aerial checks, and remaining uncertain dimensions. The result must satisfy each pair's acceptance paragraph: correct frontage types on the main road; real scrubland at Pair 3; one coherent stadium and parking; functional junction; matching shared 15–16 setting; and a dense mixed commercial La Bawaleshie neighbourhood instead of campus blocks on lawn. If an arrow target is genuinely ambiguous after comparing the street photograph, ask for that specific pair's location before assigning a building name. Do not claim surveyed precision.