University of Ghana 30 Pair Reconstruction Brief

Geography frontage, Legon Road underpass, roadside plots and Jones-Quartey Building

Use this brief to correct the existing bicycle exploration game against thirty paired comparisons and five annotated overhead maps. Each pair has the current in-game view on the left and the real-world reference on the right. Blue arrow number N on the maps corresponds to Pair N and indicates its intended viewing direction.

Reading the evidence

The aerial maps constrain footprints, road alignments and the order of neighboring places. The photographs constrain visible elevations, materials, vegetation and local changes in level. They are not surveys: calibrate camera position, heading, eye height and field of view before inferring dimensions. Screenshot labels, map pins, arrows, video overlays and HUD elements are not physical campus objects.

Pair 7 is an elevated real photograph, so it needs an elevated comparison camera. Pair 16 and Pair 21 contain the exact same real reference image despite different numbered map arrows. Use one shared physical frontage and mark the second camera placement as an assumption rather than inventing another building. For partial signs, copy only text that can actually be read.

Map and pair index

Annotated map	Pair numbers	Placement focus
Map A Screenshot 2026-10-11 212339.png	Pairs 1–7	Department of Geography and Resource Development frontage corridor; the distinct low service complex in Pair 7 lies beside th The numbered arrows locate views, not objects to model.
Map B Screenshot 2026-10-11 213559.png	Pairs 9–14	West-side planted strip, the adjacent road, circular junction and lowered Legon Road. Pairs 13 and 14 look across the bridge and structure.
Map C Screenshot 2026-10-11 214155.png	Pairs 15–22	Legon Road corridor, its lower carriageway and higher side front looks along the lowered road toward the bridge; arrow 19 looks corridor. Arrows 16 and 21 both point westward.
Map D Screenshot 2026-10-11 214747.png	Pairs 8 and 23–27	Bridge approach at the left and east-side roadside blocks farthe 27 cover the informal forecourts and low buildings beside the m
Map E Screenshot 2026-10-11 192345.png	Pairs 28–30	K. A. B. Jones-Quartey Building and the adjoining parking and ac 30 fans toward two nearby faces; treat the supplied Pair 30 phot specific ground-level target.

The maps are reproduced on the following pages at their supplied resolution. Refer to the numbered blue arrows in these pages while using each pair section.

Map A Annotated location and view directions


Pairs 1–7. Department of Geography and Resource Development frontage and covered corridor; the distinct low service complex in Pair 7 lies beside the circular junction. The numbered arrows locate views, not objects to model.



Supplied source: Screenshot 2026-10-11 212339.png

Map B Annotated location and view directions


Pairs 9–14. West-side planted strip, the adjacent road, circular junction and bridge over the lowered Legon Road. Pairs 13 and 14 look across the bridge and its retaining structure.



Supplied source: Screenshot 2026-10-11 213559.png

Map C Annotated location and view directions

Pairs 15–22. Legon Road corridor, its lower carriageway and higher side frontages. Arrow 18 looks along the lowered road toward the bridge; arrow 19 looks back along the corridor. Arrows 16 and 21 both point westward.



Supplied source: Screenshot 2026-10-11 214155.png

Map D Annotated location and view directions


Pairs 8 and 23–27. Bridge approach at the left and east-side roadside blocks farther south. Arrows 23–27 cover the informal forecourts and low buildings beside the main road.



Supplied source: Screenshot 2026-10-11 214747.png

Map E Annotated location and view directions

Pairs 28–30. K. A. B. Jones-Quartey Building and the adjoining parking and access area. Arrow 30 fans toward two nearby faces; treat the supplied Pair 30 photograph as the specific ground-level target.



Supplied source: Screenshot 2026-10-11 192345.png

Pair 1 Geography frontage from the road

Map A • blue arrow 1. Arrow 1 approaches the south-facing department frontage.

In-game view	Real-life street view
	

Mistake in the game. The game has a long regular window wall and empty lawn where the real view centers on a recessed entrance and a broad flight of steps.

Rebuild the geometry. Replace the central bays with a low, red-tiled roof and a three-bay entrance porch framed by white piers. Reproduce the dark grilled doors and windows, the horizontal department name above them, and the red lower-wall band. Keep the connected lateral wings low and consistent with Pairs 2, 4, 5 and 6.

Ground and setting. Set the entrance back behind several wide weathered steps, stone-faced side planters and short retaining edges. Between the asphalt and steps, add curbed grass, a small palm, shrubs and a modest path of inset blocks. Mature canopy should partly frame the roof.

Acceptance check. At a comparable camera, the entry steps and dark porch openings dominate; no repeated window bay replaces the entrance.

Pair 2 Oblique Geography approach and sign

Map A • blue arrow 2. Arrow 2 looks diagonally toward the same department frontage.

In-game view	Real-life street view
	

Mistake in the game. Identical game windows and stylized orange trees flatten the real oblique composition, which has a projecting porch, side wing, uneven earth and a freestanding departmental sign.

Rebuild the geometry. Use the same entrance model as Pair 1. Match the roof pitch and shallow projecting porch, the staggered low wing receding to the right, red trim and recessed dark openings. Place the large blue-and-white department sign near the right foreground only at its supported location; copy legible major wording without fabricating fine print.

Ground and setting. Replace the uninterrupted lawn with red-brown compacted earth, leaf litter, shrubs and low stone-edged planting. Preserve the actual approach steps and the nearby tree shade; remove the unsupported evenly spaced polygon crowns.

Acceptance check. From the oblique camera, the sign, wing depth, porch and step alignment agree with Pair 1.

Pair 3 Covered Geography corridor

Map A • blue arrow 3. Arrow 3 points west into the long covered corridor along the department wing.

In-game view	Real-life street view
	

Mistake in the game. The game presents an exterior window wall and rideable lawn; the photograph shows a sheltered tiled walkway with repeated white columns, dark doors and high windows.

Rebuild the geometry. Cut a real veranda into the wing: continuous roof/ceiling above, square posts toward the open side, a receding sequence of recessed dark timber or metal doors, dark louvered upper panels and high sill openings on the inner wall. Set column spacing and depth from the vanishing lines rather than applying a corridor texture to a flat wall.

Ground and setting. Build the pale square floor tiles, red plinth at post bases, narrow garden edge, grass and exposed soil beyond the veranda. Include the low cross path and the small roofed structure visible across the planted opening. Trees must shade the courtyard but not close the corridor.

Acceptance check. A camera inside the arcade reveals its continuous walkable floor and column rhythm; bicycle access follows plausible paths, not through closed doors.

Pair 4 Frontal Geography entrance

Map A • blue arrow 4. Arrow 4 points directly toward the south entrance.

In-game view	Real-life street view
	

Mistake in the game. Another identical game window row occupies the space of the real labeled recessed porch and imposing stepped frontage.

Rebuild the geometry. Share the exact entrance with Pairs 1, 2, 5 and 6. Use a shallow roofline, three deep porch openings separated by white piers, dark ironwork and a clearly placed department name. Keep broad white wall beside the porch instead of filling every bay with a window.

Ground and setting. Model the full width and rise of the worn paved steps with intermediate landings or changes in tread visible in the photo, low stone side walls, dense shrubs at one side and mature overhead trees. The road must remain below the entrance terrace.

Acceptance check. The label, three dark porch bays and wide steps align in a near-front comparison view.

Pair 5 Geography steps from the side

Map A • blue arrow 5. Arrow 5 looks diagonally across the south entrance and the wing to its right.

In-game view	Real-life street view
	

Mistake in the game. The game substitutes uniform glass bays, grass and a simple sidewalk for the real broad steps, recessed entry, side planter and connected long low wing.

Rebuild the geometry. Retain the shared entrance block and extend the low red-roofed right wing with the smaller varied window openings seen behind it. Position the porch piers and dark door at the correct oblique depth. A narrow freestanding sign belongs near the side of the steps.

Ground and setting. Replace lawn at the entrance with successive wide stone or concrete stair treads, stone-faced planter walls, planted shrubs, scattered leaves and reddish earth beyond. Match the lower road edge and the terrace crest; do not make the steps a flat bicycle ramp.

Acceptance check. Pairs 1, 2, 4, 5 and 6 must show one coherent frontage from successive camera angles.

Pair 6 Geography entrance and full staircase

Map A • blue arrow 6. Arrow 6 approaches the same frontage from farther east.

In-game view	Real-life street view
	

Mistake in the game. The game still reads as one repetitive wing while the reference has a central shallow entrance volume, dark framed openings and a large stepped plaza.

Rebuild the geometry. Preserve the building-wide red roof and place the central entry volume in its true recess. Add the dark grilled openings, narrow white porch columns and the department inscription on the soffit or lintel. Use the photograph to vary the smaller windows in the side wings, rather than repeating one large classroom unit.

Ground and setting. Reconstruct the multiple shallow outdoor risers, worn rectangular slabs, stone retaining planters on each side and tall narrow plants, backed by mature trees. The surface should show subtle soil and weathering instead of a clean uniform palette.

Acceptance check. The wide staircase fills the foreground and terminates at the same recessed entrance seen in Pairs 1, 4 and 5.

Pair 7 Low service complex near the junction

Map A • blue arrow 7. Arrow 7 indicates the separate low compound east of the department area.

In-game view	Real-life street view
	

Mistake in the game. The game combines a generic white hipped-roof block, tall academic mass and white perimeter fence; the elevated real photograph shows an irregular cluster of low utility-like roofs, darker rear structures and a shaded work yard.


Rebuild the geometry. Replace the placeholder with the observed low interconnected volumes. Use unequal flat or shallow corrugated roof planes, a weathered pale front parapet, dark rear walling, small service doors and vents, visible condensers and a gated pale enclosure. Keep this separate from the Geography entrance model. Since the reference is elevated, save a raised comparison camera for this pair.

Ground and setting. Use reddish compacted soil, sparse grass at the compound edges, a few mature broadleaf trees enclosing the yard and nearby low buildings. Keep the gate and circulation clear. Do not copy the photograph credit as a world decal.

Acceptance check. A raised view shows the low irregular roofscape and dark service backdrop, without the game's dominant generic building.

Pair 8 Bridge and circular junction

Map D • blue arrow 8. Arrow 8 points along the bridge/road crossing north of the circular junction.

In-game view	Real-life street view
	

Mistake in the game. The game shows broad flat roads and grass islands where the reference has a grade-separated concrete crossing, guarded edges and a lowered carriageway below.

Rebuild the geometry. Establish the actual vertical section first: the upper surface curves around the junction and carries a pedestrian crossing over the lower road. Build bridge deck, concrete parapet, metal pedestrian railings, abutments and the lip of the open excavation. Set road widths and curvature from the map before adding distant buildings.

Ground and setting. Add worn asphalt, kerbs, narrow planted medians, small roadside signs, sparse trees and a real road drop rather than a painted dark trench. Connect this bridge physically to Pairs 13, 14, 18 and 19.

Acceptance check. A view from the indicated approach reveals the railings and depth of the underpass; no road surface floats across the gap.

Pair 9 African Studies frontage across the grass

Map B • blue arrow 9. Arrow 9 looks west at the low building beyond the planted strip.

In-game view	Real-life street view
	

Mistake in the game. The game inserts a two-storey academic block and a manicured rectangular lawn. The street reference shows a long one-storey white building with a red roof, red base, dark openings and a rough vegetated foreground.

Rebuild the geometry. Lower this selected building to the observed one-storey profile. Follow the long shallow roof, breaks around a central recessed entry, varied dark window or door spacing and small adjoining low wings. The nearby taller game block must not be treated as evidence for the real frontage.

Ground and setting. Use uneven grass and red soil patches, a small aggregate mound, a rough concrete object, shrubs, a cut stump and mature overhanging trees. Keep a narrow roadside walk and natural verge; avoid a regular grid of concrete paths across the lot.

Acceptance check. The low roofline and partially screened façade remain legible behind the rough grass and trees.

Pair 10 African Studies strip with speed sign

Map B • blue arrow 10. Arrow 10 looks southwest from the road toward the same low roadside buildings.

In-game view	Real-life street view
	

Mistake in the game. The game places large multi-storey blocks in an open landscaped precinct. The reference has low white/red-roofed buildings mostly screened by a very large canopy and a near 50 speed-limit sign.


Rebuild the geometry. Reuse the low buildings from Pair 9 and preserve their relation to the road. Include the circular white speed sign with red border at the near roadside only if this camera sees it; scale it to human height and do not replace it with the game's mismatched icon.

Ground and setting. Break the verge into taller irregular grass, a few worn reddish dirt runs and shaded root areas. Add large real branching trees with overlapping crowns; keep the ground gently varied without inventing a steep slope.

Acceptance check. From the reference camera the sign and canopy lead the view, and low roofs appear beyond rather than three-storey blocks.

Pair 11 Tree-covered verge and low structure

Map B • blue arrow 11. Arrow 11 looks southwest across the road into the wooded strip.

In-game view	Real-life street view
	

Mistake in the game. The game repeats campus blocks, uniformly green lawn and neat sidewalks. The real view contains a scruffy open verge, tree belt, low small structures and a compacted red dirt route behind the road.


Rebuild the geometry. Remove the selected generic academic masses from this mapped strip. Add only the low roofed structure and pale boundary surfaces supported by the photograph, set well behind a mature foreground tree. Keep the opposite road and its brick or block-paved pedestrian edge distinct from the soil.

Ground and setting. Place irregular shrubs, coarse grass, bare reddish soil, a low rubble or stone curb, broad canopies and occasional overhead wires. People are optional scale cues, not permanent geometry.

Acceptance check. The foreground reads as roadside verge and shaded low buildings, with no invented classroom skyline.

Pair 12 Open earth clearing beneath the trees

Map B • blue arrow 12. Arrow 12 looks farther southwest into the same planted strip.

In-game view	Real-life street view
	

Mistake in the game. The game renders an empty green park with concrete paths and surrounding three-storey blocks. The reference is an informal reddish-earth clearing below dense trees, a white wall and small movable roadside activity.

Rebuild the geometry. Continue the Pair 11 low structures and pale wall in the distance. Do not make the pictured stalls, motorcycles or people architectural anchors; create them as optional props. Avoid duplicating several generic blocks merely to fill the background.

Ground and setting. Replace the uniform lawn with compacted soil, irregular pedestrian tracks, weeds at the margins and a large rough-barked central tree with a broad crown. Maintain the real roadside asphalt and raised narrow sidewalk in front.

Acceptance check. A ground-height view shows the earth clearing and large canopy occupying the same foreground as the photograph.

Pair 13 Bridge opening from the west

Map B • blue arrow 13. Arrow 13 points across the circular junction toward the open bridge structure.

In-game view	Real-life street view
	

Mistake in the game. The game has a flat road grid and generic buildings. The reference looks into a large excavated underpass opening with bridge spans, a patterned central abutment and stone-pitched near slope.

Rebuild the geometry. Build the bridge as a real spanning structure over the lower carriageway. Shape the opening with two dark bays and structural supports, a central patterned retaining pier and the visible railing and parapet at deck height. Do not let a flat asphalt plaza cover the void.

Ground and setting. Grade the approach down toward a rough stone armoured embankment and exposed soil. Add only modest weeds, scattered litter and far low red-roof buildings as visible context. Keep the underpass roadway continuous beneath the bridge.

Acceptance check. From above the embankment, both dark openings, central support and actual lower road are visible in one coherent section.

Pair 14 Patterned retaining wall and descending road

Map B • blue arrow 14. Arrow 14 follows the bridge and retaining wall toward the underpass side.

In-game view	Real-life street view
	

Mistake in the game. The game keeps all carriageways at surface level. The real profile exposes a tall patterned concrete retaining face, an upper road/bridge at its crest and traffic on a lowered asphalt road below.

Rebuild the geometry. Use the shared bridge from Pair 13. Continue the retaining face with large precast-looking rectangular relief panels, thick coping, structural seams and the dark underpass portal at the right. Set road levels, lane widths and wall height by perspective anchors; keep exact surveyed dimensions adjustable.

Ground and setting. Shape the lower roadside shoulder and drainage edge, rough sparse vegetation at the foreground slope, and true upper-level vehicles or people only as removable props. Preserve trees and low roofs along the far horizon.

Acceptance check. The upper and lower roads maintain a visible height difference and connect smoothly to Pairs 8, 18 and 19.

Pair 15 Distant commercial skyline over the corridor

Map C • blue arrow 15. Arrow 15 looks northeast toward the east-side commercial block.

In-game view	Real-life street view
	

Mistake in the game. The game fills the horizon with long white academic rows. The real frame shows a mixed commercial skyline with a taller dark/glazed block, roof terraces, antenna masts, overhead power lines and roadside parking.


Rebuild the geometry. At the map-indicated distant plot, replace only the visible placeholder mass with the photographed irregular multi-level silhouette and dark glazed or concrete surfaces. Keep the nearest retaining wall and upper service road as foreground layers. Distinguish the mall skyline from nearby low shops and houses.

Ground and setting. Add utility poles, cables, a sparse parking frontage, mature trees and modest roadside traffic as scale cues. Match the view over the road cut without bringing the distant building unrealistically close.

Acceptance check. The real high-rise silhouette is recognizable behind the road infrastructure; no identical campus façades fill this horizon.

Pair 16 Low frontage above the retaining wall

Map C • blue arrow 16. Arrow 16 points west across the road toward the low west-side frontage.

In-game view	Real-life street view
	

Mistake in the game. The game puts a three-storey white building at the verge. The supplied real frame shows a long low pale building with red roof behind the upper road, separated from the camera by a patterned retaining wall and a lower carriageway.


Rebuild the geometry. Replace the selected block with a one-storey elongated roof and small, widely spaced service openings. Preserve its position beyond the upper road and tree line. Build the textured wall, coping and horizontal roadway layers between camera and building; keep the distant unfinished building only where visible.

Ground and setting. Use narrow rough grass medians, small plants at wall seams, paired Y-shaped light standards, utility wires and a few optional vehicles. Do not flatten the cut to expose more of the building.

Acceptance check. The low roof sits beyond the retaining crest with correct occlusion and grade separation. The Pair 21 real image is an exact duplicate of this frame.

Pair 17 Overgrown edge with mast and footpath

Map C • blue arrow 17. Arrow 17 looks northwest into the vegetation beside the main road.

In-game view	Real-life street view
	

Mistake in the game. The game shows a clean internal asphalt spur and campus blocks. The photo shows an overgrown roadside plot, a narrow dirt desire line, shrubs, large trees, utility poles and tall telecommunications masts.


Rebuild the geometry. Remove unsupported academic blocks and the unverified internal road from the selected foreground parcel. Keep any distant low hut or fence fragments behind foliage. Place the mast and power pole according to their visible silhouette; no invented interior compound is needed.

Ground and setting. Build a rough brick or block sidewalk and curb by the road, reddish exposed earth, weeds and layered mixed-height shrubs. Trees cast dense shade. The blue vehicle and pedestrians are optional comparison props.

Acceptance check. The dirt opening and vegetation dominate, and the masts rise above the canopy at the correct side of the view.

Pair 18 Down the lowered Legon Road toward the bridge

Map C • blue arrow 18. Arrow 18 points south along the lowered carriageway.

In-game view	Real-life street view
	

Mistake in the game. The game portrays a flat divided boulevard lined with campus buildings. The reference descends between two high patterned retaining walls and passes under a bridge ahead.


Rebuild the geometry. Rebuild the road profile as a below-grade corridor, with two or more asphalt lanes in the visible direction, a low planted separator where shown and a genuine underpass portal. Continue the tall relief-patterned walls to the bridge without gaps. Match the apparent descent and vanishing point before detailing wall texture.

Ground and setting. Add shallow kerb/drain lines, scattered vegetation in the median and wall seams, Y-shaped lights above the cut and restrained traffic. Make the bicycle path physically traversable down the grade with proper collision.

Acceptance check. A bicycle-height camera sees both walls enclosing the road and the bridge ahead, consistent with Pairs 13 and 14.

Pair 19 Reverse view along the lowered road

Map C • blue arrow 19. Arrow 19 points north along the opposite direction of the same road cut.

In-game view	Real-life street view
	

Mistake in the game. The game again renders an ordinary at-grade campus street; the photograph shows the lower asphalt corridor continuing between long high retaining walls with an uneven grassy central strip.


Rebuild the geometry. Use the same cut and wall system as Pair 18. Extend the large relief panels, joints, coping and weathered lower edge; keep the far opening and upper-side roads in their correct plan relationship. The opposite viewpoints must not require two incompatible trenches.

Ground and setting. Vary the median with sparse tufts, litter and compacted soil; add the narrow shoulder, faded road markings, a few recessed wall weeds, poles and light standards above. Avoid overtexturing the wall or inventing thick vegetation that hides it.

Acceptance check. Riding through the corridor in either direction presents a continuous grade and the same wall geometry.

Pair 20 Legon City Mall approach

Map C • blue arrow 20. Arrow 20 looks northeast across the upper road toward the mall plot.

In-game view	Real-life street view
	

Mistake in the game. The game replaces the commercial frontage with an extremely long white academic block, expansive grass and a generic side road. The real view has Legon City Mall, dark glass, an irregular roofline and a rough open parking forecourt.


Rebuild the geometry. Construct the recognizable multi-level glazed mall silhouette at the mapped east-side location. Set its central sign at the visible roof edge using only legible large text, with lower flanking blocks and a street-facing entrance. Keep its mass separate from university buildings across the road.

Ground and setting. Rebuild the paved approach, brick walk with short bollards, gravel/compacted-earth parking lot, low roadside fence and informal turning geometry. Add parked cars and market structures as optional props, plus utility poles and wires.

Acceptance check. The mall stands across the correct side road and the rough parking foreground is distinct from a lawn.

Pair 21 West-facing frontage from a second game camera

Map C • blue arrow 21. Arrow 21 points west toward the west-side buildings and the road cut.

In-game view	Real-life street view
	

Mistake in the game. The game repeats the three-storey block at the west edge. Its right-hand supplied reference is pixel-identical to Pair 16, so it does not establish a separate real camera or additional façade detail.


Rebuild the geometry. Use the same low red-roofed frontage and retaining-wall section prescribed for Pair 16. Align this game camera with its numbered map direction, but do not create a duplicate building to satisfy the repeated target image. Treat the relative camera offset between Pairs 16 and 21 as unresolved.

Ground and setting. Keep the intervening lanes, grass strip, patterned wall, upper road, Y-lights, trees and overhead wires consistent. Provide one shared scene object group for both views.

Acceptance check. Both game viewpoints see the same physically continuous low frontage and grade separation; flag the repeated photo when reporting precision.

Pair 22 Roadside shops on the eastern side

Map C • blue arrow 22. Arrow 22 looks northeast toward the upper east-side frontage.

In-game view	Real-life street view
	

Mistake in the game. The game puts two- and three-storey academic blocks behind a regular bus-stop lawn. The real target is a long low roofed roadside stall/retail frontage, with open bays, painted surfaces and an irregular paved shoulder.


Rebuild the geometry. Replace the selected roadside placeholders with a low narrow structure whose canopy and open frontage read at the correct distance. Do not copy the unrelated game bus stop, or treat the stall as part of Legon City Mall. Use the overhead masts and distant rooflines only where visible.

Ground and setting. Model the asphalt traffic lanes, raised concrete or block walkway, red earth edge, small parking area, utility poles and wires. Vehicles and market items should remain optional props.

Acceptance check. From the numbered direction, the low roadside frontage occupies the horizon instead of a window-grid university block.

Pair 23 Earth verge and parking approach

Map D • blue arrow 23. Arrow 23 looks southwest across the roadside plot.

In-game view	Real-life street view
	

Mistake in the game. The game has a two-storey academy, neat lawns, bright vendor props and a white kiosk. The reference shows reddish bare earth, low rough walls and a shaded open parking area behind modest roadside structures.


Rebuild the geometry. Remove the selected academic block. Establish the frontage as a porous boundary of low masonry/wood stalls, gaps and an open view into parking beneath large trees. Make the small kiosk and awning removable props; do not use them to set structural footprints.

Ground and setting. Replace the green plane with compacted red soil, sparse tufts, broken curb, concrete fragments, a shallow step or access cut and an irregular worn route. Place the tall roadside pole and tree canopies carefully; parked cars are optional.

Acceptance check. The foreground is a shaded dirt approach with a readable parking area, not a landscaped university quadrangle.

Pair 24 Row of informal roadside stalls

Map D • blue arrow 24. Arrow 24 points southwest into the stall row immediately north of Pair 23.

In-game view	Real-life street view
	

Mistake in the game. The game repeats two-storey academic blocks and uniform turf. The real view is a close row of low timber and painted metal kiosks under uneven corrugated roofs, with produce tables on dusty ground.


Rebuild the geometry. Build a modest, irregular row of open-front stall shells with varied roof pitches, posts, shutters, small signs only where legible and clear gaps between units. Keep any merchandise, tables and people as removable low-detail props. Do not recreate screenshot UI or transient prices as permanent geometry.

Ground and setting. Lay reddish compacted earth with stones, small rubbish patches, a worn walkway along the shop fronts and tree shade at the ends. Respect the road edge and the adjoining Pair 23 parking opening.

Acceptance check. The street-height camera reads individual stalls, roof overhangs and earth floor in place of a campus façade.

Pair 25 Low buildings and parking sign beside the road

Map D • blue arrow 25. Arrow 25 looks northeast toward the low east-side roadside compound.

In-game view	Real-life street view
	

Mistake in the game. The game depicts a long two-storey window grid beside manicured grass. The photograph shows several small single-storey pale buildings with warm red tile roofs, a paved sidewalk and roadside parking access.


Rebuild the geometry. Replace the selected mass with the correct low separated roof forms, dark small apertures and restrained red base. Align the intervening gap and the entrance to the parking area. Reproduce a parking-direction sign only from clearly readable major text; do not invent an operator or destination.

Ground and setting. Use a brick or block paved walk, shallow curbs, bollards, shrubs, compacted red earth behind the verge and utility poles. Cars and people establish scale but need not be fixed to the scene.

Acceptance check. The road is frontmost, then the pedestrian edge and parking access, then low buildings; no second storey intrudes.

Pair 26 Oblique view of the same low compound

Map D • blue arrow 26. Arrow 26 points southeast along the east-side frontage.

In-game view	Real-life street view
	

Mistake in the game. The game maintains its long regular classroom row and straight drainage channels. The real image turns toward small gabled/hipped volumes, a thick shrub strip and an irregular service road or lay-by.


Rebuild the geometry. Use the same low buildings as Pair 25, seen from farther along the road. Make the utility poles, transformer support and overhead cables distinct vertical anchors. Preserve variation in the roof breaks and window spacing instead of extending a single two-storey template.

Ground and setting. Build the rough compacted-earth lay-by, narrow block-paved sidewalk, short bollards, sparse roadside vegetation and the broad traffic lane. The group of people near the pole is optional and should not be baked into a texture.

Acceptance check. Pairs 25 and 26 remain compatible views of one low compound and roadside access.

Pair 27 End building and bare-earth verge

Map D • blue arrow 27. Arrow 27 points north toward the near end of the low roadside building.

In-game view	Real-life street view
	

Mistake in the game. The game shows several stacked two-storey blocks. The real target is a long single-storey white wall with red plinth, a gabled end, a sequence of small dark windows and a modest porch or stepped doorway.

Rebuild the geometry. Rebuild the end elevation and long wing as a connected low structure, with red-tiled roof, deep enough eaves, correct window rhythm and the small raised entry. Place nearby shop or canopy elements only as secondary, distant forms.

Ground and setting. Replace flat grass with reddish compacted earth, a rough narrow track, a small concrete drainage box or channel, patchy weeds and mature trees behind. Keep the road verge lower and irregular; do not invent a deep engineered ditch.

Acceptance check. The small gable and red base align with Pairs 25 and 26, and the foreground is largely bare soil.

Pair 28 Jones-Quartey Building front and side

Map E • blue arrow 28. Arrow 28 approaches the K. A. B. Jones-Quartey Building from the south.

In-game view	Real-life street view
	

Mistake in the game. The game approximates the white multi-storey volume but makes its face overly blank and regular, and places a generic small house in the foreground. The real façade has deeply shaded vertical bays, a distinctive central blind wall, narrow vents and a low blue-roofed or blue-fronted kiosk under a light canopy.



Rebuild the geometry. Keep the building at the mapped footprint. Rework the central solid plane, stack narrow high vents, set the large lettered building name at its actual façade position, and build the flanking open columns, sunshade fins, recessed glazing and lower grille. Match the visible stepped entrance/porch on the right. Model the small foreground booth at the supported scale.

Ground and setting. Use worn reddish soil and sparse grass in front, a shallow transition to the building, restrained vegetation and rooftop edges. Avoid making the foreground a perfectly even bright lawn.

Acceptance check. The building silhouette, blank central wall and flanking recessed bays match from a ground-height comparison camera.

Pair 29 Jones-Quartey exterior staircase

Map E • blue arrow 29. Arrow 29 points north toward the Jones-Quartey side entrance stair.

In-game view	Real-life street view
	

Mistake in the game. The game screenshot marks a blank wall and a small generic step. The real target is a wide reddish staircase rising into a shaded colonnade beside an irregular stone-faced wall.


Rebuild the geometry. Open the side entrance into a genuine stair/landing assembly. Reproduce the number and proportions of visible broad treads approximately, pale nosing, low side retaining wall, irregular stone mosaic cladding, tall white columns and the shadowed corridor above. Keep it connected to Pair 28 rather than building a detached stair prop.

Ground and setting. Fit the stairs to the actual earth-to-floor height change. Add the small grass/soil verge beside the lower step and keep the nearby asphalt parking surface sloping independently. The blue drawn outline and video controls in the source are reference annotations, not campus geometry.

Acceptance check. A standing camera sees the full climb and shaded landing; collision matches the tread geometry and a bicycle can use a supported adjacent access route.

Pair 30 Jones-Quartey side parking and grade

Map E • blue arrow 30. Arrow 30 fans across the east-side parking frontage beside Jones-Quartey.

In-game view	Real-life street view
	

Mistake in the game. The game substitutes multiple two-storey academic blocks, toy-like car rows and flat grass. The reference has Jones-Quartey's long pale side wall and open ground-floor arcade on the left, a sloping asphalt car park and dense trees at the far edge.

Rebuild the geometry. Extend the Pair 28/29 building with its raised wall, broad overhang and shaded sequence of columns or open bays. Match the partially visible adjoining concrete structure without inventing its hidden shape. Lay out realistic parking bays and a small selection of appropriately scaled vehicles.

Ground and setting. Set the car park to the visible local grade, with the building terrace and grass strip above the asphalt. Add mature crowns, shrubs and a few minor surface wear marks; preserve clearance for cycling and turning.

Acceptance check. The parking surface, building arcade and adjoining trees occupy the correct layers, without duplicated academic blocks.

Claude implementation prompt

Copy the following prompt together with this brief and its 30 image pairs into the Claude project. Its numbered references use exactly the pair and map numbering above.

Task and reference order

Implement the next environment reconstruction pass in my existing University of Ghana 3D bicycle exploration game. I supplied thirty pairs in upload order: the in-game screenshot comes first and the real-world target comes second. The five overhead maps carry numbered blue view arrows; arrow N corresponds to Pair N. Use the pair-specific mistakes, geometry, ground and acceptance notes in this brief. Preserve earlier completed areas and integrate the new locations without duplicating shared structures. Work in the existing engine and project architecture.

Placement and viewpoint

Start by matching each game comparison camera to the real reference as closely as the evidence permits. Set its approximate ground position, heading, bicycle-height eye level and field of view before changing geometry. Pair 7 requires a separate raised camera because its target is an elevated photograph. Use Map A for Pairs 1–7; Map B for 9–14; Map C for 15–22; Map D for 8 and 23–27; Map E for 28–30. Follow the number on the arrow, even when the maps overlap. Treat the blue arrows as directions and location evidence, not in-world decorations. A top view establishes plan relationships but cannot by itself establish a roof height, detailed grade or façade.

Geography and adjoining low compound

For Pairs 1–6, replace the uniform academic window row with one shared Department of Geography and Resource Development building: low connected red-tiled wings, a recessed three-bay dark grilled porch, correctly placed department name, broad weathered outdoor stairs, stone-faced planting edges, red plinth and shaded shrubs. Pair 3 must reveal a genuine roofed tiled corridor with receding white piers, dark doors and an open garden edge. Changing one camera must not break the others. Pair 7 is a distinct low irregular service compound with unequal roofs and a shaded earth yard; do not graft the Geography frontage onto it.

Road cut and topography

Treat the Legon Road corridor as the central structural correction. Build a physically continuous below-grade carriageway with patterned retaining walls, a bridge spanning it and higher roads and sidewalks at the crest. Pairs 8, 13, 14, 18 and 19 must be compatible views of the same bridge and road cut. Model wall thickness, coping, abutments, railings, support pier, opening clearance, planted medians, kerb/drain edges and slope transitions. Pair 18 looks along the lower corridor toward the bridge; Pair 19 looks back in the other direction. Set the road, bridge and side access elevations with adjustable parameters and validate bicycle and vehicle collision on the real grade. A painted trench or flat crossing is insufficient.

Land use on each side of the road

Pairs 9–12 and 17 show low buildings, rough grass, compacted reddish earth, desire paths, dense mature canopy and overgrown shrubs. Replace unsupported multi-storey academic blocks only in these selected parcels. Pairs 15, 20 and 22 show east-side commercial frontage: distinguish the distant mixed commercial skyline, Legon City Mall, and lower roadside stalls. Pairs 16 and 21 look west toward a low red-roofed frontage above the patterned wall; their real reference files are identical, so implement one shared scene and state that the two individual camera positions remain approximate. Pairs 23–27 show a sequence of informal stalls, bare-earth parking access and low white/red-roofed roadside buildings. Keep the stall props modular and do not extend the same generic building template across all sites.

Jones-Quartey Building

For Pairs 28–30, keep the K. A. B. Jones-Quartey Building at its mapped footprint. Correct its pale central blank volume and small high vents, flanking vertical bays and shaded glazing, lower grille, name placement and side colonnade. Pair 29 needs the actual broad warm-toned stair and irregular stone-clad side wall into a covered entrance. Pair 30 needs the long shaded side frontage and a locally sloping asphalt parking surface with mature trees. These are connected views of one building, not three independent structures.

Materials, trees and route surfaces

Use asphalt for the photographed traffic lanes and parking, block or brick paving where supported for sidewalks, wide worn slabs for the Geography entrance steps, patterned cast-concrete relief for retaining walls, compacted red earth for the overgrown strips

and roadside stalls, and rough gravel where the mall forecourt calls for it. Do not use one continuous lawn. Blend edges with weeds, leaf litter, shallow soil patches, scuffed masonry and restrained stains. Place uneven rough-barked mature trees with overlapping broad canopies; avoid repeated geometric spheres, evenly spaced trunks and bright orange crowns. Keep all signs at supported positions and only copy legible words.

Implementation sequence and technical requirements

Inspect the scene organization, procedural buildings, road generator, terrain system, player collision and camera code before editing. First block out footprints, roof heights, road levels, wall and bridge spans, staircase rise, parking grades and the major tree trunks. Check all thirty cameras at this stage. Next build entrances, windows, grilles, veranda columns, bridge railings, mall massing and kiosk shells. Then add materials, ground transitions, canopy, weathering and optional props. Use shared models for repeated views, local overrides for selected placeholders, instancing for repeated geometry and sensible levels of detail. Avoid z-fighting, floating curbs, intersecting roofs, duplicate buildings and inaccessible bicycle routes. Make camera transforms, bridge clearance, wall height, road slope, entrance stair dimensions and footprint offsets adjustable.

Verification and handoff

Save thirty comparison cameras named Pair 01 through Pair 30 and render clean screenshots without the cyclist, HUD or floating labels obscuring the subject. Compare architecture, plan placement, ground material, level changes, road continuity, vegetation occlusion and human-scale details against each real target. Ride all connected asphalt and earth routes both directions; wheels should track the terrain and grade, with simple collision for trees, columns, walls, stalls, cars and stairs. Do not flatten the Geography or Jones-Quartey steps simply to allow cycling; provide a supported adjacent route. Report changed scene/code files, before-and-after comparison renders, and specific unresolved assumptions. Identify any extra photo or measurement required to settle an ambiguous width or elevation. Do not claim surveyed accuracy from these references.

Thirty pair completion checks

1. **Geography frontage from the road:** At a comparable camera, the entry steps and dark porch openings dominate; no repeated window bay replaces the entrance.
2. **Oblique Geography approach and sign:** From the oblique camera, the sign, wing depth, porch and step alignment agree with Pair 1.
3. **Covered Geography corridor:** A camera inside the arcade reveals its continuous walkable floor and column rhythm; bicycle access follows plausible paths, not through closed doors.
4. **Frontal Geography entrance:** The label, three dark porch bays and wide steps align in a near-front comparison view.
5. **Geography steps from the side:** Pairs 1, 2, 4, 5 and 6 must show one coherent frontage from successive camera angles.
6. **Geography entrance and full staircase:** The wide staircase fills the foreground and terminates at the same recessed entrance seen in Pairs 1, 4 and 5.
7. **Low service complex near the junction:** A raised view shows the low irregular roofscape and dark service backdrop, without the game's dominant generic building.
8. **Bridge and circular junction:** A view from the indicated approach reveals the railings and depth of the underpass; no road surface floats across the gap.
9. **African Studies frontage across the grass:** The low roofline and partially screened façade remain legible behind the rough grass and trees.
10. **African Studies strip with speed sign:** From the reference camera the sign and canopy lead the view, and low roofs appear beyond rather than three-storey blocks.
11. **Tree-covered verge and low structure:** The foreground reads as roadside verge and shaded low buildings, with no invented classroom skyline.
12. **Open earth clearing beneath the trees:** A ground-height view shows the earth clearing and large canopy occupying the same foreground as the photograph.
13. **Bridge opening from the west:** From above the embankment, both dark openings, central support and actual lower road are visible in one coherent section.
14. **Patterned retaining wall and descending road:** The upper and lower roads maintain a visible height difference and connect smoothly to Pairs 8, 18 and 19.
15. **Distant commercial skyline over the corridor:** The real high-rise silhouette is recognizable behind the road infrastructure; no identical campus façades fill this horizon.
16. **Low frontage above the retaining wall:** The low roof sits beyond the retaining crest with correct occlusion and grade separation. The Pair 21 real image is an exact duplicate of this frame.
17. **Overgrown edge with mast and footpath:** The dirt opening and vegetation dominate, and the masts rise above the canopy at the correct side of the view.
18. **Down the lowered Legon Road toward the bridge:** A bicycle-height camera sees both walls enclosing the road and the bridge ahead, consistent with Pairs 13 and 14.
19. **Reverse view along the lowered road:** Riding through the corridor in either direction presents a continuous grade and the same wall geometry.
20. **Legon City Mall approach:** The mall stands across the correct side road and the rough parking foreground is distinct from a lawn.

21. **West-facing frontage from a second game camera:** Both game viewpoints see the same physically continuous low frontage and grade separation; flag the repeated photo when reporting precision.
22. **Roadside shops on the eastern side:** From the numbered direction, the low roadside frontage occupies the horizon instead of a window-grid university block.
23. **Earth verge and parking approach:** The foreground is a shaded dirt approach with a readable parking area, not a landscaped university quadrangle.
24. **Row of informal roadside stalls:** The street-height camera reads individual stalls, roof overhangs and earth floor in place of a campus façade.
25. **Low buildings and parking sign beside the road:** The road is frontmost, then the pedestrian edge and parking access, then low buildings; no second storey intrudes.
26. **Oblique view of the same low compound:** Pairs 25 and 26 remain compatible views of one low compound and roadside access.
27. **End building and bare-earth verge:** The small gable and red base align with Pairs 25 and 26, and the foreground is largely bare soil.
28. **Jones-Quartey Building front and side:** The building silhouette, blank central wall and flanking recessed bays match from a ground-height comparison camera.
29. **Jones-Quartey exterior staircase:** A standing camera sees the full climb and shaded landing; collision matches the tread geometry and a bicycle can use a supported adjacent access route.
30. **Jones-Quartey side parking and grade:** The parking surface, building arcade and adjoining trees occupy the correct layers, without duplicated academic blocks.