Great Hall surrounding landscape correction brief

Replace the overly grassy treatment reported by the owner in the blue-marked landscape behind and around Great Hall with the mixed ground cover visible in two real aerials. Match the distribution of grass, dry low cover, reddish exposed soil, low trees and shrubs, denser green clusters and narrow dirt paths. This is a local environment correction in the existing bicycle game.

Main finding

The target is an irregular vegetation and soil mosaic, not a continuous maintained lawn. Open reddish and tan patches break up low green cover. Small isolated crowns coexist with denser connected clusters, and thin worn routes pass through the land. Keep larger canopy groups where the aerial supports them rather than reducing every tree to one small size.

Evidence and scope

Pictures 1 and 2 are overlapping real aerial views; Picture 3 is the current game map. Preserve the owner's blue marks as scope guides and align all three images to the same existing map coordinates. The owner describes the work as the back and east side of Great Hall; use the marked polygons to resolve the intended area rather than assigning uncertain compass directions from screen position.

The game-map image is a flat map interface, not a 3D scene capture. It establishes broad location and paths but cannot prove tree height, grass material or slope. The uniform-grass problem is the owner's report; Claude must inspect the current 3D objects before changing them. Tree trunks are mostly hidden from above: use the owner's short-stem preference as the implementation baseline, keeping actual heights adjustable.

Preserve completed work

Protect Great Hall buildings and courtyard, Commonwealth Hall, the tennis complex, neighbouring buildings, roads and previously corrected areas. Correct vegetation and ground cover within the registered blue-marked zones. Keep bicycle movement and terrain continuity. No new buildings, signs, poles, wires, retaining walls or precise elevation changes are established by these aerials.

Picture 1 Ground cover around the Great Hall edge



Picture 1 Screenshot 2026-10-13 134745.png

1. Use the bypass at the left, Great Hall's visible footprint and curving compound edge as registration anchors. The blue outline wraps around developed grounds; do not overwrite their buildings, courtyards or completed landscaping.

2. Match the larger open tan and reddish areas between dark green clusters, then add smaller irregular soil patches and isolated low crowns. Preserve the narrow worn paths, including diagonal connections and branching routes.

3. Use the aerial's patch distribution as the guide rather than copying one repeating noise texture. The pale rectangular clearing and scattered light-toned features should remain conservative ground features unless their function is confirmed; do not invent facilities from their colour alone.

Picture 2 Overlapping northern and central landscape




Picture 2 Screenshot 2026-10-13 134812.png

1. Register this image against Picture 1 using the bypass, the central long dirt route, recognisable buildings and intersecting tracks. Merge overlapping vegetation and soil evidence into one landscape, not two stacked forest populations.

2. Preserve dense connected clusters in the central and lower portions alongside open tan patches and finer scattered crowns. Keep the broad exposed upper-right areas visibly more open than the dark dense clusters.

3. Keep the tennis clearing, its surrounding mature tree belt and nearby completed precincts protected at the marked edge. Thin paths through scrub stay unpaved unless existing map data or a closer reference confirms another surface. The bright grey patch does not establish a quarry, concrete structure or excavated pit.

Picture 3 Game map registration and scope



Picture 3 image(20261013-153315).png

1. Read the existing map source data and align its bypass, building footprints and path network with both real aerials. Check projection, origin, scale and orientation before drawing terrain or planting masks.

2. Use the owner blue boundary to select the intended land parcels, then exclude developed plots and protected scene groups. Resolve overlap with the tennis correction locally; do not duplicate or erase the previously corrected tree belt.

3. Ignore route colours, event icons, search controls, pins, shaded activity zones and the blue marker as physical features. Dashed map paths may help locate routes but do not establish their exact width, surfacing or elevation. Check the 3D scene separately.

Step by step landscape corrections

1. Inspect the existing terrain materials, vegetation instances, grass generators and map land-cover features in the marked area. Identify whether a default lawn material or sparse planting rule caused the mismatch. Retain the existing project and coordinate frame.

2. Create one registered scope mask from the two real views and game map. Preserve owner boundary assignments without treating the hand-drawn stroke as a surveyed edge. Add exclusion masks for buildings, roads, courts and completed landscapes. Keep vegetation transitions natural at undeveloped boundaries.

3. Build separate ground masks for green grass or low herbaceous cover, dry sparse cover, exposed red-orange soil, muted tan earth and compacted dirt paths. Start with the large visible patches and routes, then add smaller irregular transitions. Do not paint the entire area red or leave it all green.

4. Place shrub groups and short-stemmed trees by crown distribution. Use low branching, varied crown widths and clusters with open gaps. Add dense connected greenery where the aerial shows it and keep occasional larger crowns. Avoid a regular grid, equal spacing or an identical tall-trunk tree model everywhere.

5. Connect the thin worn paths into the visible junctions and landings. Give them narrow adjustable widths, compacted earth and worn grass edges; avoid converting them into asphalt roads, paved sidewalks or trenches. Retain established bicycle routes and do not clear new corridors solely for convenience.

6. Preserve existing supported hill contours and slope continuity. Aerial colour and shadow do not supply exact ground heights. Add only restrained surface variation for material believability, without random hills, deep pits, terraces or walls. Keep path travel smooth and collision coherent.

7. Use deterministic planting and material masks so revisions remain stable. Prefer instanced vegetation, density controls and distance-based detail appropriate to the existing renderer. Correct spatial pattern before adding fine leaves or soil particles.

Visible mistakes to replace

Replace the reported uniform-lawn treatment and any scene-confirmed regular or sparse default tree placement. Restore omitted bare-earth openings and dirt tracks. Do not assume that the beige background of Picture 3 is itself a rendered soil texture or evidence that all vegetation is absent; inspect the actual 3D scene first.

Acceptance checks for the corrected zone

1. Aerial pattern: from matched top views, both reference areas show recognisable large soil openings, green clusters and the central route with branching tracks. Overlap between Pictures 1 and 2 maps to the same scene objects.

2. Ground materials: grass, dry sparse cover, reddish earth and tan compacted paths have irregular transitions and visible variation. No repeated square tiles, checkerboard noise or blue annotation-shaped border is visible.

3. Trees and shrubs: most new plants have the owner-requested short stems or low branching and varied crowns. Open gaps and dense connected groups match the aerial. Larger supported crowns remain; no uniform orchard-like grid or giant stylised trees is introduced.

4. Preservation: Great Hall, Commonwealth Hall, the tennis courts, existing buildings, roads and finished landscaping keep their geometry and identity. No map label, marker or activity overlay becomes an object.

5. Terrain and movement: existing ground contours remain continuous; dirt paths do not float or cut into arbitrary trenches. Bicycle steering, braking, collision and intended exploration routes still work, with no newly hidden terrain holes.

6. Validation: return two top-view comparisons matching Pictures 1 and 2, a scene overview showing the scope boundary only as a temporary debug aid, and low views through an open soil patch, a grass patch and a short-stemmed tree cluster. Remove debug outlines from final gameplay.

State any unresolved trunk height, species, soil texture or terrain measurement as adjustable. If a new local structure or exact elevation change is required, request a close reference rather than inventing it from the aerial. A top-view match is the primary test for distribution; low views verify that the resulting plants and ground look plausible.

Consolidated Claude prompt Part 1 Scope and ground cover

Correct the blue-marked undeveloped landscape behind and around Great Hall in the existing University of Ghana bicycle exploration game. The owner reports that it is currently treated too uniformly as grass. Use Pictures 1 and 2 as the real land-cover references and Picture 3 to register the scope to the existing game map. Inspect the actual 3D terrain and vegetation before implementing changes: Picture 3 is a flat map, not proof of 3D grass, tree height or slope.

Read the existing map data, terrain system, grass generator and vegetation instances. Check projection, origin, scale and axis orientation. Register the bypass, Great Hall footprint, nearby buildings and path junctions across the three images. Merge the overlapping aerials into one set of masks and shared plant groups; do not generate a second forest in the overlap.

Use the owner blue marks as work-area guides. Keep their assignments and protect developed precincts at the indented boundary. Do not extrude the outline into a wall, fence, road or blue material. Preserve completed Great Hall, Commonwealth Hall and tennis-court work, all established roads and buildings, and the bicycle controls and movement.

Replace continuous maintained-lawn coverage with the observed mosaic: green low grass or herbaceous cover, dry sparse cover, irregular reddish exposed soil, muted tan earth and narrow compacted dirt routes. Match large patch positions and the principal long route first, then branching tracks and smaller openings. Keep the broader bare areas more open than the dense green clusters. Avoid covering the whole zone in soil or applying uniform random speckles instead of the reference pattern.

Keep pale clearings and bright grey ground features conservative until their identity is known. Do not add a quarry, building, concrete pad, retaining wall, utility structure or excavation solely because a patch has a different colour. Map labels, pins, event icons, search controls, route colours and shaded activity zones are interface overlays, not physical campus content.

Consolidated Claude prompt Part 2 Planting and verification

Rebuild vegetation by matching visible crowns and clusters. Follow the owner's preference for short stems and low branching: most new small trees and shrub-like forms should carry foliage relatively near the ground, with varied crown sizes, spacing and density. Aerials do not reveal precise trunk lengths, so expose height and branching parameters. Retain occasional larger crowns and dense connected groups where shown; do not make every tree identical or reduce a mature wooded belt to tiny bushes.

Keep open gaps between clusters and allow shrubs and low grass around exposed soil margins. Use multiple restrained green tones and irregular group edges, avoiding a regular grid, identical canopy rows or oversized stylised orange trees. Keep existing confirmed structures hidden by vegetation rather than deleting them because the aerial cannot see them.

Restore narrow worn paths as earth routes with adjustable width and natural worn edges. Keep their visible connections and established bicycle routes. Do not pave them, widen them into roads or create deep trenches. Preserve supported existing terrain contours; these images do not establish precise elevations. No random hills, pits, stairs, terraces or retaining walls should be added to imitate colour variation.

Implement registered scope and exclusion masks, material blending and deterministic vegetation placement in the existing project. Use instancing, distance-based detail and density controls appropriate to its renderer. Prioritise land-cover layout and crown distribution before decorative leaf detail. Test bicycle steering, braking and collision, and ensure material changes or terrain masks create no hidden holes or abrupt edges.

Return two top-view comparisons matching the real aerials, a temporary debug overview showing the registered correction boundary and protected areas, and low views of representative soil, grass and short-stemmed tree patches. Remove debug markers in final gameplay. Confirm overlap uses one coherent landscape and completed nearby work remains intact. Report changed terrain or generator settings, adjustable height or material assumptions, and any unresolved location questions. Do not claim measured trunk heights, exact species or ground elevations from these aerials.