Pair 27 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_027_00m23s.png 00:23.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G027 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 26 and Pair 28 for continuity. UI-covered features remain unresolved.

Pair 28 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_028_00m24s.png 00:24.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G028 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 27 and Pair 29 for continuity. UI-covered features remain unresolved.

Pair 29 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_029_00m25s.png 00:25.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G029 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 28 and Pair 30 for continuity. UI-covered features remain unresolved.

Pair 30 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_030_00m26s.png 00:26.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G030 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 29 and Pair 31 for continuity. UI-covered features remain unresolved.

Pair 31 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_031_00m27s.png 00:27.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G031 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 30 and Pair 32 for continuity. UI-covered features remain unresolved.

Pair 32 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_032_00m28s.png 00:28.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G032 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 31 and Pair 33 for continuity. UI-covered features remain unresolved.

Pair 33 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_033_00m29s.png 00:29.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G033 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 32 and Pair 34 for continuity. UI-covered features remain unresolved.

Pair 34 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_034_00m30s.png 00:30.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G034 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 33 and Pair 35 for continuity. UI-covered features remain unresolved.

Pair 35 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_035_00m31s.png 00:31.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G035 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 34 and Pair 36 for continuity. UI-covered features remain unresolved.

Pair 36 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_036_00m32s.png 00:32.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G036 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 35 and Pair 37 for continuity. UI-covered features remain unresolved.

Pair 37 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_037_00m33s.png 00:33.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G037 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 36 and Pair 38 for continuity. UI-covered features remain unresolved.

Pair 38 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_038_00m34s.png 00:34.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G038 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 37 and Pair 39 for continuity. UI-covered features remain unresolved.

Pair 39 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_039_00m35s.png 00:35.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G039 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 38 and Pair 40 for continuity. UI-covered features remain unresolved.

Pair 40 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_040_00m36s.png 00:36.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G040 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 39 and Pair 41 for continuity. UI-covered features remain unresolved.

Pair 41 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_041_00m37s.png 00:37.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G041 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 40 and Pair 42 for continuity. UI-covered features remain unresolved.

Pair 42 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_042_00m38s.png 00:38.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G042 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 41 and Pair 43 for continuity. UI-covered features remain unresolved.

Pair 43 Patient Tower long outer elevation and corner orbit

IN GAME VIEW



UGMC_Game_043_00m39s.png 00:39.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching rear or outer-side photographic angle

A View identification Patient Tower long outer elevation and corner orbit. No direct matching rear or outer-side photographic angle. Camera correspondence uses building features, not upload order.

B What the game shows Rows of similar dark windows, white flat roof/parapet, repeated tall end volumes, neighboring low roof and a narrow dark road loop.

C What the references show M1 supplies P5/L6 plan relationships. A024/A041 establish end strips, bands and the low entrance, but not the exact rear-face window schedule shown here. Supporting sources: A024 A041 R020.

D Required corrections UGMC-010/012 target exposed site and low-roof treatment. UGMC-013/014 target supported mass offsets/material detail only. UGMC-005/006 become directly actionable on identifiable entrance ends, not arbitrary rear bays.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G043 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Do not transplant the Women and Children ribbon elevation R043 onto this Patient Tower face; preserve unknown opening counts.

G Cross view consistency The orbit turns toward the mast and entrance after this sector; use those pairs for end-face details. Consult adjacent Pair 42 and Pair 44 for continuity. UI-covered features remain unresolved.

Pair 44 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_044_00m40s.png 00:40.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G044 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 43 and Pair 45 for continuity. UI-covered features remain unresolved.

Pair 45 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_045_00m41s.png 00:41.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G045 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 44 and Pair 46 for continuity. UI-covered features remain unresolved.

Pair 46 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_046_00m42s.png 00:42.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G046 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 45 and Pair 47 for continuity. UI-covered features remain unresolved.

Pair 47 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_047_00m43s.png 00:43.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G047 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 46 and Pair 48 for continuity. UI-covered features remain unresolved.

Pair 48 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_048_00m44s.png 00:44.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G048 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 47 and Pair 49 for continuity. UI-covered features remain unresolved.

Pair 49 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_049_00m45s.png 00:45.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G049 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 48 and Pair 50 for continuity. UI-covered features remain unresolved.

Pair 50 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_050_00m45s500ms.png 00:45.500

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G050 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 49 and Pair 51 for continuity. UI-covered features remain unresolved.

Pair 51 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_051_00m46s.png 00:46.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G051 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 50 and Pair 52 for continuity. UI-covered features remain unresolved.

Pair 52 Patient Tower court and paired end masses

IN GAME VIEW



UGMC_Game_052_00m47s.png 00:47.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Supporting entrance facade from a substantially different aerial angle

A View identification Patient Tower court and paired end masses. Supporting entrance facade from a substantially different aerial angle. Camera correspondence uses building features, not upload order.

B What the game shows Open U-like recess, paired white end boxes, thin black line details and a rooftop mast becoming visible. The entry is partly obscured.

C What the references show A041/A024 identify one central narrow glazed strip per visible broad end face, prominent paired pale bands, central glazing and asymmetric low portal. Supporting sources: A024 M1 M2.

D Required corrections UGMC-005/006 correct the end strips and bands. UGMC-013 corrects only verified entrance offsets. No rear floor/window count can be measured from this photo.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G052 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Match the mast-bearing end, opposite end and portal together; do not turn thin line details into a second glass strip.

G Cross view consistency The following entrance-facing pairs verify the low portal and forecourt. Consult adjacent Pair 51 and Pair 53 for continuity. UI-covered features remain unresolved.

Pair 53 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_053_00m48s.png 00:48.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G053 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 52 and Pair 54 for continuity. UI-covered features remain unresolved.

Pair 54 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_054_00m49s.png 00:49.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G054 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 53 and Pair 55 for continuity. UI-covered features remain unresolved.

Pair 55 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_055_00m50s.png 00:50.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G055 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 54 and Pair 56 for continuity. UI-covered features remain unresolved.

Pair 56 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_056_00m50s500ms.png 00:50.500

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G056 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 55 and Pair 57 for continuity. UI-covered features remain unresolved.

Pair 57 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_057_00m51s.png 00:51.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G057 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 56 and Pair 58 for continuity. UI-covered features remain unresolved.

Pair 58 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_058_00m52s.png 00:52.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G058 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 57 and Pair 59 for continuity. UI-covered features remain unresolved.

Pair 59 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_059_00m53s.png 00:53.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G059 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 58 and Pair 60 for continuity. UI-covered features remain unresolved.

Pair 60 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_060_00m54s.png 00:54.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G060 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 59 and Pair 61 for continuity. UI-covered features remain unresolved.

Pair 61 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_061_00m55s.png 00:55.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G061 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 60 and Pair 62 for continuity. UI-covered features remain unresolved.

Pair 62 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_062_00m55s500ms.png 00:55.500

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G062 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 61 and Pair 63 for continuity. UI-covered features remain unresolved.

Pair 63 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_063_00m56s.png 00:56.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G063 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 62 and Pair 64 for continuity. UI-covered features remain unresolved.

Pair 64 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_064_00m57s.png 00:57.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G064 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 63 and Pair 65 for continuity. UI-covered features remain unresolved.

Pair 65 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_065_00m58s.png 00:58.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G065 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 64 and Pair 66 for continuity. UI-covered features remain unresolved.

Pair 66 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_066_00m59s.png 00:59.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G066 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 65 and Pair 67 for continuity. UI-covered features remain unresolved.

Pair 67 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_067_01m00s.png 01:00.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G067 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 66 and Pair 68 for continuity. UI-covered features remain unresolved.

Pair 68 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_068_01m00s500ms.png 01:00.500

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G068 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 67 and Pair 69 for continuity. UI-covered features remain unresolved.

Pair 69 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_069_01m01s.png 01:01.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G069 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 68 and Pair 70 for continuity. UI-covered features remain unresolved.

Pair 70 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_070_01m02s.png 01:02.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G070 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 69 and Pair 71 for continuity. UI-covered features remain unresolved.

Pair 71 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_071_01m03s.png 01:03.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G071 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 70 and Pair 72 for continuity. UI-covered features remain unresolved.

Pair 72 Patient Tower entrance facing orbit

IN GAME VIEW



UGMC_Game_072_01m04s.png 01:04.000

REAL WORLD REFERENCE



A041 photo_41_2026-10-13_23-23-08.jpg Same Patient Tower entrance face with different viewing height

A View identification Patient Tower entrance facing orbit. Same Patient Tower entrance face with different viewing height. Camera correspondence uses building features, not upload order.

B What the game shows Two tall end masses flank an inset glazed area and a thin white entry projection. Black line details cross broad end faces; mast and sparse lawn are visible.

C What the references show A041/A024 show single glazed end strips, raised white bands, column-supported low portal with side openings, recessed doors, curved asphalt driveway, pavers and shrub bed. Supporting sources: A016 A024 M1 M2.

D Required corrections Confirmed UGMC-005 to 009 correct end glazing, bands, portal, drive/paving and planting. UGMC-013 verifies offsets and UGMC-014 sets panel joints/reveals. Preserve legitimate flat roofs and the rooftop mast.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G072 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Matched oblique and front views must show clear door access, supported portal and differentiated paving/planting; verify collisions in the actual game.

G Cross view consistency The adjoining entrance pairs share the same issue IDs; A024/A041 must not be interpreted as Women and Children. Consult adjacent Pair 71 and Pair 73 for continuity. UI-covered features remain unresolved.

Pair 73 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_073_01m05s.png 01:05.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G073 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 72 and Pair 74 for continuity. UI-covered features remain unresolved.

Pair 74 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_074_01m05s500ms.png 01:05.500

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G074 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 73 and Pair 75 for continuity. UI-covered features remain unresolved.

Pair 75 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_075_01m06s.png 01:06.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G075 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 74 and Pair 76 for continuity. UI-covered features remain unresolved.

Pair 76 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_076_01m07s.png 01:07.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G076 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 75 and Pair 77 for continuity. UI-covered features remain unresolved.