Pair 77 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_077_01m08s.png 01:08.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G077 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 76 and Pair 78 for continuity. UI-covered features remain unresolved.

Pair 78 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_078_01m09s.png 01:09.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G078 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 77 and Pair 79 for continuity. UI-covered features remain unresolved.

Pair 79 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_079_01m10s.png 01:10.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G079 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 78 and Pair 80 for continuity. UI-covered features remain unresolved.

Pair 80 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_080_01m11s.png 01:11.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G080 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 79 and Pair 81 for continuity. UI-covered features remain unresolved.

Pair 81 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_081_01m12s.png 01:12.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G081 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 80 and Pair 82 for continuity. UI-covered features remain unresolved.

Pair 82 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_082_01m13s.png 01:13.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G082 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 81 and Pair 83 for continuity. UI-covered features remain unresolved.

Pair 83 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_083_01m14s.png 01:14.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G083 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 82 and Pair 84 for continuity. UI-covered features remain unresolved.

Pair 84 Patient Tower departure orbit and main roof junction

IN GAME VIEW



UGMC_Game_084_01m15s.png 01:15.000

REAL WORLD REFERENCE



A024 photo_24_2026-10-13_23-23-08.jpg Supporting Patient Tower entrance oblique with different height

A View identification Patient Tower departure orbit and main roof junction. Supporting Patient Tower entrance oblique with different height. Camera correspondence uses building features, not upload order.

B What the game shows Entrance-bearing end masses rotate away, revealing white returning wings, broad C1 roof and sparse plant layout.

C What the references show A024 explains P5 portal and return geometry; R038 independently explains C1 roof. One photograph cannot account for the whole game view. Supporting sources: A041 M1 M2 R038.

D Required corrections UGMC-005 to 009 apply where the entrance is visible; UGMC-003/004 apply to exposed C1 roof. UGMC-013 remains conditional for unphotographed returns.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G084 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Keep P5 wall grammar distinct from C1 tan cladding; align roof and facade changes without moving the entire site.

G Cross view consistency Earlier entrance pairs and main-roof ascent views supply complementary evidence. Consult adjacent Pair 83 and Pair 85 for continuity. UI-covered features remain unresolved.

Pair 85 Repeated Patient Tower and adjacent roof orbit

IN GAME VIEW



UGMC_Game_085_01m20s.png 01:20.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching focal aerial angle; repeat orbit checkpoint

A View identification Repeated Patient Tower and adjacent roof orbit. No direct matching focal aerial angle; repeat orbit checkpoint. Camera correspondence uses building features, not upload order.

B What the game shows Revisited windowed Patient Tower face, broad gray L6 roof and pale C1 roof; final frames also show browser chrome.

C What the references show M1 gives the same plan anchors. A024/A041 support the P5 entrance and R038 the C1 roof, with different cameras. Supporting sources: A024 A041 R038.

D Required corrections Reuse existing UGMC-003/004/012/013/014 IDs; do not add a new duplicate issue. Hidden/rear openings remain unverified.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G085 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Corrections must remain coherent on the second orbit; browser chrome and floating HUD are not physical geometry.

G Cross view consistency Compare the corresponding earlier orbit sector; this entry is retained for chronological completeness. Consult adjacent Pair 84 and Pair 86 for continuity. UI-covered features remain unresolved.

Pair 86 Repeated Patient Tower and adjacent roof orbit

IN GAME VIEW



UGMC_Game_086_01m25s.png 01:25.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching focal aerial angle; repeat orbit checkpoint

A View identification Repeated Patient Tower and adjacent roof orbit. No direct matching focal aerial angle; repeat orbit checkpoint. Camera correspondence uses building features, not upload order.

B What the game shows Revisited windowed Patient Tower face, broad gray L6 roof and pale C1 roof; final frames also show browser chrome.

C What the references show M1 gives the same plan anchors. A024/A041 support the P5 entrance and R038 the C1 roof, with different cameras. Supporting sources: A024 A041 R038.

D Required corrections Reuse existing UGMC-003/004/012/013/014 IDs; do not add a new duplicate issue. Hidden/rear openings remain unverified.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G086 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Corrections must remain coherent on the second orbit; browser chrome and floating HUD are not physical geometry.

G Cross view consistency Compare the corresponding earlier orbit sector; this entry is retained for chronological completeness. Consult adjacent Pair 85 and Pair 87 for continuity. UI-covered features remain unresolved.

Pair 87 Repeated Patient Tower and adjacent roof orbit

IN GAME VIEW



UGMC_Game_087_01m30s.png 01:30.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching focal aerial angle; repeat orbit checkpoint

A View identification Repeated Patient Tower and adjacent roof orbit. No direct matching focal aerial angle; repeat orbit checkpoint. Camera correspondence uses building features, not upload order.

B What the game shows Revisited windowed Patient Tower face, broad gray L6 roof and pale C1 roof; final frames also show browser chrome.

C What the references show M1 gives the same plan anchors. A024/A041 support the P5 entrance and R038 the C1 roof, with different cameras. Supporting sources: A024 A041 R038.

D Required corrections Reuse existing UGMC-003/004/012/013/014 IDs; do not add a new duplicate issue. Hidden/rear openings remain unverified.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G087 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Corrections must remain coherent on the second orbit; browser chrome and floating HUD are not physical geometry.

G Cross view consistency Compare the corresponding earlier orbit sector; this entry is retained for chronological completeness. Consult adjacent Pair 86 and Pair 88 for continuity. UI-covered features remain unresolved.

Pair 88 Repeated Patient Tower and adjacent roof orbit

IN GAME VIEW



UGMC_Game_088_01m35s.png 01:35.000

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching focal aerial angle; repeat orbit checkpoint

A View identification Repeated Patient Tower and adjacent roof orbit. No direct matching focal aerial angle; repeat orbit checkpoint. Camera correspondence uses building features, not upload order.

B What the game shows Revisited windowed Patient Tower face, broad gray L6 roof and pale C1 roof; final frames also show browser chrome.

C What the references show M1 gives the same plan anchors. A024/A041 support the P5 entrance and R038 the C1 roof, with different cameras. Supporting sources: A024 A041 R038.

D Required corrections Reuse existing UGMC-003/004/012/013/014 IDs; do not add a new duplicate issue. Hidden/rear openings remain unverified.


E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G088 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Corrections must remain coherent on the second orbit; browser chrome and floating HUD are not physical geometry.

G Cross view consistency Compare the corresponding earlier orbit sector; this entry is retained for chronological completeness. Consult adjacent Pair 87 and Pair 89 for continuity. UI-covered features remain unresolved.

Pair 89 Repeated Patient Tower and adjacent roof orbit

IN GAME VIEW



UGMC_Game_089_01m39s800ms.png 01:39.800

REAL WORLD REFERENCE



M1 Screenshot 2026-10-14 220150.png No direct matching focal aerial angle; repeat orbit checkpoint

A View identification Repeated Patient Tower and adjacent roof orbit. No direct matching focal aerial angle; repeat orbit checkpoint. Camera correspondence uses building features, not upload order.

B What the game shows Revisited windowed Patient Tower face, broad gray L6 roof and pale C1 roof; final frames also show browser chrome.

C What the references show M1 gives the same plan anchors. A024/A041 support the P5 entrance and R038 the C1 roof, with different cameras. Supporting sources: A024 A041 R038.

D Required corrections Reuse existing UGMC-003/004/012/013/014 IDs; do not add a new duplicate issue. Hidden/rear openings remain unverified.

E Crops and annotations Use the enlarged numbered detail plates after the pair sequence. Open G089 and the listed original references at native resolution. A satellite image is plan support, not a facade match.

F Acceptance checks Corrections must remain coherent on the second orbit; browser chrome and floating HUD are not physical geometry.

G Cross view consistency Compare the corresponding earlier orbit sector; this entry is retained for chronological completeness. Consult adjacent Pair 88 and Pair 89 for continuity. UI-covered features remain unresolved.

Detail plate 1 Patient Tower end glazing

IN GAME VIEW




Game entrance ends and mast; source timestamp 00:58.000

REAL WORLD REFERENCE



A041 Patient Tower real entrance



1 Actual dark glazed vertical strip between pale wall fields. 2 Projecting paired white bands. 3 Lower door/strip termination. Correct UGMC-005/006; the two thin black game lines are not equivalent to the one supported glazed bay.

Do not create windows within the large blank end-wall fields. Rebuild the strip with pane geometry/recess, then connect horizontal bands to its edges. Match the mast-bearing end before repeating on the opposite end.

Detail plate 2 Patient Tower entry and grounds




4 Low panelled portal with sign and side apertures. 5 Slender round support under the shelter. 6 Curved shrub/stone bed. 7 Tan paver route beside the curved asphalt drive. UGMC-007/008/009 address these connected features.

The game needs an open shelter with structural supports and a recessed door approach. Do not replace the portal by a giant solid box. Trace the actual curve of the driveway and distinguish its asphalt from adjacent tan paving and green planting.

A041 adds bench and sculpture context; confirm their world side before placing them. Keep the entrance underpass and vehicle drop-off unobstructed.

Detail plate 3 Main roof construction

IN GAME VIEW



Game pale roof with gold rod routing; 00:03.000

REAL WORLD REFERENCE



R038 real main roof construction



8 Angular corrugated covered runs around a central raised enclosure. 9 Concentrated large plant housings. 10 Separate pale pipe circuit. UGMC-003/004: model these distinct systems instead of calling each gold game rod a duct.

Retain roof parapets and true roof footprint. Fine weathering can use texture; the covered routing width, chiller height and roof enclosure silhouette require geometry. Verify routing from R037 and R038.


Detail plate 4 Curved forecourt glass

IN GAME VIEW




Early game Emergency entry; 00:02.767

REAL WORLD REFERENCE




R017 Emergency entry and connecting ensemble



11 Inward recessed Outpatients glass frontage, a separate named curve. 12 Triangulated canopy with cylindrical posts. 13 Lawn/drive/paving boundaries. A025/A039 and R011 prove the Outpatients target; R017/A032 separately identify Emergency.

UGMC-001 is a direction-verification priority. The game glass is partially hidden; confirm plan coordinates before calling a particular bow reversed. UGMC-002 is a visible canopy simplification. Do not copy the Outpatients sign onto Emergency.

Detail plate 5 Signed curve direction in plan



Conceptual only. With endpoints A and B fixed, define a local outward unit normal pointing into the forecourt. For midpoint P, signed recess s = dot(P - (A+B)/2, outward). Inward target s is negative; outward error s is positive. Coordinate sign conventions alone are not evidence: first verify that outward really points to the forecourt.

Do not flip only mesh normals, mirror the block or change glass color. Move the plan vertices into the correct concave shape, maintaining height, endpoints and adjacent wall connections. Update mullions, curved edge bands, door recess and canopy contacts to the revised surface.

Apply this test separately to Emergency and Outpatients using the correct sources. Women and Children has a different bay: no automatic reversal. Hidden curve depth and exact radius are provisional.

Detail plate 6 Site paths and low roof

IN GAME VIEW



Patient Tower and L6 game orbit; 00:37.000

REAL WORLD REFERENCE



M1 site plan support only



14 Long low building roof. 15 P5 footprint and varied entry returns. 16 Local road/drop-off arc. UGMC-012/013/010 use this plan support. It does not reveal hidden elevations or establish an occupied-floor count.

The game broad low roof must remain low and independent from P5. Replace the crosshatch roof surface with supported panel divisions; verify ridge/pitch from a suitable view. Trace circulation to the correct low portal rather than placing an arbitrary loop next to grass.

Detail plate 7 Other blocks have different rules





R026 W2 parking-facing discrete windows; R043 W2 garden-facing ribbon windows. These are two elevations of Women and Children, not alternative versions of Patient Tower. UGMC-015 remains a separate inspection task until the matching game block is exposed.

Do not replace P5 returning windows with these ribbon bands. Correct floor heights only after counting visible occupied tiers and distinguishing parapets, roof service boxes and decorative wall bands.

Detail plate 8 Pedestrian links and planting



17 Elevated glazing and light soffit; 18 open space under the link; 19 differentiated lawn and tan paved route. This is bridge typology support, not a uniquely surveyed camera coordinate. UGMC-017 requires endpoint registration before correction.

Ground paths continue under the correct bridge; the enclosed glass must not extend to ground as a solid wall. Grass plots, inset strips, paving and small planting differ from the roof and driveway materials.

Detail plate 9 Crescent garden and parking





W2 garden paths, pale crescent bed and individual bench pads differ from a traffic loop. The parking has elongated island ends, drive aisles and young trees. UGMC-016 is unverified in the flight; UGMC-011 applies to mapped parking fields only after location registration.

Use compact volumetric hedge meshes per bed or spatial chunk, with shared materials and appropriate distance detail. Do not substitute individual tall trees for a clipped hedge or promise performance improvements without profiling.

Feature ledger and scope boundaries

Feature	Observed target	What remains uncertain
C1 and O3 curves	Concave signed forecourt glass; articulated canopy	Exact radii and complete game vertices under dialog
C1 roof	Angular covered assembly, major plant, pale pipe routing	Engineering function of covered runs
P5 end faces	Single narrow strip, major paired bands, mast	Exact dimensions and all hidden window bays
P5 entry	Offset panelled portal, columns, curved drive and shrub bed	Full support count behind occlusions
W2	Different window grammars by elevation, low portal, sloped roof feature	Current game condition outside reliable flight coverage
L6	Long independent low footprint and lengthwise roof divisions	Use, hidden windows, exact roof section
Links and courtyards	Elevated enclosed glass and open landscaped ground	Coordinates of repeated photo locations
Maps	Road topology, parking islands, footprint relationships	Survey scale, camera orientation and capture dates

Implementation ledger fields: stable object ID; building; facade; floor; bay; source and crop; visible opening count; blank spans; support geometry; provisional dimensions; issue ID; confidence; before/after view; actual test result. Populate this before generating repeated geometry.

Compulsory inspection and verification instructions

Claude must inspect original-resolution game and real sources before editing each affected section. A distant preview or the prior PDF alone is insufficient. This requirement is part of task completion, not an optional polishing step.

First identify the building, exact facade, occupied floor and bay. Register corners, mast, connector and entrance. Inspect enlarged crops of every supported window, door, wall division, support, roof junction and curved endpoint. Record blank walls and open spaces as explicitly as windows.

Second build the feature ledger. Separate observed geometry from estimates and concealed details. No pillar, opening, level, sign, department name or exact metre dimension may be invented to complete a repeated template. Decorative bands and rooftop plant do not count as floors.

Third model one verified section and render a matched frontal, oblique and aerial view. For curved walls require the signed plan test plus two photographic views. Reconcile the connected roof, glazing, canopy and ground instead of fixing the silhouette from one camera.

Fourth change the owning source definition, remove stale meshes and colliders, and test regeneration/reload. Preserve sections that already match. The audit does not prove an existing collision defect; Claude must inspect it in the actual project.

Fifth check routes, door approaches, canopy supports, drop-off clearance and bridge underpasses using the game movement envelope. Report only tests actually run. Do not claim completion from a single favorable aerial view.

Final evidence: issue IDs completed; source/crop ledger; changed files/object IDs; matched before/after views; plan registration; actual movement and persistence results; unresolved list. Probable and unverified issues require inspection evidence before they become confirmed changes.

Consolidated issue register 1

UGMC 001 Curved entrance direction

Probable game reversal with confirmed real target Location: Main core and Outpatients

Finding User reports outward game curvature. R011 to R019, A025, A032 and A039 establish recessed concave forecourt glass. The early game view is partly hidden and cannot independently prove the entire plan curve.

Required correction Trace each named curve separately. Keep its endpoints registered to adjoining walls; put its middle toward the building interior relative to the endpoint chord. Rebuild glass, mullions, roof edge, door recess and canopy attachment together. Check the game plan before declaring which curve is reversed.

Sources R011 R017 A025 A039 M1 M2

Acceptance Plan and matched oblique views show the correct signed inward sagitta. Do not reverse the Women and Children bay automatically.

UGMC 002 Main entrance canopy construction

Confirmed visible discrepancy Location: Emergency and Diagnostics entrance

Finding The early game canopy reads as an opaque white fan/sail with simplified upright rods. Real forecourt canopies have articulated metal frames, triangulated stays and round posts.

Required correction Replace the simplified surface/support arrangement with the location-specific shallow canopy, radial framing, triangulated upper stays and visible silver cylindrical posts. Preserve the entrance route and distinguish the two clinical canopies.

Sources R011 R017 A025 A032 A039

Acceptance Frontal and aerial views agree on perimeter, frame depth, support count/placement and gaps; no post intersects access.

UGMC 003 Angular rooftop enclosure

Confirmed visible discrepancy Location: Main clinical core

Finding The game substitutes thick gold-colored bent rods around a generic white cube for the real corrugated angular covered assembly.

Required correction Trace R038: model the irregular low pitched/corrugated covered runs around the central raised enclosure, exposed supports where visible and their changes of direction. Preserve the separate pale pipe circuit. Do not call all golden lines ducts or make one pyramid.

Sources R038 R030 R037

Acceptance Main roof silhouette and routing agree from two oblique cameras; covered runs have actual width and roof planes.

Consolidated issue register 2

UGMC 004 Roof plant distribution

Confirmed visible discrepancy Location: Main clinical core

Finding Widely separated repeated tiny cubes/fan groups simplify the extensive plant, pipe network and service structures in the real roof views.

Required correction Rebuild major chiller clusters, large housings, connected pale pipes, ducts, bases and raised service units at verified positions. Use textures/instances for fine grilles; avoid uniform scatter.

Sources R038 R007 R030

Acceptance Plant clusters, spacing and heights match the registered roof; source views remain recognizable before tiny details are added.

UGMC 005 Patient Tower end glazing

Confirmed visible discrepancy Location: Patient Tower entrance-facing end masses

Finding Two narrow black line details appear on each broad game end face. A024/A041 show one continuous glazed vertical strip centered between broad pale wall fields on each verified end.

Required correction Replace those black line details with the actual narrow dark glazed bay, pane grid and lower door termination where visible. Keep surrounding blank wall fields. Do not copy a second strip onto the same end unless another source proves it.

Sources A016 A024 A041

Acceptance Matched entrance oblique shows the correct single strip on each visible end and coherent head/base junctions.

UGMC 006 Patient Tower wall bands

Confirmed visible discrepancy Location: Patient Tower entrance-facing end masses

Finding Game horizontal gray lines understate the prominent paired pale projecting bands and parapet articulation.

Required correction Model major band projections, paired edges and their breaks at the glazed strip. Set heights from the local visible facade ledger rather than equally spaced decorative lines. Keep white wall finish.

Sources A024 A041

Acceptance Both end masses read with the reference band rhythm, blank wall spans and glazed strip separation.

Consolidated issue register 3

UGMC 007 Patient Tower entrance portal

Confirmed visible discrepancy Location: Patient Tower

Finding The game entry looks like a thin flat white projection spanning a recess, rather than the substantial low panelled portal and open column-supported entrance in the photographs.

Required correction Rebuild the offset low portal with roof/fascia thickness, cladding joints, visible side openings, slender round internal supports, sheltered door recess and correct connection to the adjacent wing. Identify source support count before instancing.

Sources A016 A024 A041

Acceptance Front and side views match portal massing and openings; driveway and doors remain reachable.

UGMC 008 Patient Tower forecourt surfaces

Confirmed visible discrepancy Location: Patient Tower

Finding Game grass and a simple black loop meet the entrance without the differentiated curved drop-off, paved margins and planting-bed edges visible in A024/A041.

Required correction Trace the local asphalt drive, rounded kerbs, tan interlocking paving, entrance apron and curved planted edge. Keep roadway aligned to the real entry. Do not turn the whole forecourt into asphalt.

Sources A024 A041 M1 M2

Acceptance Door approach, driveway arc and planting boundary align together in plan and at ground level.

UGMC 009 Patient Tower entrance planting and furniture

Confirmed visible discrepancy Location: Patient Tower

Finding Open game lawn replaces the prominent low shrub bed, small flowering tree, pale stone border and adjacent bench/sculpture composition visible at the entry.

Required correction Add supported low planting mass and tree at the entry, distinguish it from lawn, restore the stone border and confirmed bench/sculpture where their exact side is registered. Do not populate the whole lawn with trees.

Sources A016 A024 A041

Acceptance Planting occupies the correct curved bed and does not hide access; furniture is placed from registered facade context.

Consolidated issue register 4

UGMC 010 Road edges and circulation detail

Confirmed visible simplification Location: Visible Patient Tower and low-building routes

Finding Visible game paths/roads are narrow flat dark strips meeting grass without the supported kerbed pedestrian margins and road detail.

Required correction Register each route to M1/M2, then add its specific road edge, pavement, marking, drain cover or crossing only where supported. Keep the central roundabout distinct from local drop-off loops. Do not apply one width to every route.

Sources M1 M2 A024 A027 A034 A042 R011

Acceptance Local routes connect to their intended doors/parking; kerbs and walking surfaces have continuous geometry and appropriate clearance.

UGMC 011 Parking field organization

Confirmed visible simplification Location: Parking visible behind the orbit

Finding The game retains cars in rectangular grids but omits readable elongated curbed islands and much of the aisle/edge structure visible in the references.

Required correction Trace each parking field independently. Add drive aisles, rounded island ends, selected young trees, white bays, pedestrian connections and perimeter edges. Cars are optional visual references, not fixed survey coordinates.

Sources M1 M2 R020 R026 R030

Acceptance Parking rows, islands and aisles match the correct field; the circulation route remains open.

UGMC 012 Long low roof

Confirmed surface mismatch with roof section unresolved Location: Elongated low building beside Patient Tower

Finding The broad game roof carries a dense crosshatch/tile-like pattern; the maps and distant aerial references show broad lengthwise roof divisions with a shallow industrial profile.

Required correction Keep the independently registered long low footprint. Replace inappropriate small repeated tile pattern with supported large panel/seam divisions; verify ridge or shallow pitch from a better view before altering height. Do not invent its department.

Sources M1 M2 R026 R030

Acceptance Overhead seam direction and low scale agree; no unsupported rooftop storey or invented signage is added.

Consolidated issue register 5

UGMC 013 Patient Tower massing and local setbacks

Probable geometry discrepancy Location: Patient Tower

Finding The game uses a very regular U and paired similarly sized end boxes. Real entrance photographs show asymmetric offsets, varied returns and a low portal attached to one side. Rear depth is not surveyed by those photos.

Required correction Correct the supported entrance-facing offsets, recess and low portal from A024/A041; register remaining footprint to M1/M2. Preserve unverified rear faces until a plan or additional matching elevation establishes them.

Sources A024 A041 M1 M2

Acceptance Entrance massing works in frontal and oblique views; no whole-block resize based solely on a ground photo.

UGMC 014 Wall finish and glazing depth

Confirmed visible simplification Location: Visible core and Patient Tower

Finding Plain game wall fields and strongly uniform window modules suppress facade joints, sill returns and glazing differences.

Required correction Add supported panel joints and major reveal geometry. Use off-white clinical panels, tan core cladding and blue-gray/charcoal gridded glass under neutral daylight. Keep blank walls and do not recolor from the blue aerial grade.

Sources A011 A016 A024 A025 A041

Acceptance Material and recess close-ups show distinct wall/glass surfaces without invented bays or floor changes.

UGMC 015 Women and Children elevations and roof

Unverified in this game flight Location: Women and Children

Finding Real R004-R008/R039-R047 show separate discrete-window and ribbon-window elevations, stepped roof volumes and a raised dark gridded sloped feature. The game flight does not give a reliable full matching inspection.

Required correction Inspect that identified block in the game before declaring an error. Preserve the two elevation grammars, correct low signed portal and roof feature wherever the existing reconstruction differs. A dark grid alone does not establish roof technology.

Sources R004 R008 R026 R030 R043 A023 A026

Acceptance Matched frontage and garden-side views are required; do not use the Patient Tower orbit as proof of this block.

Consolidated issue register 6

UGMC 016 Crescent garden

Unverified in this game flight Location: Women and Children garden side

Finding Real maps/R043/A031 show a white crescent bed, grey aggregate routes, individual bench pads and hedge boundary. No reliable game close view is supplied.

Required correction Audit this garden separately; restore supported surfaces, lawn plots, paths, benches and clipped hedges if missing. Never replace its crescent bed with a traffic roundabout.

Sources M1 M2 R043 A031

Acceptance Garden overhead and ground render match permanent path and bed shapes; seasonal grass variation is acceptable.

UGMC 017 Elevated glazed links

Probable detail discrepancy with incomplete game coverage Location: Registered clinical connections

Finding An early game link is visible, but the dialog hides portions of the connecting system. Real links have glass grids, a shallow light soffit and open landscaped ground beneath.

Required correction Register both endpoints and actual bridge level. Verify width, glazing, supporting components, underpass clearance and paths. Remove any ground wall only if inspection confirms it falsely fills the gap.

Sources R017 R038 A011 A012 M1

Acceptance Bridge endpoints agree in plan and both elevations; usable ground space remains beneath the correct link.

UGMC 018 Training Center and security posts

Unverified in this game flight Location: Peripheral support buildings

Finding A018/A020 identify the training facade; A028/A040 show distinct NORTH 1 and NORTH 2 security posts. Their game counterparts are not adequately exposed.

Required correction Audit these independent objects from fresh matched game views. Use their own canopy/sign/window layouts; do not transplant Patient Tower details or guess booth assignment from name alone.

Sources A018 A020 A028 A040 M1 M2

Acceptance Location and specific entrance identity are verified before correction; no invented missing-building claim.

Consolidated issue register 7

UGMC 019 Interior and auxiliary views

Unverified placement Location: Unresolved source locations

Finding A006/A030/A036 show interiors, A035 an auxiliary building, A037 an enclosed lawn elevation. Their exterior coordinates are not uniquely established.

Required correction Retain these as support-only records. Do not attach a playground, interior columns, external stairs or auxiliary block to an arbitrary main footprint. Resolve location before modifying that structure.

Sources A006 A030 A035 A036 A037

Acceptance Each used detail has a uniquely registered object and elevation, or remains explicitly unresolved.

Unresolved details and responsible assumptions

The dominant gap is missing real aerial coverage of the exact Patient Tower rear/side angles. Ground photos reliably establish its entrance, but do not establish every hidden rear bay or exact roof depth. A map supports footprint relationships, not a complete facade schedule.

Game UI conceals parts of the central forecourt, some glass endpoints, doors and roof equipment. The user-reported curve reversal must be checked on the source mesh in registered plan. Do not label the whole reconstruction verified after comparing only unoccluded pieces.

There is no new in-game top map in this upload. M1 and M2 are real satellite views. A route that is not visible in the recording must not be declared absent solely because a HUD covers it.

Current condition of W2 garden and roof, Training Center, both security booths, complete bridge system and auxiliary structures needs dedicated game views. A006/A030/A036 interiors do not authorize inventing hospital interiors; A035/A037 placement remains uncertain.

No exact metres, roof technology, engineering function, camera GPS, floor schedule or departmental boundary is established. Use provisional ratios and verify the actual project scale. Different seasons, cars, clouds and photographic grading are not permanent architectural errors.

Preserve existing broad achievements: the hospital ensemble, main pale/tan palette, independent long low building, open P5 recess, rooftop mast, dark glazing, connecting masses and vehicle parking provide useful anchors. Correct identifiable differences rather than rebuilding the whole precinct indiscriminately.

Consolidated Claude implementation prompt

You are correcting the existing UGMC reconstruction in LEGONRUSH. Read this entire audit, its 89 chronological comparisons and the original supplied images. Implement changes in the actual project; this audit itself has not modified or tested the game.

Use M1/M2 for real plan topology, R001-R047 for real aerial evidence, A001-A042 for additional photos, and G001-G089 for the recorded game. The prior reconstruction PDF is context; this audit refines it. W2 Women and Children is not P5 Patient Tower. Do not match images by upload order or copy one facade grammar to every block.

Mandatory: perform the compulsory inspection and verification instructions in this document before each affected section. Identify building, facade, floor and bay; open native-resolution crops; record visible openings, blank walls, supports, gaps and uncertainty. Preserve already matching sections and use adjustable provisional dimensions.

Order: 1 registered footprints, local masses and levels; 2 curve direction/endpoints; 3 roofs and roof plant; 4 facade openings, bands and glazing; 5 roads, parking, paving and access; 6 planting and terrain; 7 matched renders and review around the full complex.

Curvature rule: verify each named glass wall separately. With an outward normal toward the forecourt, the midpoint must recess into the building relative to the endpoint chord. Fix geometry and every linked frame/mullion/canopy junction, not normals or colors alone. Do not reverse the Women and Children bay automatically.

The following instructions carry stable IDs. Confirmed issues require the specified correction; probable issues require the named verification first; unverified issues require a fresh game inspection and must not be reported as defects until that inspection supports them.

Claude prompt issue instructions 1

UGMC 001 Curved entrance direction

Probable game reversal with confirmed real target. Main core and Outpatients. Trace each named curve separately. Keep its endpoints registered to adjoining walls; put its middle toward the building interior relative to the endpoint chord. Rebuild glass, mullions, roof edge, door recess and canopy attachment together. Check the game plan before declaring which curve is reversed.

Evidence: R011 R017 A025 A039 M1 M2. Acceptance: Plan and matched oblique views show the correct signed inward sagitta. Do not reverse the Women and Children bay automatically.

Related comparisons: 3 to 6.

UGMC 002 Main entrance canopy construction

Confirmed visible discrepancy. Emergency and Diagnostics entrance. Replace the simplified surface/support arrangement with the location-specific shallow canopy, radial framing, triangulated upper stays and visible silver cylindrical posts. Preserve the entrance route and distinguish the two clinical canopies.

Evidence: R011 R017 A025 A032 A039. Acceptance: Frontal and aerial views agree on perimeter, frame depth, support count/placement and gaps; no post intersects access.

Related comparisons: 5 to 6.

UGMC 003 Angular rooftop enclosure

Confirmed visible discrepancy. Main clinical core. Trace R038: model the irregular low pitched/corrugated covered runs around the central raised enclosure, exposed supports where visible and their changes of direction. Preserve the separate pale pipe circuit. Do not call all golden lines ducts or make one pyramid.

Evidence: R038 R030 R037. Acceptance: Main roof silhouette and routing agree from two oblique cameras; covered runs have actual width and roof planes.

Related comparisons: 3 to 23, 73 to 89.

UGMC 004 Roof plant distribution

Confirmed visible discrepancy. Main clinical core. Rebuild major chiller clusters, large housings, connected pale pipes, ducts, bases and raised service units at verified positions. Use textures/instances for fine grilles; avoid uniform scatter.

Evidence: R038 R007 R030. Acceptance: Plant clusters, spacing and heights match the registered roof; source views remain recognizable before tiny details are added.

Related comparisons: 3 to 23, 73 to 89.

Claude prompt issue instructions 2

UGMC 005 Patient Tower end glazing

Confirmed visible discrepancy. Patient Tower entrance-facing end masses. Replace those black line details with the actual narrow dark glazed bay, pane grid and lower door termination where visible. Keep surrounding blank wall fields. Do not copy a second strip onto the same end unless another source proves it.

Evidence: A016 A024 A041. Acceptance: Matched entrance oblique shows the correct single strip on each visible end and coherent head/base junctions.

Related comparisons: 24 to 84.

UGMC 006 Patient Tower wall bands

Confirmed visible discrepancy. Patient Tower entrance-facing end masses. Model major band projections, paired edges and their breaks at the glazed strip. Set heights from the local visible facade ledger rather than equally spaced decorative lines. Keep white wall finish.

Evidence: A024 A041. Acceptance: Both end masses read with the reference band rhythm, blank wall spans and glazed strip separation.

Related comparisons: 24 to 84.

UGMC 007 Patient Tower entrance portal

Confirmed visible discrepancy. Patient Tower. Rebuild the offset low portal with roof/fascia thickness, cladding joints, visible side openings, slender round internal supports, sheltered door recess and correct connection to the adjacent wing. Identify source support count before instancing.

Evidence: A016 A024 A041. Acceptance: Front and side views match portal massing and openings; driveway and doors remain reachable.

Related comparisons: 53 to 84.

UGMC 008 Patient Tower forecourt surfaces

Confirmed visible discrepancy. Patient Tower. Trace the local asphalt drive, rounded kerbs, tan interlocking paving, entrance apron and curved planted edge. Keep roadway aligned to the real entry. Do not turn the whole forecourt into asphalt.

Evidence: A024 A041 M1 M2. Acceptance: Door approach, driveway arc and planting boundary align together in plan and at ground level.

Related comparisons: 53 to 84.

Claude prompt issue instructions 3

UGMC 009 Patient Tower entrance planting and furniture

Confirmed visible discrepancy. Patient Tower. Add supported low planting mass and tree at the entry, distinguish it from lawn, restore the stone border and confirmed bench/sculpture where their exact side is registered. Do not populate the whole lawn with trees.

Evidence: A016 A024 A041. Acceptance: Planting occupies the correct curved bed and does not hide access; furniture is placed from registered facade context.

Related comparisons: 53 to 84.

UGMC 010 Road edges and circulation detail

Confirmed visible simplification. Visible Patient Tower and low-building routes. Register each route to M1/M2, then add its specific road edge, pavement, marking, drain cover or crossing only where supported. Keep the central roundabout distinct from local drop-off loops. Do not apply one width to every route.

Evidence: M1 M2 A024 A027 A034 A042 R011. Acceptance: Local routes connect to their intended doors/parking; kerbs and walking surfaces have continuous geometry and appropriate clearance.

Related comparisons: 1, 24 to 43.

UGMC 011 Parking field organization

Confirmed visible simplification. Parking visible behind the orbit. Trace each parking field independently. Add drive aisles, rounded island ends, selected young trees, white bays, pedestrian connections and perimeter edges. Cars are optional visual references, not fixed survey coordinates.

Evidence: M1 M2 R020 R026 R030. Acceptance: Parking rows, islands and aisles match the correct field; the circulation route remains open.

Related comparisons: 1 to 2.

UGMC 012 Long low roof

Confirmed surface mismatch with roof section unresolved. Elongated low building beside Patient Tower. Keep the independently registered long low footprint. Replace inappropriate small repeated tile pattern with supported large panel/seam divisions; verify ridge or shallow pitch from a better view before altering height. Do not invent its department.

Evidence: M1 M2 R026 R030. Acceptance: Overhead seam direction and low scale agree; no unsupported rooftop storey or invented signage is added.

Related comparisons: 7 to 43, 85 to 89.

Claude prompt issue instructions 4

UGMC 013 Patient Tower massing and local setbacks

Probable geometry discrepancy. Patient Tower. Correct the supported entrance-facing offsets, recess and low portal from A024/A041; register remaining footprint to M1/M2. Preserve unverified rear faces until a plan or additional matching elevation establishes them.

Evidence: A024 A041 M1 M2. Acceptance: Entrance massing works in frontal and oblique views; no whole-block resize based solely on a ground photo.

Related comparisons: 7 to 89.

UGMC 014 Wall finish and glazing depth

Confirmed visible simplification. Visible core and Patient Tower. Add supported panel joints and major reveal geometry. Use off-white clinical panels, tan core cladding and blue-gray/charcoal gridded glass under neutral daylight. Keep blank walls and do not recolor from the blue aerial grade.

Evidence: A011 A016 A024 A025 A041. Acceptance: Material and recess close-ups show distinct wall/glass surfaces without invented bays or floor changes.

Related comparisons: 2, 24 to 43, 53 to 72, 85 to 89.

UGMC 015 Women and Children elevations and roof

Unverified in this game flight. Women and Children. Inspect that identified block in the game before declaring an error. Preserve the two elevation grammars, correct low signed portal and roof feature wherever the existing reconstruction differs. A dark grid alone does not establish roof technology.

Evidence: R004 R008 R026 R030 R043 A023 A026. Acceptance: Matched frontage and garden-side views are required; do not use the Patient Tower orbit as proof of this block.

Related comparisons: 2.

UGMC 016 Crescent garden

Unverified in this game flight. Women and Children garden side. Audit this garden separately; restore supported surfaces, lawn plots, paths, benches and clipped hedges if missing. Never replace its crescent bed with a traffic roundabout.

Evidence: M1 M2 R043 A031. Acceptance: Garden overhead and ground render match permanent path and bed shapes; seasonal grass variation is acceptable.

Related comparisons: Real-reference detail plates and separate targeted game inspection; no direct focal pair..

Claude prompt issue instructions 5

UGMC 017 Elevated glazed links

Probable detail discrepancy with incomplete game coverage. Registered clinical connections. Register both endpoints and actual bridge level. Verify width, glazing, supporting components, underpass clearance and paths. Remove any ground wall only if inspection confirms it falsely fills the gap.

Evidence: R017 R038 A011 A012 M1. Acceptance: Bridge endpoints agree in plan and both elevations; usable ground space remains beneath the correct link.

Related comparisons: 5 to 6.

UGMC 018 Training Center and security posts

Unverified in this game flight. Peripheral support buildings. Audit these independent objects from fresh matched game views. Use their own canopy/sign/window layouts; do not transplant Patient Tower details or guess booth assignment from name alone.

Evidence: A018 A020 A028 A040 M1 M2. Acceptance: Location and specific entrance identity are verified before correction; no invented missing-building claim.

Related comparisons: 1.

UGMC 019 Interior and auxiliary views

Unverified placement. Unresolved source locations. Retain these as support-only records. Do not attach a playground, interior columns, external stairs or auxiliary block to an arbitrary main footprint. Resolve location before modifying that structure.

Evidence: A006 A030 A035 A036 A037. Acceptance: Each used detail has a uniquely registered object and elevation, or remains explicitly unresolved.

Related comparisons: Real-reference detail plates and separate targeted game inspection; no direct focal pair..

Claude prompt final verification and response

Before completing any issue, provide plan registration and matched front, oblique and aerial renders where relevant. Review the entire connected structure. Curvature, roof edges, openings and ground access must agree across views, not only from the easiest camera.


Modify the responsible source definitions. Remove stale duplicate geometry and collision volumes, then regenerate/reload. Test bicycle routes, entry/drop-off approaches, parking aisles and confirmed bridge-underpass paths. Report actual results, not assumed tests.

Use efficient shared materials and repeated-detail instances; preserve landmark silhouette and doorway geometry. Profile before/after if optimizing. Low planting beds require foliage volume rather than a field of large tree objects.

Report completed UGMC issue IDs, changed files and stable object IDs, source/crop ledger, before/after matched views, scale assumptions and tests performed. List probable/unverified issues that remain open and the exact view needed. A partially hidden or unmatched facade cannot be called perfectly reproduced.

Do not rebuild unrelated campus areas, invent new hospital floors or assign uncertain interiors/auxiliary structures. Preserve working real-world matches. If a source file cannot be opened, name that specific missing file and proceed with independent verified work; do not request the entire project again.

Aerial source contact sheet 1




Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.

Aerial source contact sheet 2




Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.

Aerial source contact sheet 3




Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.

Aerial source contact sheet 4




Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.

Additional source contact sheet 1




Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.

Additional source contact sheet 2




Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.

Additional source contact sheet 3



Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.

Additional source contact sheet 4



Original source IDs and filenames remain in the source register. These overview thumbnails are navigation aids; use original-resolution files and the detail plates for architectural decisions. No source is silently omitted.