ECG area reconstruction brief

This brief compares 18 game views with their real street-view references in the ECG area and adjacent highway corridor. Use the pair-specific instructions to replace generic campus blocks with the observed buildings, compounds, roadside structures, vegetation and utilities. Three annotated aerials establish placement and viewing direction; the game map provides context for inspecting the existing map data.

Implementation order

1. Register map data roads footprints and access gaps against the three real aerials.
2. Correct shared building masses roofs boundaries and local ground relationships.
3. Restore highway divider transitions compact planting rough land and roadside stalls.
4. Add visible glazing signs pavement drainage poles wires and streetlights.
5. Match all 18 cameras test bicycle movement and return comparison captures.

How to use the references

Pairs 1 to 10 use the first uploaded set; Pairs 11 to 18 follow the eight rows in the supplied ECG PDF. The game is left and real view right. Each pair contains visible mistakes, a description of the target, sequential correction instructions and an acceptance check. A01 covers Pairs 1 to 8, A02 covers 9 to 11 and 18, and A03 covers 12 to 17. M01 is the current game map. The consolidated Claude prompt follows the four map pages in three consecutive parts; paste all parts together.

Shared objects and uncertainty

Keep this work separate from other completed zones. Several pairs show the same compound, office or trading frontage and must share scene objects. Preserve every owner arrow, including numbers with more than one direction. Map labels are location clues, not proof of physical building names. Match viewpoints before judging proportions; keep uncertain dimensions adjustable. Trees and roofs may hide structures, so occlusion alone is not grounds for deletion. No unseen interiors, hidden connections or exact terrain measurements are prescribed.

Pair 1 Utility corridor and rough open land





In-game view left | Real street view right | Placement and viewing direction A01 arrow 1

Visible mistakes The game replaces scrub and utility infrastructure with a smooth lawn, isolated ornamental trees and repeated distant campus blocks. The sidewalk and roadside drainage are simplified; the right-hand building and its approach need registration before changing its massing.

Real target The target is an open, uneven-looking strip with dry grass, green scrub and scattered small plants. Repeated paired concrete electrical supports carry crossbars, suspended cables and dark protective sections near their bases. Lattice towers and separate slender poles appear behind them. A narrow paved pedestrian strip runs beside the road; a large glazed building is only partly visible at the right edge.

Step by step instructions for Claude

1. Follow both directions assigned to arrow 1 in A01. Place the visible utility corridor and the right-hand building against their actual plots; do not populate the open land with default residential blocks. Keep the partly cropped building separate from the ECG office across the highway.

2. Replace uniform grass with irregular dry grass, low scrub, exposed earth and patchy taller vegetation. Use subtle height changes and a rough roadside verge; do not invent a large hill from the vegetation silhouette.

3. Build the paired utility support frames with slim uprights, horizontal members, insulators and dark lower protective elements. Add the lattice towers as separate shared objects, and connect visible overhead wire spans between the correct supports.

4. Restore the pedestrian pavement, curb, narrow grass strip and visible drain edges or covers. Include the small roadside sign at its observed height; transcribe only readable text. Use the visible streetlight type rather than the generic game fixture.

Acceptance check The matched view should show open scrub between the roadway and the distant structures, a convincing sequence of utility frames and wires, and the paved pedestrian strip. Pair 7 must show the same corridor from along the road.

Pair 2 Blue fenced compound from across the road





In-game view left | Real street view right | Placement and viewing direction A01 arrow 2

Visible mistakes A large orange tree obscures generic multi-storey blocks. The real compound has a distinct entrance, blue boundary and low central office; these are absent. The road separation and concrete edge lack the target weathering and relationships.

Real target A blue metal fence on a blue lower wall encloses a white office with dark windows and stepped flat-roof forms. A small white guardhouse with blue lower walls and a blue hipped metal roof sits at the entrance. A taller white block stands to the right among banana plants and a broad sparse-canopied tree; lattice structures frame the compound.

Step by step instructions for Claude

1. Use A01 arrow 2 and A02 to register this compound across the correct carriageway. Treat Pairs 9, 10, 11 and 18 as views of this same site, not four extra buildings. The aerial carries a Ghana Water Company Limited label nearby; use that as a location clue, not a replacement for legible physical signage.

2. Rebuild the two-level white central office with its recessed entry, staggered wings and raised flat-roof cap. Position the taller white block to its side and rear using the aerial footprint and Pair 11; retain separation where the evidence shows it.

3. Add the blue lower boundary, thin vertical metal fence, blue posts, entrance gates, blue-roof guardhouse and actual hard-surfaced forecourt. Align the entrance with the access mouth rather than a broad lawn path.

4. Replace the orange tree with the sparse mature tree visible inside the compound and distribute smaller palms, banana foliage and shrubs along the fence. Restore the foreground concrete separation and curb with stains, joints and drainage details.

Acceptance check The entrance axis, guardhouse and stepped white office should be recognisable behind a blue fence. The taller block should remain visible to the right without a giant orange canopy masking it.

Pair 3 Highway planting and red roof roadside building





In-game view left | Real street view right | Placement and viewing direction A01 arrow 3

Visible mistakes The median uses tall, thin-stemmed stylised palms and regular trees, while the reference shows compact branching shrubs and small trees. A repeated two-storey campus block has replaced the low red-roof building on the far side.

Real target The highway curves gently through a planted separation. Most foliage sits low over short visible trunks, with uneven gaps and grass beneath. Decorative branching streetlights rise above it. Across the road is a long, low cream building under a broad red roof, enclosed by a fence; utility lines run across the view.

Step by step instructions for Claude

1. Match A01 arrow 3 and the road curve first. Distinguish the planted separation from the concrete divider seen farther along in Pairs 7 and 8; do not apply one median template throughout.

2. Replace the misidentified roadside block with the low red-roof building shared with Pair 5. Reduce its apparent height and give it a broad eave, restrained window openings and the proper setback behind its boundary.


3. Rebuild median planting as compact, irregular shrubs and small trees with short trunks and low branching. Vary crown width and density and preserve grass, gaps and a few taller specimens where visible.

4. Add the branching streetlights, correct curb transitions, road markings, overhead cables and the far-side sidewalk or frontage strip. Keep lamp poles slender and independent from the trees.

Acceptance check The planted strip should read as low foliage rather than a row of tall palms. The far-side building must stay below the generic block height and match Pair 5 when viewed side-on.

Pair 4 ECG complex across the planted highway





In-game view left | Real street view right | Placement and viewing direction A01 arrow 4

Visible mistakes The game repeats three-storey white blocks with red roofs on a flat lawn. It misses the blue-glazed office, the different neighbouring pitched-roof structure and the low, irregular median canopy.

Real target The ECG frontage is seen through compact trees across the highway. A modern low blue-glazed volume and white vertical mass stand beside a broader, older white pitched-roof building. Low boundary walls and planted frontage frame them; decorative lamps and utility towers belong to different systems.

Step by step instructions for Claude

1. Use A01 arrow 4 to set the cross-road camera and A03 to locate the actual footprints. Build one modern ECG office shared with Pairs 12 and 13, and one adjacent pitched-roof building shared with Pair 14.

2. Remove or replace the repeated blocks only inside the registered footprints. Model the modern building with a taller white vertical element and a lower blue-glazed wing; preserve the neighbour's long pitched roof and different elevation rhythm.


3. Restore setbacks, low compound boundaries, entrance positions and hard surfaces. Read aerial circulation separately from the wide highway; do not draw public road lanes into the compounds.

4. Use compact uneven median planting and the correct branching lamp silhouettes. Add shared lattice towers, overhead cables and the visible boundary planting without screening out the entire office façade.

Acceptance check The modern glass frontage and pitched-roof neighbour should both be visible behind the median, with different silhouettes and roof systems. Pair 13 must confirm the same modern building at close range.

Pair 5 Low cream building and fenced utility yard





In-game view left | Real street view right | Placement and viewing direction A01 arrow 5

Visible mistakes The game shows two full rows of large windows and an oversized plain block. The reference is a low building behind a continuous fence with a visible utility yard, sidewalk and overhead services.

Real target A long cream frontage has dark small rectangular windows beneath deep eaves and a wide red hipped roof. A cream masonry base and regularly spaced posts support black metal fencing. Electrical equipment and a tank-like dark object are visible in the grounds to the right; a smaller red-roof structure sits to the left.

Step by step instructions for Claude

1. Register the east-side plot with A01 arrow 5 and keep the building shared with Pair 3. Match the lower wall-to-roof proportions before judging storey count; do not retain two equal-height glazed storeys merely because the old template has them.

2. Build the long cream façade with observed dark window sizes and spacing, a broad red roof, deep eaves and the smaller adjacent roofed structure. Keep unclear lower openings and service features adjustable rather than inventing rooms.


3. Add the cream base wall, posts, black vertical fence panels and gates. Place visible electrical frames and the dark yard object behind the fence with conservative geometry; their hidden function and pipework are not established.

4. Restore sidewalk slabs, curb, yard surface, streetlights and overhead wire crossings. Use grass and shrubs around the equipment where visible, rather than a clean lawn extending through the fence.

Acceptance check The view should show a low red roof over a restrained cream façade, a complete black fenced frontage, and a distinct service yard to the right. It must agree with the far view in Pair 3.

Pair 6 Blue compound in the wider roadside landscape





In-game view left | Real street view right | Placement and viewing direction A01 arrow 6

Visible mistakes Generic repeated buildings dominate the game, while the real blue-fenced site sits among substantial shrubs, towers and poles. The game's empty grass separation, tall ornamental trees and simple lamps give the wrong layering.

Real target The scene layers foreground roadway and concrete edge, a planted strip, opposite carriageway and the blue-boundary compound. A taller white block, sparse mature tree and lattice towers stand behind low dense foliage. Multiple crossbar poles and wires cross the scene, with visible circular 50 speed-limit signs.

Step by step instructions for Claude

1. Use A01 arrow 6 and reuse the compound objects from Pairs 2, 9, 10 and 11. Align carriageways and planted strips before adjusting the distant buildings; perspective here compresses depth.

2. Correct the taller white block to the plain flat or parapet-topped form visible in Pair 11. Preserve the low office and blue entrance elements; remove the repetitive campus massing that occupies their registered space.


3. Create dense low shrubs with uneven outlines and realistic short-stemmed trees. Restore the sparse mature tree and towers at their actual relative positions; avoid repeating one tree size.

4. Add crossbar utility poles, overhead wire spans, the visible 50 signs and slender decorative streetlights. Model the foreground concrete edge with joints and weathering, and connect its end treatment to Pairs 7 and 8.

Acceptance check The corrected distant silhouette should include the white block and blue boundary amid vegetation and utilities. The 50 signs must appear only at their observed positions, not at every pole.

Pair 7 Long highway view and concrete divider





In-game view left | Real street view right | Placement and viewing direction A01 arrow 7

Visible mistakes The game uses an overlarge green separation with regular trees, generic buildings on both sides and simplified roadside paving. The actual view includes a narrow weathered concrete divider, open scrub on the right and a utility corridor.

Real target Two carriageways run beside a low continuous concrete divider with a paved or drained foot along its base. The right side has a narrow sidewalk, grass verge and paired electrical frames; the left side shows the blue compound and white office block. Circular 50 signs and overhead cables establish the road scale.

Step by step instructions for Claude

1. Follow A01 arrow 7 and use the map data to register the highway alignment and longitudinal curve. Pair 8 is a related view, not permission to duplicate the road or compound.

2. Replace the incorrect broad grassy divider in this segment with the narrow concrete form. Reproduce its top edge, roadside base strip, joints, dark stains and taper or end where shown; keep collision clearance beside it.

3. Restore the right-hand sidewalk, drainage edge, patchy verge and scrub. Remove confirmed template buildings from registered open plots while retaining buildings obscured by planting where absence is not established.

4. Place the shared utility frames and wire spans along the right-hand corridor and reuse the left-hand blue compound. Add the observed 50 signs, slender lamps and restrained road markings. Do not copy the Street View vehicle bonnet into the scene.

Acceptance check The roadway should read as a real divided corridor with a low concrete separation and open utility verge. Bicycle travel must remain possible along the intended road lane without clipping the divider.

Pair 8 Divider transition and highway depth





In-game view left | Real street view right | Placement and viewing direction A01 arrow 8

Visible mistakes The same generic game view used in Pair 7 fails to represent the different position and lower divider treatment in this reference. Buildings and tall median trees still replace open verges and compact planting.

Real target The reference looks along the highway with a low concrete median edge or paved separation, decorative twin-arm lights, roadside overhead lines and the white office block on the left. The right side retains rough grass and scrub beside a narrow pedestrian route. Perspective and photograph date affect the apparent divider height.

Step by step instructions for Claude

1. Use A01 arrow 8 to place a second validation camera on the existing highway. Do not build a second highway because Pairs 7 and 8 have similar game captures.

2. Compare divider ends and adjacent landmarks in both references before setting its height transition. Keep the continuous road profile adjustable where the two images do not establish exact grade; avoid an arbitrary tall wall or a uniform lawn median.

3. Carry the same compound, lattice towers, road lights and utility supports forward along the corridor. Correct spacing by map registration and camera matching rather than evenly distributing assets by eye.

4. Add the narrow pavement, grassy verge, worn road markings and low curb relationships. Represent overhead lines with consistent attachment heights and gentle sag; transient vehicles and pedestrians are not permanent landmarks.

Acceptance check Pair 8 should show a believable continuation of Pair 7 with appropriate divider transition, consistent objects and an open right-side verge. No duplicate white office or utility tower should appear.

Pair 9 Blue compound approach and side road mouth



In-game view left | Real street view right | Placement and viewing direction A02 arrow 9

Visible mistakes The game substitutes a large campus group and lawn paths for a gated compound. The entrance junction, blue boundary, guardhouse, taller plain white block and utility tower are missing or misplaced.

Real target A gently curving approach passes the blue-fenced grounds. A wide paved entrance lies next to a white guardhouse with a blue roof. White office wings are behind it; the taller white block stands farther right behind banana foliage. Gravel, brick paving, a roadside sign and striped short posts occupy the frontage.

Step by step instructions for Claude

1. Use A02 arrow 9 to anchor the approach and entrance. This is the same compound as Pairs 2, 10, 11 and 18; reconcile these views into one object group.

2. Correct the boundary line and entrance opening before fitting the buildings. Use Pair 10 for the central office and guardhouse geometry, and Pair 11 for the taller side block and planted fence.

3. Replace the lawn access path with the paved entrance and actual curb return. Add the small paved or brick pedestrian island, gravel setback, short striped posts, blue gate posts and metal gate leaves.

4. Place the lattice tower, sparse tree, banana foliage, small palms and readable roadside signs. Continue the streetlights and overhead cables from the highway. Keep signs with unreadable wording editable; do not substitute a guessed building name.

Acceptance check The curved road mouth and blue-roof guardhouse should lead clearly into the compound. The boundary, taller block and lattice tower must align with Pair 18 and the close view in Pair 11.

Pair 10 Blue roof guardhouse and stepped office





In-game view left | Real street view right | Placement and viewing direction A02 arrow 10

Visible mistakes The game uses a pitched red-roof rectangular office with a small attached wing. It lacks the actual entrance composition, blue guardhouse, stepped flat roofs, fencing and paved forecourt.

Real target The entrance centres on a white two-level office with projecting and recessed wings, dark rectangular windows and a raised flat roof cap. The detached guardhouse has a blue hipped metal roof, blue lower walls and a shaded dark window. Blue posts and narrow metal gates open onto a hard-surfaced court; a light canopy stands at the right.

Step by step instructions for Claude

1. Match A02 arrow 10 along the entrance axis and reuse the office already established in Pair 2. Separate the detached gatehouse from the office rather than attaching a generic small wing.

2. Rebuild the office as stepped white volumes with flat parapets, dark window frames, shallow projections and a recessed central entrance. Keep the raised cap's actual function unknown; it is not permission to add another habitable storey.

3. Build the hipped blue corrugated roof and white-over-blue guardhouse walls. Add blue masonry posts, thin dark metal gates and fencing, including their observed opening positions without blocking intended player routes.

4. Create the paved forecourt, curb returns, brick footway, gravel margins and small palms. Add the right-side lightweight canopy and entrance sign only to the visible extent; preserve readable physical text and omit screenshot overlays.

Acceptance check The view should show the detached blue-roof gatehouse in front of the stepped office and a clear paved entrance. The office roof must no longer be a red pitched template.

Pair 11 Tall white block and blue planted boundary





In-game view left | Real street view right | Placement and viewing direction A02 two arrow directions marked 11

Visible mistakes The game block has a red roof, dense regular multi-pane windows and a giant tree in front. The real block has a plain white parapet silhouette, sparse horizontal side windows and a more glazed vertical end strip.

Real target A tall plain white block rises behind a continuous blue lower wall and blue metal fence. Several narrow horizontal windows punctuate the broad side; larger blue-toned windows stack on the narrow end. Banana foliage, palms and shrubs screen its lower part. A lattice tower stands on the gravel verge outside; short posts and a paved sidewalk define the foreground.

Step by step instructions for Claude

1. Follow both directions assigned to 11 in A02. Place one tall block behind the blue boundary and keep the central low office separate. The same block must remain consistent in Pairs 2, 6, 9 and 18.

2. Replace the red roof with the observed flat or parapet-topped outline. The visible façade suggests roughly four occupied levels; confirm the opening rows before fixing the count and keep floor heights adjustable. Avoid an invented fifth floor.

3. Reproduce narrow horizontal side openings and larger vertically stacked end windows. Keep broad white wall panels and simple seams; do not spread large identical windows over every face.

4. Rebuild the blue fence, thin metal pickets, dense lower planting, gravel setback, sidewalk and short roadside posts. Position the shared lattice tower outside the boundary as shown and connect its visible wires. Remove the giant game tree that masks the façade and replace it with the actual planted mix.

Acceptance check The side should read as a largely solid white mass with small openings, contrasting with its glazed end. Banana plants and fence should screen the base while the parapet and upper openings remain visible.

Pair 12 ECG office and pitched roof neighbour





In-game view left | Real street view right | Placement and viewing direction A03 both arrow directions marked 12

Visible mistakes Two generic red-roof blocks replace the modern blue-glass office and different neighbouring pitched-roof structure. The real boundary, signboard, landscaped edge and entrance glazing are absent.

Real target The modern office has a tall white element with a narrow vertical glazed recess and a lower broad reflective blue façade under a pale horizontal fascia. Beside it is a long white building with a large grey pitched roof, upper window rhythm and blue end glazing. A physical roadside board reads ECG GOES CASHLESS; a low white wall and light metal railing enclose planting.

Step by step instructions for Claude

1. Preserve both arrows marked 12 in A03 and use them to validate the modern office and adjacent pitched-roof structure. Reuse the office from Pair 13 and neighbour from Pair 14; do not duplicate them to satisfy two directions.

2. Fit the white vertical mass and low glazed wing to the aerial footprint. Build the blue façade as reflective panes with thin mullions, a recessed glazed entrance and a pale fascia or parapet band; retain its observed rounded end from Pair 13.

3. Position the older pitched-roof neighbour alongside at the true spacing. Preserve its separate roof, white walls and upper openings; do not join the roofs or assume a hidden corridor unless visible in the aerial.

4. Add the low white boundary, slim railing, planted frontage and ECG cashless board. Reproduce clearly legible main wording and colours; small board text must stay editable if the PDF image is insufficient. Add overhead cables and worn paving without baking vehicles into the architecture.

Acceptance check The two buildings should have contrasting roof and façade types, with the ECG board in front of the modern office. The white tower and blue wing must remain one coherent building in Pair 13.

Pair 13 Modern ECG glazed office close view





In-game view left | Real street view right | Placement and viewing direction A03 arrow 13

Visible mistakes The game turns the modern office into a three-storey red-roof campus block with uniform windows. Its white tower, blue curtain wall, rounded fascia end, ECG identity signs, low wall and planting are missing.

Real target A taller white vertical slab frames a narrow dark glazed recess. A sloping or stepped upper glazed section extends behind the lower front wing. The broad front is deep blue reflective glazing with fine mullions, topped by a pale panelled fascia and a rounded right end with projecting trim. Small ECG logo signs sit high on the white mass; a pale yellow-green curved roof is partly visible behind the right edge.

Step by step instructions for Claude

1. Anchor this office at A03 arrow 13 and verify its footprint using the two directions of Pair 12. Adjust the camera before replacing the old template; roof silhouette and frontage width are the first acceptance targets.

2. Model the taller white slab, narrow recessed vertical glazing and lower broad blue front as distinct connected masses. Preserve the oblique upper glass geometry and the rounded right fascia end; do not replace them with a red hipped roof or a single rectangular box.

3. Use blue reflective glass with subtle pane variation and thin mullions, white wall panels and restrained pale fascia seams. Build the entrance framing and projecting trim to visible proportions. Add the small ECG signs as physical façade signs, not floating map labels.

4. Restore the low white wall and posts, light metal railings, shrubs and small trees, street-side pavement and signboard. Retain the partly visible curved roof behind the right end only where its footprint is supported; do not infer its entire hidden interior or function.

Acceptance check The close view should show the white tower rising above a low blue-glass wing, a rounded right end and physical ECG signs. It must agree with the frontal view in Pair 12 and distant view in Pair 4.

Pair 14 Pitched roof building and small entrance structures





In-game view left | Real street view right | Placement and viewing direction A03 arrow 14

Visible mistakes A red-roof three-storey rectangular block with regular windows replaces a large grey gable, central blue glazing and separate low entrance buildings. The compound frontage and paved approach are missing.

Real target The main end elevation is white with a broad grey pitched roof and triangular gable. A large central blue-glazed opening dominates it, with smaller side openings and visible exterior equipment near the frontage. Separate low white structures have pale green roofs, and a blue vertical sign marks the entrance area. Hard paving and curb changes occupy the foreground.

Step by step instructions for Claude

1. Use A03 arrow 14 to locate this building beside the modern office, with its long axis and gable facing the reference camera. Reuse it in Pairs 4 and 12; preserve any separation confirmed by the aerial.

2. Replace the template mass with the large pitched-roof volume. Build the gable outline, roof slope, dark roof texture, central blue-glazed bay and small side windows. Do not prescribe three floor rows through the large glazed end.

3. Place the separate low entrance structures with pale green roofs and white walls. Reproduce the visible boundary, gates and blue vertical sign. Model visible exterior equipment conservatively; no hidden plant network is established.

4. Restore the hard-surfaced frontage, sidewalk transition and entrance slope or curb breaks shown in the photograph. Check grade with adjacent views rather than inventing a staircase. Use a few temporary vehicles only after architecture is correct and keep access routes unobstructed.

Acceptance check The grey gable and large blue end glazing should dominate, with small green-roof structures beside it. The modern office must remain a different neighbouring object, not another copy of this building.

Pair 15 Side access and roadside trading frontage





In-game view left | Real street view right | Placement and viewing direction A03 the two arrow directions marked 15

Visible mistakes The game replaces the roadside forecourt with campus lawns, repeated tall blocks and small red-and-white structures. It omits the broad side-access opening, kiosks and canopy stalls on bare ground.

Real target A hard-surfaced road frontage faces an open access gap, low compound walls, green-roof structures and a row of small trading shelters. Blue canopy roofs, mixed timber or sheet-clad kiosks and earth patches sit before older white buildings with reddish roofs. Overhead cables and poles cross the scene.

Step by step instructions for Claude

1. Preserve both arrows marked 15 in A03. Separate the compound access view from the more northerly roadside structures and reconcile them with Pairs 16 and 17. Use the annotated locations rather than turning the entire zone into one market rectangle.


2. Restore the broad side-access mouth, curb returns, low walls and green-roof entrance structures at the correct plot boundaries. Remove registered campus templates that conflict with these open access and small-structure footprints.

3. Build the stalls individually: several blue canopies on slim supports, differently sized low kiosks, open fronts and rough wall materials. Place the older white red-roof blocks behind them using the aerial, keeping real spacing and roof variation.

4. Replace lawn with bare orange-brown soil, worn hardstanding and narrow paved walking areas. Add the visible poles, wire crossings, planting and physical boards; copy only readable names. Do not assume every canopy is a bus shelter or give all shelters identical geometry.

Acceptance check The scene should show a recognisable access opening and a varied low roadside trading line, with older buildings behind. Cross-check the same kiosk positions from Pairs 16 and 17.

Pair 16 Canopies kiosks soil and roadside pavement





In-game view left | Real street view right | Placement and viewing direction A03 arrow 16

Visible mistakes The game uses neat red-and-white buildings and large orange trees on lawns. It misses the varied small stalls, blue canopies, dry earth, rough objects, sign-bearing pole and narrow roadside pavement.

Real target The target has multiple blue canopy roofs over open stalls, mixed low kiosks and a few rough shelters of different heights. Orange-brown bare soil extends behind a narrow paved footway, with grass at the curb and scattered large rough rocks or blocks. A concrete pole carries a physical advertisement; mature foliage and palms stand behind the stalls.

Step by step instructions for Claude

1. Use A03 arrow 16 to place this roadside cluster and reuse the same stalls visible in Pairs 15 and 17. Align their line to the actual frontage and preserve gaps between structures.

2. Replace red-and-white template huts with individual canopy and kiosk meshes. Distinguish fabric-like blue roofs, slender support legs, rough sheet or timber walls, masonry counters and open bays. Avoid turning shallow stalls into full residential blocks.

3. Create bare soil with subtle unevenness, sparse grass, the narrow sidewalk and curb-side grass strip. Reproduce the visible rough rocks or blocks without interpreting them as engineered steps or retaining walls.

4. Add the concrete pole and its attached board, nearby service poles and overhead wires, mature trees and palms. Keep pole advertisement wording editable where unreadable. Reduce oversized game trunks and crowns to the observed scene scale and foliage distribution.

Acceptance check The reference camera should show mixed blue canopies on earth, a distinct pavement strip, rough ground objects and a sign-bearing pole. The same canopies should line up in Pair 17.

Pair 17 Roadside stalls and older white blocks





In-game view left | Real street view right | Placement and viewing direction A03 arrow 17 and adjoining frontage in 15 and 16

Visible mistakes The game replaces the trading frontage with an orderly campus-like group, lawn and ornamental trees. The actual older white buildings, low dark kiosk, blue canopies and rough paved verge have different spacing and condition.

Real target A row of blue canopy stalls and a larger dark low kiosk sit on bare ground in front of older white buildings with reddish pitched roofs, dark window openings and some weathering. Palms and mature green trees break up the frontage. Short posts and a drain opening appear along the foreground pavement.

Step by step instructions for Claude

1. Preserve the owner's number 17 and its direction in A03. Validate the shared frontage against Pairs 15 and 16 before final placement; do not move the arrow to a nearby map label because that label looks more familiar.

2. Rebuild only the visible older white blocks with their actual pitched roof variation, dark openings, height differences and worn façade appearance. Do not retain a long, pristine repeated institutional block or infer hidden building joins.

3. Place the larger low dark kiosk among individually sized blue canopy stalls, maintaining pedestrian gaps and bare-earth forecourts. Keep trees behind and between the structures where they naturally obscure portions of the buildings.

4. Add pavement joints, curb, visible drain opening or recess and short boundary posts. Include the actual palms and mature canopy shapes, physical stall boards and overhead wires. No traffic light is established by these images; add one only if another reference or map evidence identifies it.

Acceptance check The view should show irregular low trading structures backed by older white blocks, with visible bare soil and drainage details. Vegetation may hide parts of buildings without deleting them.

Pair 18 Blue compound approach checked from the second set





In-game view left | Real street view right | Placement and viewing direction A02 both arrow directions marked 18

Visible mistakes The game again shows repeated blocks and a lawn access path. This second-set view repeats the blue compound approach, so treating it as a new site would duplicate the gatehouse, white block and tower.

Real target The real view returns to the curving road edge, blue-roof guardhouse, blue boundary, stepped office and taller white block. Gravel and brick footway surround the entrance, a lattice tower stands near the sidewalk, and a sparse mature tree rises inside the fence.

Step by step instructions for Claude

1. Follow both arrows marked 18 in A02 and retain the same compound object IDs used for Pairs 2 and 9 to 11. Pair 18 is an additional acceptance camera, not a separate blueprint for another entrance.

2. Check the shared entrance curb return, guardhouse roof, blue wall and gates from this camera. Adjust one scene group until the access geometry agrees across the frontal and oblique views; do not reposition individual buildings independently for each screenshot.

3. Confirm the taller white block's parapet, sparse openings, foliage-screened base and lattice tower location. Maintain the central stepped office behind the guardhouse and the planted blue boundary line.

4. Finish brick paving, gravel margins, rough roadside grass, short striped posts and physical signs. Match road grade gently to the curb and entrance landings, maintaining bicycle-safe transitions and appropriate fence or building collisions.

Acceptance check The final capture should closely reproduce the blue compound approach and agree with Pair 9. A drone check must show one gatehouse, one stepped office and one taller white block, with no duplicated scene group.

A01 Annotated aerial view Pairs 1 to 8



A01 Screenshot 2026-10-13 012417.png

Owner annotated overview. Preserve arrow 1's two directions, and the separate arrows 2 to 8 exactly. The N4 corridor separates the western compounds from rough eastern land and the red-roof utility plot. Use aerials for footprint and road relationships; use street images for height, façade detail, curb and local grade. Labels such as ECG legon, University of Ghana School of Engineering and Best Atlantic Guesthouse are map clues and do not prove every pictured building's identity.

A02 Annotated aerial view Pairs 9 to 11 and 18



A02 Screenshot 2026-10-13 072404.png

Owner annotated southern compound detail. Number 11 has two red directions and number 18 has two yellow directions; do not discard one or create a duplicate compound for it. The blue-fenced site corresponds to the repeated street views in Pairs 2, 6, 9, 10, 11 and 18. Keep the entry, low stepped office, tall white block and plantings as one coordinated scene group. The Ghana Water Company Limited map label is a location clue, not a substitute for confirmed physical signage.

A03 Annotated aerial view Pairs 12 to 17



A03 Screenshot 2026-10-13 072436.png

Owner annotated northern frontage. Preserve both directions for 12 and 15 and each arrow for 13, 14, 16 and 17; the right edge clips part of the annotations. The modern glazed office and pitched-roof neighbour need separate shared object identities. Register roadside kiosks, compound access gaps and low roofs using both this aerial and the corresponding street photographs. Do not treat covered or tree-screened roof sections as absent buildings.

M01 Game map view Current game map



M01 image(20261013-073952).png

This is a flat game-map screenshot, not a 3D height model. It shows the broad divided-road relationship but does not establish façade geometry, terrain elevations or exact entrance positions. Inspect the existing map source data, coordinate transform, feature filtering and geometry generation before rebuilding. The named points for Kufuor Centre for Leadership and Governance, Engineering Sciences, Old Pentagon Blocks and Ernest Chemist help orient the broader area; their labels do not identify the photographed ECG frontage automatically. Match road curves and several footprints to the real aerials, and verify placement in the 3D scene.

Consolidated Claude prompt Part 1 Scope and registration

You are correcting the existing University of Ghana bicycle exploration game in the ECG area and adjacent N4 or J J Rawlings Avenue corridor. Inspect the existing code and map data before making changes. Use this brief's 18 paired screenshots, three owner annotated aerials A01 to A03 and current game map M01 as the source of truth for the specified views. Keep finished work elsewhere intact. Implement scene changes in the existing game rather than replacing the project.

The images are ordered Pairs 1 to 18 with game left and real right. A01 locates 1 to 8; A02 locates 9 to 11 and 18; A03 locates 12 to 17. Preserve every owner arrow, including the multiple directions assigned to 1, 11, 12, 15 and 18. Circles, arrows, map labels, Street View controls and game HUD elements are reference aids and must never become physical objects.

Inspect map feature IDs, coordinates, projection, origin, units, axis orientation, road-class handling, footprint filtering and generator defaults. Determine which relevant features already exist in the map data and why the 3D scene has repeated campus templates or missing roadside plots. Correct the transform or filtering where needed, then apply explicit local overrides for massing and materials that the map data cannot provide. M01 is only a flat map; do not infer storey count or ground height from it.

Register the real aerials to the existing map using several road curves, access gaps and recognisable footprints. Keep buildings, walls, vegetation and utilities in the same coordinate frame. Do not guess a global relocation or scale from one photograph. Match camera position, heading, height and field of view before judging apparent dimensions.

Create shared object groups for the blue-boundary compound in Pairs 2, 6, 9, 10, 11 and 18; the modern ECG office in 4, 12 and 13; the neighbouring pitched-roof building in 4, 12 and 14; the low cream red-roof plot in 3 and 5; the roadside stalls in 15 to 17; and the utility corridor in 1, 7 and 8. These groups must be coherent across all cameras, with no duplicated buildings or gatehouses. Map labels identify broader locations; copy physical names only when legible in the photographs.

Consolidated Claude prompt Part 2 Geometry and ground

First correct footprint, orientation, spacing, massing, roofs, boundaries and terrain; then complete façade details and decoration. Replace default blocks that occupy confirmed incompatible footprints. Delete a building only where registered overlapping views or aerial evidence establishes a conflicting open plot. Vegetation and roof occlusion alone do not prove absence. Keep uncertain geometry and dimensions adjustable and identify any unresolved location directly by pair number.

Rebuild the blue compound with its low white stepped office, flat roof cap, detached blue hipped-roof guardhouse, blue lower boundary and metal fence, entrance gates and paved court. Add the taller plain white block behind its planted fence: a parapet-topped silhouette, sparse horizontal openings on the broad side and vertically stacked larger openings on the end. Confirm its visible level count before fixing heights. Keep the mature sparse tree, banana foliage, small palms and lattice tower consistent across its six views.

Rebuild the modern ECG office as a taller white vertical slab with narrow recessed glazing and a lower broad reflective blue wing. Include fine mullions, entrance framing, pale fascia with panel joints, rounded right end and the upper oblique glazed geometry seen in Pair 13. Add the observed ECG façade signs. Keep the partly visible yellow-green curved roof behind the right end conservative until its footprint is established.

Rebuild the neighbouring white structure with a broad grey pitched roof and gable, central large blue-glazed end, smaller side openings and distinct upper window rhythm along its length. Keep the low green-roof entrance structures, gates and exterior equipment separate. Preserve the real gap or connection only where visible; do not invent a concealed corridor between it and the modern office.

Reduce the cream red-roof building to the target low mass with deep eaves, restrained openings and a black metal fence on a cream base with posts. Add only the visible utility-yard frames and dark equipment object. The yard must not become a duplicate campus residential block.

Restore divided-road alignment, concrete-divider segments and lower transitions, planted strips, narrow sidewalks, curb returns, entry mouths, gravel setbacks and visible drainage. Distinguish the landscaped separation in Pairs 3 and 4 from the concrete-divider views in 7 and 8. Use worn concrete, joints, stains and appropriate road marking density. Keep local slopes gentle and evidence-based; do not add arbitrary hills, stairs or deep trenches. Maintain bicycle travel and collision behaviour through all road and entrance transitions.

Consolidated Claude prompt Part 3 Environment and validation

Replace uniform grass and huge stylised or orange trees with the observed mix: rough open scrub in the utility corridor, compact low-branching median shrubs and small trees, sparse mature canopy at the blue compound, banana foliage and palms along its fence, and mature trees behind roadside stalls. Vary crown size, density, trunk height and gaps. Where foliage conceals a real building, model both the building and the concealing planting.

Build the roadside trading frontage as individual low structures on orange-brown earth and worn hardstanding. Distinguish blue canopy stalls with thin supports, rough sheet or timber kiosks, the larger dark low kiosk, open bays and older white pitched-roof buildings behind them. Preserve the broad access gap, boundary walls, drain recess, pavement joints, short posts and visible rough rocks or blocks. Do not use one repeated bus-stop mesh or assign an unverified function to every canopy.

Add visible paired electrical support frames, crossbar poles, separate lattice towers, insulators and overhead cables with consistent attachment points and sag. Use the correct slender branching streetlight designs. Add the observed circular 50 signs only where shown. No traffic signal is established in these references; require supporting evidence before adding one.

Reproduce readable physical signboards, wall or building names and façade logos with appropriate supports, depth and placement. The ECG GOES CASHLESS board is a real roadside board; Google place-name bubbles are not. Keep unreadable small text editable and avoid inventing slogans or names. Do not encode transient vehicles, pedestrians, the camera vehicle bonnet or photograph artefacts into permanent architecture.

Complete every pair’s sequential instructions and acceptance check in this brief. Capture all 18 comparison views using matching cameras, plus a drone overview showing registered footprints and shared scene groups. Return a concise list of changed scene objects and map-data fixes, any unresolved measurements or identities, and remaining reference questions. If a view cannot be located from the supplied references, ask directly Where was Pair N taken with the actual number.

Before declaring completion, ride the bicycle through the corridor and its intended entrances. Check road and curb transitions, buildings and fences, divider collision, camera visibility and performance of glass, foliage and overhead wires. Verify no shared object was duplicated, no finished area elsewhere was changed unintentionally, and no scene geometry was added solely to mimic a screenshot overlay. Prioritise a coherent reference-matched environment over extra decorative assets.