

Government Polytechnic Narendra Nagar (T.G)

DEPARTMENT OF INFORMATION TECHNOLOGY



(SESSION: 2022-2023)

MINOR PROJECT REPORT ON SERVICE MARKETPLACE

SUBMITTED BY

RUDRAKSH (21012120017)

SANA (21012120018)

PRABHAKAR RAJPUT (21012120012)

ASHISH ASWAL (21012120008)

ADITYA KURIYAL (21012120002)

Under the supervision of

Mr. MANISH NEGI

(Lecturer I.T.)

Mr. PIYUSH KALA

Mr. KULDEEP KUMAR

(H.O.D I.T)

(Lecturer I.T.)

Mrs. SONIKA KUNCHHAL

(Lecturer I.T.)

ACKNOWLEDGMENT

*We would like to express our deepest gratitude to our advisor and mentor **Mr. Piyush Kala** for initialing an important study and for his personal commitment valuable guidance, useful discussion, encouragement, throughout the work and contribute with valuable guidance and supervision. Thanks to all the faculty members of the IT department for their help. Last but not least I would like to thank my parents and family members for their unconditional love and support and the almighty whose blessing have helped me in achieving great strides.*

RUDRAKSH

PRABHAKAR RAJPUT

ASHISH ASWAL

SANA

ADITYA KURIYAL

CERTIFICATION

This is to certify that the Minor project “SERVICE MARKETPLACE” submitted by Rudraksh, Prabhakar Rajput, Ashish Aswal, Sana, Aditya Kuriyal of the department of IT in partial fulfilment of the requirement of the award of a Diploma in IT, during the final year is a genuine record of the work carried by them under our supervision and guidance.

During work the group behavior of the students is good & I wish them all success in their future endeavors.

Mr. PIYUSH KALA

(H.O.D)

IT DEPARTMENT

CANDIDATE DECLARATION

I hereby declare that the work presented in this project report titled, "SERVICE MARKETPLACE" submitted by as the partial fulfilment of the requirement of the award of the diploma of Information Technology, GOVT. POLYTECHNIC NARENDRA NAGAR, is an authentic record of my project work carried out under the guidance of Mr. Piyush Kala.

Candidate Name-

RUDRAKSH

PRABHAKAR RAJPUT

ASHISH ASWAL

SANA

ADITYA KURIYAL

SUPERVISION DECLARATION

It is to certify that the Minor Project entitled “SERVICE MARKETPLACE” is being submitted by Rudraksh, Prabhakar Rajput, Ashish Aswal, Sana, Aditya Kuriyal to the Govt. Polytechnic Narendra Nagar in the partial fulfilment of the requirement for the award of the diploma of Information Technology (Polytechnic.) is a record of Bonafide project work carried out under the guidance of and supervision.

Mr. Kuldeep Saini

Mr. Piyush Kala

(H.O.D)

Mr. Manish Negi

Mrs. Sonika Kunchal

INDEX

#	Title	Page No.
1	Project Profile	7
2	Functional specification	8
3	Hardware & Software requirements	9
4	Data flow diagram	10
5	Introduction	11
6	User Web page coding and output screen	12-57
7	Admin Web page coding and output screen	58-101
8	Other Important files code	102-104
9	Conclusion	105

PROJECT PROFILE

Title of Project	SERVICE MARKETPLACE
Objectives	The objective of my project is to connect service providers with consumers or businesses in need of specific services. These platforms create a digital marketplace where individuals or companies can offer their skills, expertise, or services, and potential clients can find and hire them.
Platform	
Front End	HTML, CSS, JAVASCRIPT
Back End	PHP
Database	MY SQL
Server	XAMPP

FUNCTIONAL SPECIFICATION

ADMIN:

Admin can be adding a service, edit a service and manage services.

User:

Users can view types of services, Add their service, and Edit/Delete the Service

MODULES SPECIFICATION

User:

- View Services
- Add their Services
- Edit/Delete their Services

Admin:

- Dashboard
- Add Services
- Manage Services
- Edit Services

HARDWARE REQUIREMENT

Client-side:

RAM	2 GB
HARD DISK	500 GB
PROCESSOR	1.0 GHZ

Server-side:

RAM	1 GB
HARD DISK	20 GB
PROCESSOR	2.0 FGHZ

SOFTWARE REQUIREMENT


Client-side:

WEB BROWSER	Google chrome or any compiler browser
OPERATING SYSTEM	Windows or any equivalent OS

Server-side:

SERVER	XAMPP
SERVER-SIDE LANGUAGE	PHP
DATABASE	MYSQL
OPERATING SYSTEM	Windows or any equivalent OS
WEB BROWSER	Google chrome or any compiler browser

DATA FLOW DIAGRAM



INTRODUCTION


This is a Service Marketplace that has an Admin and User panel programmed using PHP and MYSQL. This system provides the interface that connects the service provider to the service consumer. The admin panel controls all the services provider and the admin can easily de-active the untrusted service provider.

Welcome to our dynamic service marketplace, where needs meet expertise in a seamless digital exchange. Discover a diverse array of skilled professionals offering services across a spectrum of industries. Whether you're seeking creative freelancers, tech wizards, or business consultants, our platform connects you with talented individuals ready to bring your projects to life. Join our vibrant community of clients and freelancers, where innovation thrives and aspirations become reality. Explore, collaborate, and elevate your projects with our comprehensive service marketplace.

OUTPUT SCREEN WITH CODING

WEB PAGES FOR USER

(INDEX PAGE)



Index.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <?php
    include 'icon.php';
    ?>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>WELCOME | ALSP</title>
    <style>
        @import
url('https://fonts.googleapis.com/css2?family=Varela+Round&display=swap');
        * {
```

```

        font-family: 'Varela Round', sans-serif;
        box-sizing: border-box;
    }
    .index_main {
        margin: auto;
        width: 90%;
        display: flex;
        margin-top: 50px;
    }
    .index_img {
        filter: drop-shadow(10px 10px 0px black);
    }
    .index_left,
    .index_right {
        max-width: 50%;
        color: black;
    }
    h1 {
        font-size: 45px;
        font-weight: 900;
    }
    p {
        font-size: 20px;
        margin: 5px 0px;
        font-weight: 100;
    }
    button {
        margin: 25px 0px;
        background-color: #094f5f;
        padding: 20px;
        border: none;
        transition: 0.7s ease-in-out;
    }
    a button {
        text-decoration: none;
        color: white;
    }
    button:hover {
        box-shadow: 7px 7px 0px black;
        cursor: pointer;
    }
    @media screen and (max-width:600px) {
        .index_main {
            flex-direction: column;
        }
    }


```

```

        .index_left,
        .index_right {
            max-width: 100%;
        }
    }
</style>
</head>
<body>
    <div class="index_main">
        
        <div class="index_right">
            <h1><b>Service <br>MarketPlace</b></h1>
            <h3>You can find the Service at Tehri Garhwal District</h3>
            <p>We connect service providers with consumers or businesses in need
of specific services. These platforms create a digital marketplace where
individuals or companies can offer their skills, expertise, or services, and
potential clients can find and hire them.
            </p>
            <a href="login.php"><button>
                <p> Find a Services</p>
            </button></a>
        </div>
    </div>
</body>
</html>

```

(Login Page)



Login.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <?php
  include 'icon.php';
  ?>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login</title>
  <style>
    @import
url('https://fonts.googleapis.com/css2?family=Varela+Round&display=swap');
    * {
      font-family: 'Varela Round', sans-serif;
      box-sizing: border-box;
      color: black;
      margin: 0;
      padding: 0;
    }
  </style>
</head>
<body>
```

```

img {
  width: 70%;
  display: block;
  margin: 0px auto;
}
.container {
  border: 2px solid #039efc;
  width: 30%;
  margin: 80px auto;
  padding: 10px 40px;
  text-align: center;
  border-radius: 20px;
  box-shadow: 5px 5px 10px black;
}
input[type="email"],
input[type="password"] {
  background-color: transparent;
  border: none;
  border-bottom: 1px solid black;
  width: 100%;
  padding-bottom: 7px;
  margin-top: 30px;
  display: block;
  outline: none;
}
::placeholder {
  color: black;
  font-size: 17px;
}
button {
  background-color: #039efc;
  border: none;
  width: 100%;
  padding: 7px;
  margin-top: 30px;
  display: block;
  color: black;
  font-weight: bold;
  border-radius: 20px;
}
h5 {
  margin-top: 25px;
}
h5 a {
  text-decoration: none;

```




```

    }
    @media (max-width:450px) {
        .container {
            width: 100%;
            margin: 80px 0px;
            border: none;
        }
    }
</style>
</head>
<body>
    <div class="background"></div>
    <div class="container">
        
        <div>
            <h1>Login</h1>
            <form action="login.php" method="post">
                <input class="active" type="email" name="email" id="email"
placeholder="Email" required>
                <input type="password" name="password" id="password"
placeholder="password" required>
                <button>Login</button>
            </form>
            <h5>Don't have an account? <a href="register.php">Register</a></h5>
        </div>
    </div>
    <script src="javascript/sweetalert.mn.js"></script>
</body>
</html>
<?php
include 'dp.php';
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $email = $_POST['email'];
    $password = $_POST['password'];
    $sql = "SELECT * FROM `user_detail` WHERE `email` = '$email' and `password` =
'$password'";
    $result = mysqli_query($conn, $sql);
    $row = mysqli_num_rows($result);
    if ($row > 0) {
        $data = mysqli_fetch_assoc($result);
        session_start();
        $_SESSION['email'] = $email;
        $_SESSION['adminName'] = $data['name'];
        echo '<script>swal("login successful!", "Welcome back ' . $data["name"] .
'!", "success")

```

```
        .then((value) => {
            window.location.href =
                "home.php";
        });</script>';
    } else {
        echo '<script>swal ( "Oops" , "Invalid Email and Password!" , "error"
    );</script>';
    }
}
?>
```

(Sign Up Page)



register.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <?php
    include 'icon.php';
    include 'dp.php';
  ?>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Register</title>
  <style>
    @import
url('https://fonts.googleapis.com/css2?family=Varela+Round&display=swap');
    * {
      font-family: 'Varela Round', sans-serif;
      box-sizing: border-box;
      color: black;
      margin: 0;
      padding: 0;
    }
    .container {
```

```

        border: 2px solid #039efc;
        width: 40%;
        margin: 80px auto;
        padding: 40px;
        border-radius: 20px;
        display: flex;
        flex-wrap: wrap;
        flex-direction: row;
        box-shadow: 5px 5px 10px black;
    }
    .container h1 {
        width: 100%;
        margin: auto;
    }
    form {
        width: 100%;
    }
    .container form div {
        display: inline-block;
        width: 45%;
        margin: 25px 10px;
    }
    input[type="text"],
    input[type="email"],
    input[type="date"],
    input[type="password"],
    input[type="number"],
    select {
        width: 100%;
        border: none;
        border-bottom: 2px solid #039efc;
    }
    input,
    select {
        margin: 5px 0px;
        outline: none;
        padding: 5px;
        color: black;
    }
    input[type="radio"] {
        margin: 0 5px;
    }
    button {
        color: black;
        background-color: #039efc;
        height: 30px;
        padding: 5px 20px;
        font-weight: bold;
    }

```

```

        border-radius: 5px;
        border: none;
        outline: none;
        cursor: pointer;
    }
    @media (max-width:1300px) {
        .container form div {
            display: inline-block;
            width: 100%;
            margin: 25px 10px;
        }
    }
    @media (max-width:500px) {
        .container {
            border: none;
            width: 100%;
        }
    }
</style>
</head>
<body>
    <div class="container">
        <h1>Register Yourself</h1>
        <form action="register.php" method="post">
            <div>
                <label for="fname">First Name<br></label>
                <input type="text" id="fname" name="fname" required>
            </div>
            <div>
                <label for="location">Location<br></label>
                <input type="text" id="location" name="location" required>
            </div>
            <div>
                <label for="birthday">Birthday<br></label>
                <input type="date" id="birthday" name="birthday" required>
            </div>
            <div>
                <label>Gender<br></label>
                <input type="radio" name="gender" id="male" value="M"
required><label for="male">Male</label>
                <input type="radio" name="gender" id="Female" value="F"
required><label id="female"
                for="Female">Female</label>
            </div>
            <div>
                <label for="email">Email<br></label>
                <input type="email" id="email" name="email" required>
            </div>
        </form>
    </div>

```

```

        <div>
            <label for="phoneNo">Phone Number<br></label>
            <input type="number" id="phoneNo" name="number" required>
        </div>
        <div>
            <label for="password">Password<br></label>
            <input type="password" id="password" name="password" required>
        </div>
        <div>
            <label for="cpassword">Confirm Password<br></label>
            <input type="password" id="cpassword" name="cpassword" required>
        </div>
        <button>Register</button>
    </form>
</div>
<script src="javascript/sweetalert.mn.js"></script>
</body>
</html>
<?php
include 'dp.php';
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $name = $_POST['fname'];
    $birthday = $_POST['birthday'];
    $gender = $_POST['gender'];
    $email = $_POST['email'];
    $number = $_POST['number'];
    $password = $_POST['password'];
    $cpassword = $_POST['cpassword'];
    $location = $_POST['location'];
    $sql = "SELECT * FROM `user_detail` WHERE `email` LIKE '$email'";
    $result = mysqli_query($conn, $sql);
    $rows = mysqli_num_rows($result);
    $today = date("Y-m-d");
    $num_length = strlen($number);
    $arr = explode('@', $email);
    $int_num = number_format($number);
    preg_match_all('!\d+!', $name, $matches);
    if (((count($matches[0])) == 0) && ($int_num < 9999999999 || $int_num >
6000000000) && $password == $cpassword && $rows == 0 && $birthday < $today &&
$num_length == 10 && ($arr[1] == "gmail.com" || $arr[1] == "yahoo.com" || $arr[1]
== "hotmail.com" || $arr[1] == "outlook.com" )) {
        $sql = "INSERT INTO `user_detail` ( `name`, `birthday`, `gender`,
`email`, `number`, `password`, `created on`, `location`) VALUES ( '$name',
'$birthday', '$gender', '$email', '$number', '$password',
current_timestamp(), '$location')";
        $result = mysqli_query($conn, $sql);
        if ($result) {
            session_start();



```

```

        $_SESSION['adminName'] = $name;
        $_SESSION['email'] = $email;
        echo '<script>swal("Register successful!", "Login Now!", "success")
        .then((value) => {
            window.location.href =
                "login.php";
        });</script>';
    }
    } else if ($password != $cpassword) {
        echo '<script>swal ( "Oops" , "Password must be same !" , "error"
);</script>';
    }
    else if ($num_length != 10 || ($int_num > 9999999999 || $int_num <
6000000000)){
        echo '<script>swal ( "Oops" , "Phone number is not valid !" , "error"
);</script>';
    }
    else if ((count($matches[0])) > 0) {
        echo '<script>swal ( "Oops" , "Name does not contain any digit !" ,
"error" );</script>';
    }
    else if ($birthday >= $today)
    {
        echo '<script>swal ( "Oops" , "Birth date is not valid !" , "error"
);</script>';
    }
    else if ($arr[1] != "gmail.com" || $arr[1] != "yahoo.com" || $arr[1] !=
"hotmail.com" || $arr[1] != "outlook.com" ){
        echo '<script>swal ( "Oops" , "Email is invalid !" , "error"
);</script>';
    }
    else if($rows != 0) {
        echo '<script>swal ( "Oops" , "Account must be exists !" , "error"
);</script>';
    }
    else {
        echo '<script>swal ( "Oops" , "Invalid Details !" , "error"
);</script>';
    }
}
?>

```

(Home & Search Page)



home.php


```

<!DOCTYPE html>
<html lang="en">
<?php
session_start();
include "dp.php";
if (isset($_SESSION['adminName'])) {
    echo '<head>';
    include 'icon.php';
    echo '<meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-
scale=1.0">
        <title>Home | ALSP</title>
        <link rel="stylesheet" href="style/bootstrap/bootstrap.min.css">
        <style>
            @import
url("https://fonts.googleapis.com/css2?family=Varela+Round&display=swap");
        *{
            font-family: "Varela Round", sans-serif;
            box-sizing: border-box;
        }
        body{
            padding-top: 15em;
        }
        .main{
            display: flex;
            flex-wrap: wrap;
            justify-content: center;
        }
        .container{
            background:transparent ;
            color: black;
            width: 20%;
            height: 500px;
            margin: 25px 10px;
            display: flex;
            border: 2px solid #039efc;
            border-radius: 15px;
            flex-direction: column;
            box-shadow: 5px 5px 10px black;
        }
        .left,.right{
            padding: 10px 15px;
        }
        .left{
            width: 40%;

```

```

}
.container .left,.container .right{
    height: 50%;
    width: 100%;
}
h6{
    font-weight: 900;
}
.right{
    width: 60%;
}
.button {
    width:100%;
    color: white;
    background-color: black;
    height: 30px;
    padding: 5px 10px;
    font-weight: bold;
    border-radius: 5px;
    border: none;
    outline: none;
    margin: 3px 0px;
    box-shadow: 5px 5px 10px black;
}
.button:hover{
    color:black;
    background-color: #039efc;
}
.nodata{
    display: flex;
    width: 45%;
    background:transparent ;
    color: black;
    margin: 40px auto;
    display: flex;
    border: 2px solid #039efc;
    border-radius: 15px;
}
.sorry{
    margin-top: 70px;
}
.logo{
    width: 90px;
}
.sort{

```

```

    width: 45%;
    color: black;
    margin: auto;
}
.left img{
    border-radius: 50%;
}
.search{
    width:30%;
}
.search_btn{
    background-color: black;
    color:white;
}
.search_btn:hover{
    background-color: #039efc;
    color:black;
}
@media (max-width:1000px) {
    .container,.nodata{
        width: 45%;
        flex-direction: column;
    }
    .sorry{
        margin-top:0px;
    }
    .left,.right{
        width: 100%;
    }
    .search{
        width:50%;
    }
}
@media (max-width:450px) {
    .container{
        width: 100%;
    }
    .search{
        width:90%;
    }
    .nodata{
        flex-direction: column;
    }
    .left,.right{
        width: 100%;
    }
}

```

```

    }
}
</style>
</head>
<body>
';
include "nav.php";
echo '<script src="javascript/bootstrap/bootstrap.min.js"></script>
</div>
<form class="container-fluid search" action="home.php" method="post">
    <div class="input-group">
        <select name="search" class="form-control" id="service" required>
            <option value="none" selected disabled hidden>Select
an Option</option>';
        $sql = "SELECT DISTINCT `service` FROM service_details WHERE `active` =
1;";
        $result = mysqli_query($conn, $sql);
        while ($data = mysqli_fetch_assoc($result)) {
            echo'        <option
value="'. $data["service"].' ">'. $data["service"].'</option>';
        }
echo'</select>
        <button class="btn search_btn ">Search</button>
    </div>
</form>
<hr>
';
if (isset($_POST['search']) && !isset($_POST['sort'])) {
    $search = $_POST['search'];
    $sql = "SELECT * FROM `service_details` WHERE `service` = '$search' AND
`active` = 1;";
    $result = mysqli_query($conn, $sql);
    $row = mysqli_num_rows($result);
    if ($row > 0) {
        echo '<div class="sort">
            <form action="home.php" method="post">
            <div class="input-group">
            <select class="form-control" name="sort" id="sort">
                <option value="none" selected disabled hidden>Sort by
Price</option>
                <option value="ASC"><button>low to high</button></option>
                <option value="DESC">high to low</option>
            </select>
            <input type = "text" name="sortSearch" value="" . $search . ""
style="display:none;">

```

```

        <button class="btn search_btn ">Search</button>
    </div>
</form>
<form action="home.php" method="post">
    <div class="input-group">
        <select class="form-control" name="sort_location"
id="sort_location">
            <option value="none" selected disabled hidden>Sort by
Location</option>;
            $sql2 = "SELECT * FROM `locate`";
            $result2 = mysqli_query($conn, $sql2);
            while ($data2 = mysqli_fetch_assoc($result2)) {
                echo'        <option
value="'. $data2["locationName"].' ">'. $data2["locationName"].'</option>';
            }

            echo'
        </select>
        <input type = "text" name="sortSearch" value=" ' . $search . ' "
style="display:none;">
        <button class="btn search_btn ">Search</button>
    </div>
</form>
<hr>
</div>
    <div class="main">';
    while ($data = mysqli_fetch_assoc($result)) {
        $img = "uploads/" . $data['image_url'];
        echo '<div class="container">
            <div class="left">
                
            </div>
            <div class="right">
                <h6>' . $data['name'] . '</h6>
                <h6>' . $data['service'] . '</h6>
                <h6>' . $data['gender'] . '</h6>
                <h6>' . $data['amount'] . ' /-</h6>
                <h6>' . $data['location'] . '</h6>
                <form action = "view.php" method="post">
                <input name="sno" type="text" value=" ' . $data['sno'] .
' " style="display:none">
                <button class="button button1">See Details</button>
            </form>
                <button class="button button1" onclick="contact(\'' .
$data['number'] . '\')">Contact Him</button>

```

```

        </div>
    </div>
';
    }
} else
    echo '<div class="nodata">
        
        <h3 class = "right sorry">Sorry, No Service is found in your
area.</h3>
        </div>';

} elseif (isset($_POST['sort'])) {
    $sort = $_POST['sort'];
    $search = $_POST['sortSearch'];
    $sql = "SELECT * FROM `service_details` WHERE `service` = '$search'
AND `active` = 1 ORDER BY `amount` $sort";
    $result = mysqli_query($conn, $sql);
    $row = mysqli_num_rows($result);
    if ($row > 0) {
        echo '<div class="sort">
            <form action="home.php" method="post">
            <div class="input-group">
            <select class="form-control" name="sort" id="sort">
                <option value="none" selected disabled hidden>Sort by Price</option>
                <option value="ASC"><button>low to high</button></option>
                <option value="DESC">high to low</option>
            </select>
            <input type = "text" name="sortSearch" value="" . $search . ""
style="display:none;">
            <button class="btn search_btn ">Search</button>
            </div>
        </form>
        <form action="home.php" method="post">
        <div class="input-group">
        <select class="form-control" name="sort_location" id="sort_location">
            <option value="none" selected disabled hidden>Sort by Location</option>
            ';
            $sql2 = "SELECT * FROM `locate`";
            $result2 = mysqli_query($conn, $sql2);
            while ($data2 = mysqli_fetch_assoc($result2)) {
                echo '
value="" . $data2["locationName"] . "'>' . $data2["locationName"] . '</option>';
            }
            echo '<select>

```

```

        <input type = "text" name="sortSearch" value="" . $search . ""
style="display:none;">
        <button class="btn search_btn ">Search</button>
    </div>
</form>
    <hr>
</div>
    <div class="main">';
    while ($data = mysqli_fetch_assoc($result)) {
        $img = "uploads/" . $data['image_url'];
        echo '
<div class="container">
    <div class="left">
        <img src="" . $img . "" alt="" width="100%" height="100%"
style="display: block; margin: auto;">
    </div>
        <div class="right">
            <h6>' . $data['name'] . '</h6>
            <h6>' . $data['service'] . '</h6>
            <h6>' . $data['gender'] . '</h6>
            <h6>' . $data['amount'] . '</h6>
            <h6>' . $data['location'] . '</h6>
            <form action = "view.php" method="post">
                <input name="sno" type="text" value="" . $data['sno'] .
'" style="display:none">
                <button class="button button1">See Details</button>
            </form>
                <button class="button button1" onclick="contact(\'' .
$data['number'] . '\')">Contact Him</button>
            </div>
        </div>';
    }
} else
    echo '<div class="nodata">
        
        <h3 class = "right sorry">Sorry, No service is found in your
area.</h3>
        </div>';
}
elseif (isset($_POST['sort_location'])) {
    $sort_location = $_POST['sort_location'];
    $search = $_POST['sortSearch'];
    $sql = "SELECT * FROM `service_details` WHERE `service` = '$search'
AND `active` = 1 AND `location` = '$sort_location'";
    $result = mysqli_query($conn, $sql);

```

```

$row = mysqli_num_rows($result);
if ($row > 0) {
    echo '<div class="sort">
    <form action="home.php" method="post">
    <div class="input-group">
    <select class="form-control" name="sort" id="sort">
        <option value="none" selected disabled hidden>Sort by Price</option>
        <option value="ASC"><button>low to high</button></option>
        <option value="DESC">high to low</option>
    </select>
    <input type = "text" name="sortSearch" value="" . $search . ""
style="display:none;">
    <button class="btn search_btn ">Search</button>
    </div>
</form>
<form action="home.php" method="post">
    <div class="input-group">
    <select class="form-control" name="sort_location" id="sort_location">
        <option value="none" selected disabled hidden>Sort by Location</option>';
    $sql2 = "SELECT * FROM `locate`";
    $result2 = mysqli_query($conn, $sql2);
    while ($data2 = mysqli_fetch_assoc($result2)) {
        echo '        <option
value="" . $data2["locationName"] . ">" . $data2["locationName"] . "</option>';
    }
    echo '
    </select>
    <input type = "text" name="sortSearch" value="" . $search . ""
style="display:none;">
    <button class="btn search_btn ">Search</button>
    </div>
</form>

    <hr>
    </div>
    <div class="main">';
    while ($data = mysqli_fetch_assoc($result)) {
        $img = "uploads/" . $data['image_url'];
        echo '<div class="container">
            <div class="left">
                <img src="" . $img . "" alt="" width="100%" height="100%"
style="display: block; margin: auto;">
            </div>
            <div class="right">
                <h6>' . $data['name'] . '</h6>
                <h6>' . $data['service'] . '</h6>

```



```

        <h6>' . $data['gender'] . '</h6>
        <h6>' . $data['amount'] . '/-</h6>
        <h6>' . $data['location'] . '</h6>
        <form action = "view.php" method="post">
            <input name="sno" type="text" value="" . $data['sno'] .
'" style="display:none">
            <button class="button button1">See Details</button>
        </form>
            <button class="button button1" onclick="contact(\'\' .
$data['number'] . '\')">Contact Him</button>
        </div>
    </div>';
    }
} else
    echo '<div class="nodata">
        
        <h3 class = "right sorry">Sorry, No service is found in your
area.</h3>
        </div>';
    }
else {
    $sql = "SELECT * FROM `service_details` WHERE `active` = 1;";
    $result = mysqli_query($conn, $sql);
    $row = mysqli_num_rows($result);
    if ($row > 0) {
        echo '<div class="main">';
        while ($data = mysqli_fetch_assoc($result)) {
            $img = "uploads/" . $data['image_url'];
            echo '<div class="container">
                <div class="left">
                    <img src="" . $img . "" alt="" width="100%" height="100%"
style="display: block; margin: auto;">
                </div>
                <div class="right">
                    <h6>' . $data['name'] . '</h6>
                    <h6>' . $data['service'] . '</h6>
                    <h6>' . $data['gender'] . '</h6>
                    <h6>' . $data['amount'] . '/-</h6>
                    <h6>' . $data['location'] . '</h6>
                    <form action = "view.php" method="post">
                        <input name="sno" type="text" value="" . $data['sno'] .
'" style="display:none">
                        <button class="button button1">See Details</button>
                    </form>
                </div>
            </div>';
        }
    }
}


```

```

        <button class="button button1" onclick="contact(\"' .
$data['number'] . '\')">Contact Him</button>
    </div>
</div>';
}
} else
    echo '<div class="nodata">
        
        <h3 class = "right sorry">Sorry, No service is found in our
area.</h3>
        </div>';
}
echo '</div>';
} else {
    echo '<script>
        window.location.href =
            "login.php";
</script>';
}
?>
<script>
    function contact(number) {
        var link = "https://wa.me/91" + number;
        window.open(link);
    }
    function sort(search) {
        document.getElementById('search').value = (search);
    }
</script>
</body>
</html>

```

(View Service)



view.php

```
<!DOCTYPE html>
<html lang="en">
<?php
session_start();
include "dp.php";
if (isset($_SESSION['adminName'])) {
    echo '<!DOCTYPE html>
        <html lang="en">
        <head>
            <meta charset="UTF-8">
            <meta name="viewport" content="width=device-width, initial-
scale=1.0">
            <title>View Profile</title>
            <style>
                *{
                    box-sizing: border-box;
                }
                main{
                    display: block;
                    width: 40%;
```

```

        border: 2px solid #039efc;
        margin: 80px auto;
        padding: 40px;
        border-radius: 20px;
        box-shadow: 5px 5px 10px black;
        overflow: hidden;
    }
    .container{
        display: flex;
        flex-direction: row;
        flex-wrap: wrap;
    }
    .left{
        display: block;
        width: 50%;
    }
    table{
        border-collapse: collapse;
    }
    img{
        border: 2px solid black;
        border-radius: 50%;
        height: 150px;
    }
    .button{
        width: 100%;
        margin: 5px;
        color: white;
        background-color: black;
        padding: 5px;
        font-size: 20px;
        border: none;
        border-radius: 15px;
    }
    .button a{
        text-decoration: none;
        color: white;
        display: block;
        width: 100%;
    }
    .button:hover{
        background-color: #039efc;
        color: black;
    }
    .button a:hover{

```

```

        color: black;
    }
    @media (max-width:1000px) {
        main{
            width: 90%;
        }
    }
    @media (max-width:500px) {
        main{
            width: 100%;
            padding: 10px;
        }
    }
</style>
</head>
<body>
    <main>
        <section class="container">';
$sno = $_POST['sno'];
$sql = "SELECT * FROM `service_details` WHERE `sno` = $sno";
$result = mysqli_query($conn, $sql);
$data = mysqli_fetch_assoc($result);
echo '    <div class="left"><h1>' . $data["name"] . '</h1>
        <h3>Gender :- ' . $data["gender"] . '</h3></div>
        

        </section>
        <h2>' . $data["email"] . '</h2>
        <h3>Phone number :- ' . $data["number"] . '</h3>
        <h3>Services :- ' . $data["service"] . '</h3>
        <h3>Amount :- ' . $data["amount"] . '</h3>
        <h3>Location :- ' . $data["location"] . '</h3>
        <button class="button"><a
href="http://localhost/minor_project/home.php">Back</a></button>
        <button class="button" onclick="contact(\'' . $data['number'] .
'\')">Contact Him</button>
    </main>
    <script>
        function contact(number){
            var link = "https://wa.me/91"+number;
            window.open(link);
        }
    </script>
</body>';
} else {

```

```
        echo '<script>
        window.location.href =
            "login.php";
    </script>';
}
?>
</html>
```

(Add Service)

The screenshot shows a web browser window with the title 'ADD SERVICE | ALSP'. The address bar displays 'localhost:3000/addService.php'. The main content area features a form titled 'Add Service'. The form has the following fields: 'First Name' and 'Last Name' (text inputs), 'Address' (text input), 'Gender' (radio buttons for Male and Female), 'Email' (text input with the value 'rodriguezrodriguez@gmail.com'), 'Phone Number' (text input), 'Service' (dropdown menu with 'Select an Option'), 'Location' (dropdown menu with 'Select an Option'), and a file upload button labeled 'Choose File (No file chosen)'. At the bottom of the form is a blue button labeled 'Add Service'.

addService.php

```
<!DOCTYPE html>
<html lang="en">
<?php
session_start();
include "dp.php";
if (isset($_SESSION['adminName'])) {
    echo '
        <head>';
    include 'icon.php';
    echo '
        <head>
            <meta charset="UTF-8">
            <meta name="viewport" content="width=device-width, initial-
scale=1.0">
            <title>ADD SERVICE | ALSP</title>
            <link rel="stylesheet" href="style/bootstrap/bootstrap.min.css">
            <style>
                @import
url("https://fonts.googleapis.com/css2?family=Varela+Round&display=swap");
            *{
                font-family: "Varela Round", sans-serif;
                box-sizing: border-box;
```

```

        color: black;
        margin: 0;
        padding: 0;
    }
    body{
        padding-top: 10em;
    }
    .logo{
        width: 90px;
    }
    .container {
        border: 2px solid #039efc;
        width: 40%;
        margin: 80px auto;
        padding: 40px;
        border-radius: 20px;
        display: flex;
        flex-wrap: wrap;
        flex-direction: row;
        box-shadow: 5px 5px 10px black;
    }
    .container h1 {
        width: 100%;
        margin: auto;
    }
    form {
        width: 100%;
    }
    .container form div {
        display: inline-block;
        width: 45%;
        margin: 25px 10px;
    }
    input[type="text"],
    input[type="email"],
    input[type="date"],
    select,
    input[type="number"],input[type="file"] {
        width: 100%;
        border: none;
        border-bottom: 2px solid #039efc;
        background-color: white;
    }
    input ,select{
        margin: 5px 0px;
        outline: none;
        padding: 5px;
        color:black;
    }

```



```

}
input[type="radio"] {
    margin: 0 5px;
}
.button {
    color: black;
    height: 30px;
    padding: 5px 20px;
    font-weight: bold;
    border-radius: 5px;
    border: none;
    outline: none;
    cursor: pointer;
    background-color: #039efc;
    width: 100%;
}
.search{
    display:none !important;
}
@media (max-width:1300px) {
    .container form div {
        display: inline-block;
        width: 100%;
        margin: 25px 10px;
    }
}
@media (max-width:500px) {
    .container{
        border:none;
        width: 100%;
    }
}
</style>
</head>
<body>
';
include "nav.php";
echo '<div class="container">
    <h1>Add Service</h1>
    <form action="addService.php" method="post"
enctype="multipart/form-data">
        <div>
            <label for="fname">First Name<br></label>
            <input type="text" id="fname" name="fname" required>
        </div>
        <div>
            <label for="lname">Last Name<br></label>
            <input type="text" id="lname" name="lname">

```

```

</div>
<div>
    <label for="amount">Amount<br></label>
    <input type="number" id="amount" name="amount" required>
</div>
<div>
    <label>Gender<br></label>
    <input type="radio" name="gender" id="male" value="M"
required><label for="male">Male</label>
    <input type="radio" name="gender" id="Female" value="F"
required><label id="female" for="Female">Female</label>
</div>
<div>
    <label for="email">Email<br></label>
    <input type="email" id="email" name="email" value="" .
$_SESSION['email'] . "" required>
</div>
<div>
    <label for="phoneNo">Phone Number<br></label>
    <input type="number" id="phoneNo" name="number" required>
</div>
<div>
    <label for="service">Service<br></label>
    <select name="service" id="service" required>
        <option value="none" selected disabled hidden>Select
an Option</option>
        <option value="Designer">Designer</option>
        <option value="Developer">Developer</option>
        <option value="Electrician">Electrician</option>
        <option value="Plumber">Plumber</option>
        <option value="Constructor">Constructor</option>
        <option value="Insurance">Insurance</option>
        <option value="Travel_agency">Travel agency</option>
        <option value="Financial_services">Financial
services</option>
        <option value="Medical">Medical</option>
        <option value="Legal_work">Legal Work</option>
        <option value="Tutor">Tutor</option>
        <option value="Sport_Academy">Sport Academy</option>
        <option value="music_Academy">Music Academy</option>
        <option value="dance_Academy">Dance Academy</option>
        <option value="Freelancer">Freelancer</option>
        <option value="Carpentar">Carpentar</option>
        <option value="Delivery">Delivery</option>
        <option value="Editor">Editor</option>
    </select>
</div>
<div>

```

```

        <label for="location">Location<br></label>
        <select name="location" id="location" required>
        <option value="none" selected disabled hidden>Select an
Option</option>';
    $sql = "SELECT * FROM `locate`";
    $result = mysqli_query($conn, $sql);
    while ($data = mysqli_fetch_assoc($result)) {
        echo '<option value=' . $data['locationName'] . '>' .
$data['locationName'] . '</option>';
    }
    echo '</select>

        </div>
        <div>
            <input id="photo" type="file" name="image" required>
        </div>
        <br>
        <button class="button">Add Service</button>
    </form>
</div>
    <script src="javaScript/bootstrap/bootstrap.min.js"></script>
    <script src="javaScript/sweetalert.mn.js"></script>';
if (($_SERVER['REQUEST_METHOD'] == 'POST')) {
    $name = $_POST['fname'] . " " . $_POST['lname'];
    $amount = $_POST['amount'];
    $gender = $_POST['gender'];
    $email = $_POST['email'];
    $number = $_POST['number'];
    $service = $_POST['service'];
    $location = $_POST['location'];
    $img_name = $_FILES["image"]['name'];
    $img_size = $_FILES["image"]['size'];
    $tmp_name = $_FILES["image"]['tmp_name'];
    $error = $_FILES["image"]['error'];
    $num_length = strlen($number);
    $arr = explode('@', $email);
    $int_num = number_format($number);
    preg_match_all('!\d+!', $name, $matches);
    if ($error === 0) {
        $img_ex = pathinfo($img_name, PATHINFO_EXTENSION);
        $img_ex_lc = strtolower($img_ex);
        $allowed_exs = array("jpg", "jpeg");
        if (in_array($img_ex_lc, $allowed_exs)) {
            $new_img_name = uniqid("IMG-", true) . '.' . $img_ex_lc;
            $img_upload_path = 'uploads/' . $new_img_name;
            move_uploaded_file($tmp_name, $img_upload_path);
            if (((count($matches[0])) == 0) && ($int_num < 9999999999 ||
$int_num > 6000000000) && $num_length == 10 && ($arr[1] == "gamil.com" || $arr[1]
== "yahoo.com" || $arr[1] == "hotmail.com" || $arr[1] == "outlook.com" )) {

```

```


        $sql = "INSERT INTO `service_details` (`name`, `email`,
`gender`, `number`, `location`, `service`, `amount`, `image_url`, `active`) VALUES
('$name', '$email', '$gender', $number, '$location', '$service',
$amount, '$new_img_name', 0);";
        $result = mysqli_query($conn, $sql);
        if ($result) {
            echo '<script>swal("Service Inserted successfully!", "",
"success")
            .then((value) => {
                window.location.href =
                    "home.php";
            });</script>';
        }
        } else {
            ?>
            <script>swal("Oops", "Invalid Image Type!", "error");</script>
            <?php
        }
    }
    else if ($password != $cpassword) {
        echo '<script>swal ( "Oops" , "Password must be same !" , "error"
);</script>';
    }
    else if ($num_length != 10 || ($int_num > 9999999999 || $int_num <
6000000000)){
        echo '<script>swal ( "Oops" , "Phone number is not valid !" ,
"error" );</script>';
    }
    else if ((count($matches[0])) > 0) {
        echo '<script>swal ( "Oops" , "Name does not contain any digit !" ,
"error" );</script>';
    }
    else if ($birthday >= $today){
        echo '<script>swal ( "Oops" , "Birth date is not valid !" , "error"
);</script>';
    }
    else if ($arr[1] != "gmail.com" || $arr[1] != "yahoo.com" || $arr[1] !=
"hotmail.com" || $arr[1] != "outlook.com" ){
        echo '<script>swal ( "Oops" , "Email is invalid !" , "error"
);</script>';
    }

    else if($rows != 0) {
        echo '<script>swal ( "Oops" , "Account must be exists !" , "error"
);</script>';
    }
    else {

```

```
        echo '<script>swal ( "Oops" , "Invalid Details !" , "error"
    );</script>';
        }
    }
} else {
    echo '<script>
        window.location.href =
            "login.php";
    </script>';
}
?>
</body>
</html>
```

(Delete Service)



deleteService.php

```
<?php
include "dp.php";
session_start();
if (isset($_SESSION['adminName'])) {
    $email = $_SESSION['email'];
    echo '<!DOCTYPE html>
        <html lang="en">
        <head>';
    echo '<head>';
    include 'icon.php';
    echo '<meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-
scale=1.0">
        <title>Document</title>
        <link rel="stylesheet" href="style/bootstrap/bootstrap.min.css">
        <link href="https://fonts.googleapis.com/icon?family=Material+Icons"
rel="stylesheet">
        <style>
            @import
url("https://fonts.googleapis.com/css2?family=Varela+Round&display=swap");
```

```

*{
    font-family: "Varela Round", sans-serif;
    box-sizing: border-box;
    color: black;
}
body{
    padding-top: 10em;
}
.logo{
    width: 90px;
}
.container {
    border: 2px solid #039efc;
    width: 100%;
    margin: 80px auto;
    border-radius: 20px;
    display: flex;
    flex-wrap: wrap;
    flex-direction: row;
    box-shadow: 5px 5px 10px black;
}
.container h1 {
    width: 100%;
    margin: auto;
    text-align: center;
    text-decoration: underline;
}
tr{
    width: 100%;
}
th,td{
    width: 250px !important;
    padding: 2% 10% ;
}
table{
    display: block;
    width: 100%;
}
button{
    background: transparent;
    border: none;
    outline: none;
}
input{

```

```

        display:none;
    }
    .nodata{
        display: flex;
        width: 45%;
        background:transparent ;
        color: black;
        margin: 40px auto;
        display: flex;
        border: 2px solid #039efc;
        border-radius: 15px;
    }
    .sorry{
        margin-top: 70px;
    }
    .right{
        width: 70%;
    }
    .left{
        width: 30%;
    }
    .left,.right{
        padding: 10px 15px;
    }
    a{
        color:black;
        text-decoration:none;
    }
    a:hover{
        color:red;
    }
    .search{
        display:none !important;
    }

    @media (max-width:1300px) {
        th,td{
            width: 200px !important;
            padding: 2% 10%;
            padding-left: 0px !important;
        }
        .nodata{
            width: 100%;
        }
    }
    @media (max-width:500px) {

```



```

        .container{
            border:none;
            width: 100%;
        }
        .nodata{
            flex-direction: column;
        }
        .left,.right{
            width: 100%;
        }
    }
}

</style>
<script>
function value(n){
    var data = [n];
    console.log(data);
}
</script>
<script src="javaScript/sweetalert.mn.js"></script>
</head>
<body>';
include "nav.php";
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $del = $_POST["sno"];
    $img = $_POST["image"];
    $sql2 = "DELETE FROM `service_details` WHERE `sno` = ('$del')";
    $del_location = "uploads/" . $img;
    unlink($del_location);
    $result2 = mysqli_query($conn, $sql2);
    if ($result2) {
        echo '<script>swal("Entry Deleted Successfully!", "", "success");</script>';
        $sql = "SELECT * FROM `service_details` WHERE `email` = '$email'";
        $result = mysqli_query($conn, $sql);
        $row = mysqli_num_rows($result);
        if ($row > 0) {
            echo '
                <div class="container">
                    <h1>Delete / Edit Service</h1>
                    <table>
                        <tr>
                            <th>Service</th>
                            <th>Amount</th>
                            <th>Name</th>
                            <th></th>
                            <th></th>
                        </tr>
                    </table>
                </div>
            '
        }
    }
}

```

```

        </tr>';
    $i = 0;
    $arr = array();
    $arr2 = array();
    while ($data = mysqli_fetch_assoc($result)) {
        array_push($arr2, $data['image_url']);
        array_push($arr, $data['sno']);
        echo '<tr>
            <td>' . $data['service'] . '</td>
            <td>' . $data['amount'] . '</td>
            <td>' . $data['name'] . '</td>
            <td>
                <form action="Edit.php" method="get">
                    <input type="number" name="edit" value="' .
$arr[$i] . '" >
                    <button>Edit</button>
                </form>
            </td>
            <td>
                <form action="deleteService.php" method="post">
                    <input type="number" name="sno" value="' . $arr[$i]
. '" >
                    <input type="text" name="image" value="' .
$arr2[$i] . '" >
                    <button><i class="material-
icons">delete</i></button>
                </form>
            </td>
        </tr>
    ';
    $i += 1;
}
} else {
    echo '<div class="nodata">
        
        <h3 class = "right sorry">Sorry, No Service Added By You.</h3>
    </div>';
}
}
} else {
    $sql = "SELECT * FROM `service_details` WHERE `email` = '$email'";
    $result = mysqli_query($conn, $sql);
    $row = mysqli_num_rows($result);
    if ($row > 0) {
        echo '

```

```

<div class="container">
    <h1>Delete / Edit Service</h1>
    <table>
        <tr>
            <th>Service</th>
            <th>Amount</th>
            <th>Name</th>
            <th></th>
            <th></th>
        </tr>';
$i = 0;
$arr = array();
$arr2 = array();
while ($data = mysqli_fetch_assoc($result)) {
    array_push($arr, $data['sno']);
    array_push($arr2, $data['image_url']);
    echo '<tr>
        <td>' . $data['service'] . '</td>
        <td>' . $data['amount'] . '</td>
        <td>' . $data['name'] . '</td>
        <td>
            <form action="Edit.php" method="get">
                <input type="number" name="edit" value="' .
$arr[$i] . '" >
                <button>Edit</button>
            </form>
        </td>
        <td>
            <form action="deleteService.php" method="post">
                <input type="number" name="sno" value="' . $arr[$i]
. '" >
                <input type="text" name="image" value="' .
$arr2[$i] . '" >
                <button><i class="material-
icons">delete</i></button>
            </form>
        </td>
    </tr>';
    $i += 1;
}
} else {
    echo '<div class="nodata">
        
        <h3 class = "right sorry">Sorry, No Service Added By You.</h3>
    </div>';
}

```

```
    }  
  }  
} else {  
  echo '<script>  
        window.location.href =  
        "login.php";  
      </script>';  
}  
?>  
</table>  
</div>  
<script src="javaScript/bootstrap/bootstrap.min.js"></script>  
</body>  
</html>
```

(Edit Service)

The screenshot shows a web browser window with the title 'EDIT SERVICE | ALSP'. The address bar shows a local file path. The main content area displays a form titled 'Edit Service'. The form has the following fields:

- Name: Rohit
- Amount: 12000
- Gender: Male (selected)
- Email: rohitrachad29@gmail.com
- Phone Number: 8795443383
- Service: Developer (selected)
- Location: Dharwad (selected)

A blue button labeled 'Edit Service' is located at the bottom of the form.

Edit.php

```
<!DOCTYPE html>
<html lang="en">
<?php
session_start();
include "dp.php";
if (isset($_SESSION['adminName'])) {
    echo '
        <head>';
    include 'icon.php';
    echo '
        <head>
            <meta charset="UTF-8">
            <meta name="viewport" content="width=device-width, initial-
scale=1.0">
            <title>EDIT SERVICE | ALSP</title>
            <link rel="stylesheet" href="style/bootstrap/bootstrap.min.css">
            <style>
                @import
url("https://fonts.googleapis.com/css2?family=Varela+Round&display=swap");
            *{
```

```

        font-family: "Varela Round", sans-serif;
        box-sizing: border-box;
        color: black;
        margin: 0;
        padding: 0;
    }
    body{
        padding-top: 10em;
    }
    .logo{
        width: 90px;
    }
    .container {
        border: 2px solid #039efc;
        width: 40%;
        margin: 80px auto;
        padding: 40px;
        border-radius: 20px;
        display: flex;
        flex-wrap: wrap;
        flex-direction: row;
        box-shadow: 5px 5px 10px black;
    }
    .container h1 {
        width: 100%;
        margin: auto;
    }
    form {
        width: 100%;
    }
    .container form div {
        display: inline-block;
        width: 45%;
        margin: 25px 10px;
    }
    input[type="text"],
    input[type="email"],
    input[type="date"],
    select,
    input[type="number"] {
        width: 100%;
        border: none;
        border-bottom: 2px solid #039efc;
        background-color: white;
    }

```

```

input ,select{
    margin: 5px 0px;
    outline: none;
    padding: 5px;
    color:black;
}
input[type="radio"] {
    margin: 0 5px;
}
.button {
    color: black;
    height: 30px;
    padding: 5px 20px;
    font-weight: bold;
    border-radius: 5px;
    border: none;
    outline: none;
    cursor: pointer;
    background-color:#039efc;
    width:100%;
}
.empty{
    display: none;
}
.search{
    display:none !important;
}
@media (max-width:1300px) {
    .container form div {
        display: inline-block;
        width: 100%;
        margin: 25px 10px;
    }
}
@media (max-width:500px) {
    .container{
        border:none;
        width: 100%;
    }
}
</style>
</head>
<body>
';
include 'nav.php';

```

```

if ($_SERVER['REQUEST_METHOD'] == 'GET' && isset($_GET['edit'])) {

    $sno = $_GET['edit'];
    $sql = "SELECT * FROM `service_details` WHERE `sno` = ('$sno')";
    $result = mysqli_query($conn, $sql);
    $row = mysqli_num_rows($result);
    if ($row > 0) {
        while ($data = mysqli_fetch_assoc($result)) {
            $name = $data['name'];
            $email = $data['email'];
            $gender = $data['gender'];
            $number = $data['number'];
            $service = $data['service'];
            $location = $data['location'];
            $amount = $data['amount'];
        }
        echo '<div class="container">
            <h1>Edit Service</h1>
            <form action="edit_success.php" method="post">
                <div>
                    <label for="fname">Name<br></label>
                    <input type="text" id="fname" name="fname" value="" .
$name . "" required>
                </div>
                <div>
                    <label for="amount">Amount<br></label>
                    <input type="number" id="amount" name="amount"
value="" . $amount . "" required>
                </div>
                <div>
                    <label>Gender<br></label>';
                if ($gender == 'M') {
                    echo '<input type="radio" name="gender" id="male" value="M"
checked="checked" required><label for="male">Male</label>';
                    echo '<input type="radio" name="gender" id="Female" value="F"
required><label id="female" for="Female">Female</label>';
                }
                if ($gender == 'F') {
                    echo '<input type="radio" name="gender" id="male" value="M"
required><label for="male">Male</label>';
                    echo '<input type="radio" name="gender" id="Female" value="F"
checked="checked" required><label id="female" for="Female">Female</label>';
                }
                echo '</div>
                <div>

```



```

        <label for="email">Email<br></label>
        <input type="email" id="email" name="email" value=""
. $email . '" required>
    </div>
    <div>
        <label for="phoneNo">Phone Number<br></label>
        <input type="number" id="phoneNo" name="number"
value="" . $number . '" required>
    </div>
    <div>
        <label for="service">Service<br></label>
        <select name="service" id="service" required>
            <option value="" . $service . '" selected>' .
$service . '</option>

            <option value="Designer">Designer</option>
            <option value="Developer">Developer</option>
            <option value="Electrician">Electrician</option>
            <option value="Plumber">Plumber</option>
            <option value="Constructor">Constructor</option>
            <option value="Insurance">Insurance</option>
            <option value="Travel_agency">Travel
agency</option>

            <option value="Financial_services">Financial
services</option>

            <option value="Medical">Medical</option>
            <option value="Legal_work">Legal Work</option>
            <option value="Tutor">Tutor</option>
            <option value="Sport_Academy">Sport
Academy</option>

            <option value="music_Academy">Music
Academy</option>

            <option value="dance_Academy">Dance
Academy</option>

            <option value="Freelancer">Freelancer</option>
        </select>
    </div>
    <div>
        <label for="location">Location<br></label>
        <select name="location" id="location" required>';
$sql = "SELECT * FROM `locate`";
$result = mysqli_query($conn, $sql);
while ($data = mysqli_fetch_assoc($result)) {
    if ($data["locationName"] == $location) {
        echo '<option value=' . $data['locationName'] . ' selected>'
. $data['locationName'] . '</option>';

```


```

        } else {
            echo '<option value=' . $data['locationName'] . '>' .
$data['locationName'] . '</option>';
        }
    }
    echo '
        </select>
    </div>
    <div class="empty">
        <input class = "empty" type="text" name="sno"
value="" . $sno . "" required>
    </div>
    <button class="button">Edit Service</button>
    </form>
    </div>
    <script src="javascript/bootstrap/bootstrap.min.js"></script>';
}
} else {
    echo '<script>
        window.location.href =
            "home.php";
    </script>';
}
} else {
    echo '<script>
        window.location.href =
            "login.php";
    </script>';
}
?>
</body>
</html>

```

Web Pages for Admin

(Login)



login.php

```
<!DOCTYPE html>
<html lang="en" class="" style="height: auto;">
<head>
  <?php
  include "../dp.php";
  if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $username = $_POST["usrname"];
    $password = $_POST["pass"];
    if ($username == "admin" || $password == "12345") {
      session_start();
      $_SESSION["username"] = $username;
      echo '<script>
      window.location.href =
        "adminIndex.php";
    </script>';
    } else {
      echo '<script>alert("Wrong Username and Password")</script>';
    }
  }
```

```

}
?>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Service Provider Management</title>
<link href="http://localhost/php-spms/assets/img/favicon.png" rel="icon">
<link href="http://localhost/php-spms/assets/img/apple-touch-icon.png"
rel="apple-touch-icon">
<link href="https://fonts.gstatic.com" rel="preconnect">
<link
    href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600
,600i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,40
0i,500,500i,600,600i,700,700i"
    rel="stylesheet">
<link href="http://localhost/php-
spms/assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link href="http://localhost/php-spms/assets/vendor/bootstrap-icons/bootstrap-
icons.css" rel="stylesheet">
<link href="http://localhost/php-
spms/assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
<link href="http://localhost/php-spms/assets/vendor/quill/quill.snow.css"
rel="stylesheet">
<link href="http://localhost/php-spms/assets/vendor/quill/quill.bubble.css"
rel="stylesheet">
<link href="http://localhost/php-spms/assets/vendor/remixicon/remixicon.css"
rel="stylesheet">
<link href="http://localhost/php-spms/assets/vendor/simple-
datatables/style.css" rel="stylesheet">
<link href="http://localhost/php-spms/assets/css/style.css" rel="stylesheet">
<link href="http://localhost/php-spms/assets/css/custom.css" rel="stylesheet">
<script src="http://localhost/php-spms/assets/js/jquery-3.6.4.min.js"></script>
</head>
<body>
<style>
    body {
        background-image: url("http://localhost/php-
spms/uploads/cover.png?v=1682490747");
        background-size: cover;
        background-repeat: no-repeat;
        backdrop-filter: brightness(.7);
        overflow-x: hidden;
    }
    .logo img {
        max-height: 55px;
        margin-right: 25px;


```

```

    }
    .logo span {
        color: #fff;
        text-shadow: 0px 0px 10px #000;
    }
</style>
<main>
    <div class="container">
        <section class="section register min-vh-100 d-flex flex-column align-items-
center justify-content-center py-4">
            <div class="container">
                <div class="row justify-content-center">
                    <div class="col-lg-4 col-md-6 d-flex flex-column align-items-center
justify-content-center">
                        <div class="card mb-3">
                            <div class="card-body">
                                <div class="pt-4 pb-2">
                                    <h5 class="card-title text-center pb-0 fs-4">Login to Your
Account</h5>
                                    <p class="text-center small">Enter your username & password
to login</p>
                                </div>
                                <form action="login.php" method="post" class="row g-3 needs-
validation" novalidate id="login-frm">
                                    <div class="col-12">
                                        <label for="yourUsername" class="form-
label">Username</label>
                                        <div class="input-group has-validation">
                                            <span class="input-group-text"
id="inputGroupPrepend">@</span>
                                            <input name="usrname" type="text" name="username"
class="form-control" id="yourUsername"
required>
                                            <div class="invalid-feedback">Please enter your
username.</div>
                                        </div>
                                    </div>
                                    <div class="col-12">
                                        <label for="yourPassword" class="form-
label">Password</label>
                                        <input name="pass" type="password" name="password"
class="form-control" id="yourPassword"
required>
                                        <div class="invalid-feedback">Please enter your
password!</div>
                                    </div>
                                </form>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </section>
    </div>
</main>

```


(ADMIN DASHBOARD)



adminIndex.php

```
<!DOCTYPE html>
<html lang="en">
<?php
session_start();
include "../dp.php";
if (isset($_SESSION["username"])) {
    echo '<head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Service Provider Management System</title>
        <link href="http://localhost/php-spms/assets/img/favicon.png" rel="icon">
        <link href="http://localhost/php-spms/assets/img/apple-touch-icon.png"
rel="apple-touch-icon">
        <link href="https://fonts.gstatic.com" rel="preconnect">
        <link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600
i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,5
00,500i,600,600i,700,700i" rel="stylesheet">
        <link href="http://localhost/php-
spms/assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```

    <link href="http://localhost/php-spms/assets/vendor/bootstrap-
icons/bootstrap-icons.css" rel="stylesheet">
    <link href="http://localhost/php-
spms/assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.snow.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.bubble.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/remixicon/remixicon.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/simple-
datatables/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/custom.css"
rel="stylesheet">
    <script src="http://localhost/php-spms/assets/js/jquery-
3.6.4.min.js"></script>
    <script src="http://localhost/php-spms/assets/js/script.js"></script>
    <script src="http://localhost/php-spms/dist/js/script.js"></script>
    <style>
    .sidebar-nav .nav-content a i {
        font-size: .9rem;
    }
</style>
</head> <body>';
include "nav.php";
include "sidebar.php";
echo '
    <main id="main" class="main">
        <div class="pagetitle">
            <h1>Home</h1>
            <nav>
                <ol class="breadcrumb">
                    <li class="breadcrumb-item selected"><a
href="adminIndex.php">Dashboard</a></li>
                                </ol>
                </nav>
            </div>
            <div id="msg-container">
            </div>
            <section class="section dashboard">
            <div class="row">
                <div class="col-lg-12 col-md-12 col-sm-12 col-12">
                    <div class="row">
                        <div class="col-xxl-6 col-xl-6 col-lg-6 col-md-6 col-sm-12 col-12">

```



```

        <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
            <div class="modal-content rounded-0">
                <div class="modal-header">
                    <h5 class="modal-title"></h5>
                </div>
                <div class="modal-body">
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-primary bg-gradient-teal border-
0 rounded-0" id="submit" onclick="$("#uni_modal form").submit()">Save</button>
                    <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Cancel</button>
                </div>
            </div>
        </div>
        <div class="modal fade" id="uni_modal_right" role="dialog">
            <div class="modal-dialog modal-full-height modal-md rounded-0"
role="document">
                <div class="modal-content rounded-0">
                    <div class="modal-header">
                        <h5 class="modal-title"></h5>
                        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                            <span class="fa fa-arrow-right"></span>
                        </button>
                    </div>
                    <div class="modal-body">
                    </div>
                </div>
            </div>
        </div>
        <div class="modal fade" id="confirm_modal" role="dialog">
            <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
                <div class="modal-content rounded-0">
                    <div class="modal-header">
                        <h5 class="modal-title">Confirmation</h5>
                    </div>
                    <div class="modal-body">
                        <div id="delete_content"></div>
                    </div>
                    <div class="modal-footer">

```

```

        <button type="button" class="btn btn-primary bg-gradient-teal
border-0 rounded-0" id="confirm" onclick="">Continue</button>
        <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Close</button>
    </div>
</div>
</div>
</div>
<div class="modal fade" id="viewer_modal" role="dialog">
    <div class="modal-dialog modal-md" role="document">
        <div class="modal-content">
            <button type="button" class="btn-close" data-
dismiss="modal"><span class="fa fa-times"></span></button>
            <img src="" alt="">
        </div>
    </div>
</div>
<script>
$(document).ready(function(){
    window.viewer_modal = function($src = ""){
        start_loader()
        var t = $src.split(' . ')
        t = t[1]
        if(t == "mp4"){
            var view = $("<video src=' . '" . "+src+" . '" . ' controls
autoplay></video>")
        }else{
            var view = $("<img src=' . '" . "+src+" . '" . ' />")
        }
        $("#viewer_modal .modal-content video,#viewer_modal .modal-content
img").remove()
        $("#viewer_modal .modal-content").append(view)
        $("#viewer_modal").modal({
            show:true,
            backdrop:"static",
            keyboard:false,
            focus:true
        })
        end_loader()
    }
    window.uni_modal = function($title = ' . '" . ' , $url=' . '" . '
',$size=""){
        start_loader()
        $.ajax({
            url:$url,

```

```


        error:err=>{
            console.log()
            alert("An error occurred")
        },
        success:function(resp){
            if(resp){
                $("#uni_modal .modal-title").html($title)
                $("#uni_modal .modal-body").html(resp)
                if($size != ' . "" . '){
                    $("#uni_modal .modal-dialog").addClass($size+" modal-
dialog-centered")
                }else{
                    $("#uni_modal .modal-
dialog").removeAttr("class").addClass("modal-dialog modal-md modal-dialog-
centered")
                }
                $("#uni_modal").modal({
                    show:true,
                    backdrop:"static",
                    keyboard:false,
                    focus:true
                })
                end_loader()
            }
        }
    })
}

window._conf = function($msg=' . "" . ', $func=' . "" . ', $params = []){
    $("#confirm_modal
#confirm").attr("onclick", $func+"("+ $params.join(",")+ ")")
    $("#confirm_modal .modal-body").html($msg)
    $("#confirm_modal").modal("show")
}
})
</script>
<a href="#" class="back-to-top d-flex align-items-center justify-content-
center"><i class="bi bi-arrow-up-short"></i></a>
<script src="http://localhost/php-
spms/assets/vendor/apexcharts/apexcharts.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/chart.js/chart.umd.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/echarts/echarts.min.js"></script>

```

```
<script src="http://localhost/php-  
spms/assets/vendor/quill/quill.min.js"></script>  
<script src="http://localhost/php-spms/assets/vendor/simple-datatables/simple-  
datatables.js"></script>  
<script src="http://localhost/php-  
spms/assets/vendor/tinymce/tinymce.min.js"></script>  
<script src="http://localhost/php-spms/assets/vendor/php-email-  
form/validate.js"></script>  
<script src="http://localhost/php-spms/assets/js/main.js"></script> </body>  
';  
} else {  
    echo '<script>  
        window.location.href =  
            "login.php";  
</script>';  
}  
>  
</body>  
</html>
```

(All Service List)



list.php

```
<!DOCTYPE html>
<html lang="en">
<?php
include "../dp.php";
session_start();
if (isset($_SESSION["username"])) {
    echo '<head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Service Provider Management System</title>
        <link href="http://localhost/php-spms/assets/img/favicon.png" rel="icon">
        <link href="http://localhost/php-spms/assets/img/apple-touch-icon.png"
rel="apple-touch-icon">
        <link href="https://fonts.gstatic.com" rel="preconnect">
        <link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600
i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,5
00,500i,600,600i,700,700i" rel="stylesheet">
```

```

    <link href="http://localhost/php-
spms/assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/bootstrap-
icons/bootstrap-icons.css" rel="stylesheet">
    <link href="http://localhost/php-
spms/assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.snow.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.bubble.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/remixicon/remixicon.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/simple-
datatables/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/custom.css"
rel="stylesheet">
    <script src="http://localhost/php-spms/assets/js/jquery-
3.6.4.min.js"></script>
    <script src="http://localhost/php-spms/assets/js/script.js"></script>
    <script src="http://localhost/php-spms/dist/js/script.js"></script>
</head> <body>
<header id="header" class="header fixed-top d-flex align-items-center">
<div class="d-flex align-items-center justify-content-between">
    <a href="adminIndex.php" class="logo d-flex align-items-center">
        
    </a>
    <i class="bi bi-list toggle-sidebar-btn"></i>
</div>
<nav class="header-nav ms-auto">
    <ul class="d-flex align-items-center">
        <li class="nav-item dropdown pe-3">
            <a class="nav-link nav-profile d-flex align-items-center pe-0" href="#"
data-bs-toggle="dropdown">
                
                <span class="d-none d-md-block dropdown-toggle ps-2">admin</span>
            </a>
            <ul class="dropdown-menu dropdown-menu-end dropdown-menu-arrow profile">
                <li class="dropdown-header">
                    <h6>Administrator Admin</h6>
                    <span>Administrator</span>
                </li>
                <li>
                    <hr class="dropdown-divider">

```

```

        </li>
        <li>
            <hr class="dropdown-divider">
        </li>
        <li>
            <hr class="dropdown-divider">
        </li>
        <li>
            <hr class="dropdown-divider">
        </li>
        <li>
            <a class="dropdown-item d-flex align-items-center" href="logout.php">
                <i class="bi bi-box-arrow-right"></i>
                <span>Sign Out</span>
            </a>
        </li>
    </ul>
</li>
</ul>
</nav>
</header>
<style>
button{
    width: 100%;
    border: none;
}
.sidebar-nav .nav-content a i {
    font-size: .9rem;
}
.hidden{
    display: none;
}
</style>
<aside id="sidebar" class="sidebar">
<ul class="sidebar-nav" id="sidebar-nav">
    <li class="nav-item">
        <a class="nav-link collapsed" href="adminIndex.php">
            <i class="bi bi-grid"></i>
            <span>Dashboard</span>
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link " data-bs-target="#services-nav" data-bs-toggle="collapse"
href="#" data-bs-collapse="true">

```



```

        <i class="bi bi-menu-button-wide"></i><span>Services</span><i class="bi bi-
chevron-down ms-auto"></i>
    </a>
    <ul id="services-nav" class="nav-content collapse show " data-bs-
parent="#sidebar-nav">
        <li>
            <a href="list.php" class="active">
                <i class="bi bi-circle"></i><span>All List</span>
            </a>
        </li>
        <li>
            <a href="inList.php">
                <i class="bi bi-circle"></i><span>Inactive List</span>
            </a>
        </li>
        <li>
            <a href="acList.php">
                <i class="bi bi-circle"></i><span>Active List</span>
            </a>
        </li>
    </ul>
</ul>
</aside>
    <main id="main" class="main">
        <div class="pagetitle">
            <h1>Services</h1>
            <nav>
                <ol class="breadcrumb">
                    <li class="breadcrumb-item "><a
href="adminIndex.php">Dashboard</a></li>
                        <li class="breadcrumb-item active">Services</li>
                    </ol>
                </nav>
            </div>
            <div id="msg-container">
            </div>
            <div class="card card-outline rounded-0 card-navy">
                <div class="card-header ">
                    <div class="card-tools d-flex justify-content-end">
                        <a href="create.php" id="create_new" class="btn btn-flat btn-primary bg-
gradient-teal border-0 rounded00"><span class="fas fa-plus"></span> Create
New</a>
                    </div>
                </div>
                <div class="card-body">

```



```

                <td class="align-items-center text-center">';
if ($row['active'] == '0') {
    echo '<span class="badge bg-danger px-3 rounded-pill">Inactive</span>';
} else {
    echo '<span class="badge bg-success px-3 rounded-pill">Active</span>';
}
echo '
                </td>
                <td class="align-items-center" align="center">
                    <form action="edit.php" method="post">
                        <input class="hidden" type="number"
name="edit" value="" . $row['sno'] . ''>
                        <button>Edit</button>
                    </form>
                </td>
                <td class="align-items-center" align="center">
                    <form action="list.php" method="post">
                        <input class="hidden" type="number"
name="delete" value="" . $row['sno'] . ''>
                        <button>Delete</button>
                    </form>
                </td>
            </tr>';
}
}
else{
    $sql = "SELECT * FROM `service_details`";
    $result = mysqli_query($conn, $sql);
    $i = 1;
    while ($row = mysqli_fetch_array($result)) {
        echo '<tr>
                <td class="align-items-center text-center">
                    <form action = "view.php" method="post">
                        <input name="sno" type="text" value="" . $row['sno'] . ''
style="display:none">
                        <button class="button button1">View</button>
                    </form>
                </td>
                <td class="align-items-center">' . $row['email'] . '</td>
                <td class="align-items-center">' . $row['name'] . '</td>
                <td class="align-items-center">
                    ' . $row['service'] . '
                </td>
                <td class="align-items-center text-center">';
if ($row['active'] == '0') {
    echo '<span class="badge bg-danger px-3 rounded-pill">Inactive</span>';
}

```

```

    } else {
        echo '<span class="badge bg-success px-3 rounded-pill">Active</span>';
    }
    echo '
        </td>
        <td class="align-items-center" align="center">
            <form action="edit.php" method="post">
                <input class="hidden" type="number"
name="edit" value="' . $row['sno'] . '">
                <button>Edit</button>
            </form>
        </td>
        <td class="align-items-center" align="center">
            <form action="list.php" method="post">
                <input class="hidden" type="number"
name="delete" value="' . $row['sno'] . '">
                <button>Delete</button>
            </form>
        </td>
    </tr>';
}
}
echo '</tbody>
    </table>
</div>
</div>
</div>
</div>
<script>
    $(document).ready(function(){
        $(".delete_data").click(function(){
            _conf("Are you sure to delete this service
permanently?", "delete_service",[$(this).attr("data-id")])
        })
    })
    function delete_service($id){
        start_loader();
        $.ajax({
            url:_base_url_+"classes/Master.php?f=delete_service",
            method:"POST",
            data:{id: $id},
            dataType:"json",
            error:err=>{
                console.log(err)
                alert_toast("An error occured.", "error");
            }
        })
    }
}

```

```

    },
    success:function(resp){
        if(typeof resp== "object" && resp.status == "success"){
            location.reload();
        }else{
            alert_toast("An error occured.", "error");
            end_loader();
        }
    }
}
})
}
</script>      </main>
    <div class="modal fade" id="uni_modal" role="dialog">
        <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
            <div class="modal-content rounded-0">
                <div class="modal-header">
                    <h5 class="modal-title"></h5>
                </div>
                <div class="modal-body">
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-primary bg-gradient-teal border-
0 rounded-0" id="submit" onclick="$("#uni_modal form").submit()">Save</button>
                    <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Cancel</button>
                </div>
            </div>
        </div>
        <div class="modal fade" id="uni_modal_right" role="dialog">
            <div class="modal-dialog modal-full-height modal-md rounded-0"
role="document">
                <div class="modal-content rounded-0">
                    <div class="modal-header">
                        <h5 class="modal-title"></h5>
                        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                            <span class="fa fa-arrow-right"></span>
                        </button>
                    </div>
                    <div class="modal-body">
                    </div>
                </div>
            </div>
        </div>

```

```

</div>
<div class="modal fade" id="confirm_modal" role="dialog">
  <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
    <div class="modal-content rounded-0">
      <div class="modal-header">
        <h5 class="modal-title">Confirmation</h5>
      </div>
      <div class="modal-body">
        <div id="delete_content"></div>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-primary bg-gradient-teal
border-0 rounded-0" id="confirm" onclick="">Continue</button>
        <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Close</button>
      </div>
    </div>
  </div>
</div>
<div class="modal fade" id="viewer_modal" role="dialog">
  <div class="modal-dialog modal-md" role="document">
    <div class="modal-content">
      <button type="button" class="btn-close" data-
dismiss="modal"><span class="fa fa-times"></span></button>
      <img src="" alt="">
    </div>
  </div>
</div>
<script>
$(document).ready(function(){
  window.viewer_modal = function($src = ""){
    start_loader()
    var t = $src.split(' . ')
    t = t[1]
    if(t == "mp4"){
      var view = $("<video src="src" controls autoplay></video>")
    }else{
      var view = $("")
    }
    $("#viewer_modal .modal-content video,#viewer_modal .modal-content
img").remove()
    $("#viewer_modal .modal-content").append(view)
    $("#viewer_modal").modal({
      show:true,

```

```

        backdrop:"static",
        keyboard:false,
        focus:true
    })
    end_loader()
}
window.uni_modal = function($title = "" , $url="", $size=""){
    start_loader()
    $.ajax({
        url:$url,
        error:err=>{
            console.log()
            alert("An error occured")
        },
        success:function(resp){
            if(resp){
                $("#uni_modal .modal-title").html($title)
                $("#uni_modal .modal-body").html(resp)
                if($size != ""){
                    $("#uni_modal .modal-dialog").addClass($size+" modal-
dialog-centered")
                }else{
                    $("#uni_modal .modal-
dialog").removeAttr("class").addClass("modal-dialog modal-md modal-dialog-
centered")
                }
                $("#uni_modal").modal({
                    show:true,
                    backdrop:"static",
                    keyboard:false,
                    focus:true
                })
                end_loader()
            }
        }
    })
}
window._conf = function($msg="", $func="", $params = []){
    $("#confirm_modal
#confirm").attr("onclick", $func+"("+ $params.join(",")+ ")")
    $("#confirm_modal .modal-body").html($msg)
    $("#confirm_modal").modal("show")
}
})
</script>

```


```

        <a href="#" class="back-to-top d-flex align-items-center justify-content-
center"><i class="bi bi-arrow-up-short"></i></a>
<script src="http://localhost/php-
spms/assets/vendor/apexcharts/apexcharts.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/chart.js/chart.umd.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/echarts/echarts.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/quill/quill.min.js"></script>
<script src="http://localhost/php-spms/assets/vendor/simple-datatables/simple-
datatables.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/tinymce/tinymce.min.js"></script>
<script src="http://localhost/php-spms/assets/vendor/php-email-
form/validate.js"></script>
<script src="http://localhost/php-spms/assets/js/main.js"></script> ';
} else {
    echo '<script>
        window.location.href =
            "login.php";

</script>';
}
?>
</body>
</html>

```


(Active Service List)



The screenshot shows a web application interface for 'Service Provider Management'. The left sidebar contains a menu with 'Dashboard' and 'Services'. Under 'Services', there are three radio buttons: 'All List', 'Inactive List', and 'Active List', with 'Active List' selected. The main content area is titled 'Services' and shows a table of active service providers. The table has columns for '#', 'Email', 'Name', 'Service', 'Status', and 'Action'. Each row includes a 'View' link, an email address, a name, a service type, a status of 'Active' (indicated by a green pill), and 'Edit' and 'Delete' action buttons. A 'Create New' button is located at the top right of the table.

#	Email	Name	Service	Status	Action
View	rahu112@gmail.com	Rahul	Electrician	Active	Edit Delete
View	rak163@gmail.com	Rakesh	Developer	Active	Edit Delete
View	aj177@gmail.com	Ajeet	Carpenter	Active	Edit Delete
View	neha486@gmail.com	Neha	Electrician	Active	Edit Delete
View	khushiw726@gmail.com	Khushi	Developer	Active	Edit Delete
View	neha486@gmail.com	Neha	Electrician	Active	Edit Delete
View	khushiw726@gmail.com	Khushi	Developer	Active	Edit Delete
View	dpk8263@gmail.com	Deepak	Carpenter	Active	Edit Delete
View	ajey7162@gmail.com	Ajay	Designer	Active	Edit Delete
View	Aman@gmail.com	Aman	Designer	Active	Edit Delete
View	ankit23@gmail.com	Ankit	Freelancer	Active	Edit Delete
View	sagar94@gmail.com	Sagar	Developer	Active	Edit Delete
View	ankit25@gmail.com	Aaksh	Editor	Active	Edit Delete
View	sameer99@gmail.com	Sameer	Carpenter	Active	Edit Delete

acList.php

```
<!DOCTYPE html>
<html lang="en">
<?php
include "../dp.php";
session_start();
if (isset($_SESSION["username"])) {
    echo '<head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Service Provider Management System</title>
        <link href="http://localhost/php-spms/assets/img/favicon.png" rel="icon">
        <link href="http://localhost/php-spms/assets/img/apple-touch-icon.png"
rel="apple-touch-icon">
        <link href="https://fonts.gstatic.com" rel="preconnect">
        <link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600
i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,5
00,500i,600,600i,700,700i" rel="stylesheet">
        <link href="http://localhost/php-
spms/assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```

    <link href="http://localhost/php-spms/assets/vendor/bootstrap-
icons/bootstrap-icons.css" rel="stylesheet">
    <link href="http://localhost/php-
spms/assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.snow.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.bubble.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/remixicon/remixicon.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/simple-
datatables/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/custom.css"
rel="stylesheet">
    <script src="http://localhost/php-spms/assets/js/jquery-
3.6.4.min.js"></script>
    <script src="http://localhost/php-spms/assets/js/script.js"></script>
    <script src="http://localhost/php-spms/dist/js/script.js"></script>
</head> <body>
<header id="header" class="header fixed-top d-flex align-items-center">
    <div class="d-flex align-items-center justify-content-between">
        <a href="adminIndex.php" class="logo d-flex align-items-center">
            
        </a>
        <i class="bi bi-list toggle-sidebar-btn"></i>
    </div>
    <nav class="header-nav ms-auto">
        <ul class="d-flex align-items-center">
            <li class="nav-item dropdown pe-3">
                <a class="nav-link nav-profile d-flex align-items-center pe-0" href="#"
data-bs-toggle="dropdown">
                    
                    <span class="d-none d-md-block dropdown-toggle ps-2">admin</span>
                </a>
                <ul class="dropdown-menu dropdown-menu-end dropdown-menu-arrow profile">
                    <li class="dropdown-header">
                        <h6>Administrator Admin</h6>
                        <span>Administrator</span>
                    </li>
                    <li>
                        <hr class="dropdown-divider">
                    </li>
                    <li>

```

```

        <hr class="dropdown-divider">
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li>
        <a class="dropdown-item d-flex align-items-center" href="logout.php">
            <i class="bi bi-box-arrow-right"></i>
            <span>Sign Out</span>
        </a>
    </li>
</ul>
</li>
</ul>
</nav>
</header>
<style>
button{
    width: 100%;
    border: none;
}
.sidebar-nav .nav-content a i {
    font-size: .9rem;
}
.hidden{
    display: none;
}
</style>
<aside id="sidebar" class="sidebar">
<ul class="sidebar-nav" id="sidebar-nav">
    <li class="nav-item">
        <a class="nav-link collapsed" href="adminIndex.php">
            <i class="bi bi-grid"></i>
            <span>Dashboard</span>
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link " data-bs-target="#services-nav" data-bs-toggle="collapse"
href="#" data-bs-collapse="true">
            <i class="bi bi-menu-button-wide"></i><span>Services</span><i class="bi bi-
chevron-down ms-auto"></i>
        </a>

```

```

        <ul id="services-nav" class="nav-content collapse show " data-bs-
parent="#sidebar-nav">
        <li>
        <a href="list.php">
        <i class="bi bi-circle"></i><span>All List</span>
        </a>
        </li>
        <li>
        <a href="inList.php">
        <i class="bi bi-circle"></i><span>Inactive List</span>
        </a>
        </li>
        <li>
        <a href="acList.php" class="active">
        <i class="bi bi-circle"></i><span>Active List</span>
        </a>
        </li>
        </ul>
</ul>
</aside>
        <main id="main" class="main">
        <div class="pagetitle">
        <h1>Services</h1>
        <nav>
        <ol class="breadcrumb">
        <li class="breadcrumb-item "><a
href="adminIndex.php">Dashboard</a></li>
        <li class="breadcrumb-item active">Services</li>
        </ol>
        </nav>
        </div>
        <div id="msg-container">
        </div>
        <div class="card card-outline rounded-0 card-navy">
        <div class="card-header ">
        <div class="card-tools d-flex justify-content-end">
        <a href="create.php" id="create_new" class="btn btn-flat btn-primary bg-
gradient-teal border-0 rounded00"><span class="fas fa-plus"></span> Create
New</a>
        </div>
        </div>
        <div class="card-body">
        <div class="container-fluid">
        <div class="table-responsive">

```

```

        <table class="table table-sm table-hover table-striped table-bordered"
id="list">
    <colgroup>
        <col width="5%">
        <col width="20%">
        <col width="20%">
        <col width="30%">
        <col width="15%">
        <col width="10%">
    </colgroup>
    <thead>
        <tr>
            <th>#</th>
            <th>Email</th>
            <th>Name</th>
            <th>Service</th>
            <th>Status</th>
            <th>Action</th>
        </tr>
    </thead>
    <tbody>
        ';
        if(isset($_POST['delete'])){
            $sno = $_POST['delete'];
            $sql = 'DELETE FROM `service_details` WHERE `sno` = '.$sno.'';
            $result = mysqli_query($conn, $sql);
            $sql = "SELECT * FROM `service_details` WHERE `active` = 1 ";
            $result = mysqli_query($conn, $sql);
            $i = 1;
            while ($row = mysqli_fetch_array($result)) {
                echo '<tr>
                    <td class="align-items-center text-center">
                        <form action = "view.php" method="post">
                            <input name="sno" type="text" value="" . $row['sno'] . ""
style="display:none">
                            <button class="button button1">View</button>
                        </form>
                    </td>
                    <td class="align-items-center">' . $row['email'] . '</td>
                    <td class="align-items-center">' . $row['name'] . '</td>
                    <td class="align-items-center">
                        ' . $row['service'] . '
                    </td>
                    <td class="align-items-center text-center">';
                echo '<span class="badge bg-success px-3 rounded-pill">Active</span>';
            }
        }
    </tbody>
</table>

```

```

        echo '
                </td>
                <td class="align-items-center" align="center">
                    <form action="edit.php" method="post">
                        <input class="hidden" type="number"
name="edit" value="" . $row['sno'] . '"">
                        <button>Edit</button>
                    </form>
                </td>
                <td class="align-items-center" align="center">
                    <form action="list.php" method="post">
                        <input class="hidden" type="number"
name="delete" value="" . $row['sno'] . '"">
                        <button>Delete</button>
                    </form>
                </td>
            </tr>';
        }
    }
    else {
        $sql = "SELECT * FROM `service_details` WHERE `active` = 1 ";
        $result = mysqli_query($conn, $sql);
        $i = 1;
        while ($row = mysqli_fetch_array($result)) {
            echo '<tr>
                <td class="align-items-center text-center">
                    <form action = "view.php" method="post">
                        <input name="sno" type="text" value="" . $row['sno'] . '
style="display:none">
                        <button class="button button1">View</button>
                    </form>
                </td>
                <td class="align-items-center">' . $row['email'] . '</td>
                <td class="align-items-center">' . $row['name'] . '</td>
                <td class="align-items-center">
                    ' . $row['service'] . '
                </td>
                <td class="align-items-center text-center">';
            echo '<span class="badge bg-success px-3 rounded-pill">Active</span>';
            echo '
                </td>
                <td class="align-items-center" align="center">
                    <form action="edit.php" method="post">
                        <input class="hidden" type="number"
name="edit" value="" . $row['sno'] . '"">
                        <button>Edit</button>
                    </form>
            
```

```

                </td>
                <td class="align-items-center" align="center">
                    <form action="list.php" method="post">
                        <input class="hidden" type="number"
name="delete" value="' . $row['sno'] . '">
                        <button>Delete</button>
                    </form>
                </td>
            </tr>';
        }
    }
    echo '</tbody>
        </table>
    </div>
</div>
</div>
<script>
$(document).ready(function(){
    $(".delete_data").click(function(){
        _conf("Are you sure to delete this service
permanently?", "delete_service",[$(this).attr("data-id")])
    })
})
function delete_service($id){
    start_loader();
    $.ajax({
        url:_base_url_+"classes/Master.php?f=delete_service",
        method:"POST",
        data:{id: $id},
        dataType:"json",
        error:err=>{
            console.log(err)
            alert_toast("An error occured.", "error");
            end_loader();
        },
        success:function(resp){
            if(typeof resp== "object" && resp.status == "success"){
                location.reload();
            }else{
                alert_toast("An error occured.", "error");
                end_loader();
            }
        }
    })
})

```

```

    }
</script>      </main>
    <div class="modal fade" id="uni_modal" role="dialog">
      <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
        <div class="modal-content rounded-0">
          <div class="modal-header">
            <h5 class="modal-title"></h5>
          </div>
          <div class="modal-body">
          </div>
          <div class="modal-footer">
            <button type="button" class="btn btn-primary bg-gradient-teal border-
0 rounded-0" id="submit" onclick="$("#uni_modal form").submit()">Save</button>
            <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Cancel</button>
          </div>
        </div>
      </div>
    </div>
    <div class="modal fade" id="uni_modal_right" role="dialog">
      <div class="modal-dialog modal-full-height modal-md rounded-0"
role="document">
        <div class="modal-content rounded-0">
          <div class="modal-header">
            <h5 class="modal-title"></h5>
            <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
              <span class="fa fa-arrow-right"></span>
            </button>
          </div>
          <div class="modal-body">
          </div>
        </div>
      </div>
    </div>
    <div class="modal fade" id="confirm_modal" role="dialog">
      <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
        <div class="modal-content rounded-0">
          <div class="modal-header">
            <h5 class="modal-title">Confirmation</h5>
          </div>
          <div class="modal-body">
            <div id="delete_content"></div>
          </div>
        </div>
      </div>
    </div>

```



```

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-primary bg-gradient-teal
border-0 rounded-0" id="confirm" onclick="">Continue</button>
            <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Close</button>
        </div>
    </div>
</div>
<div class="modal fade" id="viewer_modal" role="dialog">
    <div class="modal-dialog modal-md" role="document">
        <div class="modal-content">
            <button type="button" class="btn-close" data-
dismiss="modal"><span class="fa fa-times"></span></button>
            <img src="" alt="">
        </div>
    </div>
</div>
<script>
$(document).ready(function(){
    window.viewer_modal = function($src = ""){
        start_loader()
        var t = $src.split(' . ')
        t = t[1]
        if(t == "mp4"){
            var view = $("<video src="src" controls autoplay></video>")
        }else{
            var view = $("")
        }
        $("#viewer_modal .modal-content video,#viewer_modal .modal-content
img").remove()
        $("#viewer_modal .modal-content").append(view)
        $("#viewer_modal").modal({
            show:true,
            backdrop:"static",
            keyboard:false,
            focus:true
        })
        end_loader()
    }
    window.uni_modal = function($title = "" , $url="", $size=""){
        start_loader()
        $.ajax({
            url:$url,

```

```


        error:err=>{
            console.log()
            alert("An error occurred")
        },
        success:function(resp){
            if(resp){
                $("#uni_modal .modal-title").html($title)
                $("#uni_modal .modal-body").html(resp)
                if($size != ""){
                    $("#uni_modal .modal-dialog").addClass($size+" modal-
dialog-centered")
                }else{
                    $("#uni_modal .modal-
dialog").removeAttr("class").addClass("modal-dialog modal-md modal-dialog-
centered")
                }
                $("#uni_modal").modal({
                    show:true,
                    backdrop:"static",
                    keyboard:false,
                    focus:true
                })
                end_loader()
            }
        }
    })
}

window._conf = function($msg="", $func="", $params = []){
    $("#confirm_modal
#confirm").attr("onclick", $func+"("+ $params.join(",")+ ")")
    $("#confirm_modal .modal-body").html($msg)
    $("#confirm_modal").modal("show")
}
})
</script>
<a href="#" class="back-to-top d-flex align-items-center justify-content-
center"><i class="bi bi-arrow-up-short"></i></a>
<script src="http://localhost/php-
spms/assets/vendor/apexcharts/apexcharts.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/chart.js/chart.umd.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/echarts/echarts.min.js"></script>

```

```
<script src="http://localhost/php-  
spms/assets/vendor/quill/quill.min.js"></script>  
<script src="http://localhost/php-spms/assets/vendor/simple-datatables/simple-  
datatables.js"></script>  
<script src="http://localhost/php-  
spms/assets/vendor/tinymce/tinymce.min.js"></script>  
<script src="http://localhost/php-spms/assets/vendor/php-email-  
form/validate.js"></script>  
<script src="http://localhost/php-spms/assets/js/main.js"></script> ';  
} else {  
    echo '<script>  
        window.location.href =  
            "login.php";  
</script>';  
}  
?>  
</body>  
</html>
```

(Inactive Services List)



#	Email	Name	Service	Status	Action
View	sagar966@gmail.com	Suman	Editor	InActive	Edit Delete
View	pankaj496@gmail.com	Pankaj	Designer	InActive	Edit Delete
View	ayaan779@gmail.com	Ayaan	Freelancer	InActive	Edit Delete
View	mohit565@gmail.com	Mohit	Editor	InActive	Edit Delete
View	himani23@gmail.com	Himanshu	Carpenter	InActive	Edit Delete
View	rajiv513@gmail.com	Rajiv	Electrician	InActive	Edit Delete
View	amit027@gmail.com	Amit	Designer	InActive	Edit Delete
View	virat30@gmail.com	Virat	Developer	InActive	Edit Delete
View	shobhit34@gmail.com	Shobhit	Electrician	InActive	Edit Delete
View	rajendr5@gmail.com	Rajendra	Developer	InActive	Edit Delete
View	kalpana39@gmail.com	Kalpna	Freelancer	InActive	Edit Delete
View	nitish0@gmail.com	Nitish	Electrician	InActive	Edit Delete
View	rita89@gmail.com	Rita	Developer	InActive	Edit Delete
View	sheetal7@gmail.com	Sheetal	Editor	InActive	Edit Delete

inList.php

```
<!DOCTYPE html>
<html lang="en">
<?php
include "../dp.php";
session_start();
if (isset($_SESSION["username"])) {
    echo '<head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Service Provider Management System</title>
        <link href="http://localhost/php-spms/assets/img/favicon.png" rel="icon">
        <link href="http://localhost/php-spms/assets/img/apple-touch-icon.png"
rel="apple-touch-icon">
        <link href="https://fonts.gstatic.com" rel="preconnect">
        <link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600
i,700,700i|Nunito:300,300i,400,400i,600,600i,700,700i|Poppins:300,300i,400,400i,5
00,500i,600,600i,700,700i" rel="stylesheet">
        <link href="http://localhost/php-
spms/assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```

    <link href="http://localhost/php-spms/assets/vendor/bootstrap-
icons/bootstrap-icons.css" rel="stylesheet">
    <link href="http://localhost/php-
spms/assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.snow.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/quill/quill.bubble.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/remixicon/remixicon.css"
rel="stylesheet">
    <link href="http://localhost/php-spms/assets/vendor/simple-
datatables/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/style.css" rel="stylesheet">
    <link href="http://localhost/php-spms/assets/css/custom.css"
rel="stylesheet">
    <script src="http://localhost/php-spms/assets/js/jquery-
3.6.4.min.js"></script>
    <script src="http://localhost/php-spms/assets/js/script.js"></script>
    <script src="http://localhost/php-spms/dist/js/script.js"></script>
</head> <body>
<header id="header" class="header fixed-top d-flex align-items-center">
    <div class="d-flex align-items-center justify-content-between">
        <a href="adminIndex.php" class="logo d-flex align-items-center">
            
        </a>
        <i class="bi bi-list toggle-sidebar-btn"></i>
    </div>
    <nav class="header-nav ms-auto">
        <ul class="d-flex align-items-center">
            <li class="nav-item dropdown pe-3">
                <a class="nav-link nav-profile d-flex align-items-center pe-0" href="#"
data-bs-toggle="dropdown">
                    
                    <span class="d-none d-md-block dropdown-toggle ps-2">admin</span>
                </a>
                <ul class="dropdown-menu dropdown-menu-end dropdown-menu-arrow profile">
                    <li class="dropdown-header">
                        <h6>Administrator Admin</h6>
                        <span>Administrator</span>
                    </li>
                    <li>
                        <hr class="dropdown-divider">
                    </li>
                    <li>

```

```

        <hr class="dropdown-divider">
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li>
        <hr class="dropdown-divider">
    </li>
    <li>
        <a class="dropdown-item d-flex align-items-center" href="logout.php">
            <i class="bi bi-box-arrow-right"></i>
            <span>Sign Out</span>
        </a>
    </li>
</ul>
</li>
</ul>
</nav>
</header>
<style>
button{
    width: 100%;
    border: none;
}
.sidebar-nav .nav-content a i {
    font-size: .9rem;
}
.hidden{
    display: none;
}
</style>
<aside id="sidebar" class="sidebar">
<ul class="sidebar-nav" id="sidebar-nav">
    <li class="nav-item">
        <a class="nav-link collapsed" href="adminIndex.php">
            <i class="bi bi-grid"></i>
            <span>Dashboard</span>
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link " data-bs-target="#services-nav" data-bs-toggle="collapse"
href="#" data-bs-collapse="true">
            <i class="bi bi-menu-button-wide"></i><span>Services</span><i class="bi bi-
chevron-down ms-auto"></i>
        </a>

```

```

        <ul id="services-nav" class="nav-content collapse show " data-bs-
parent="#sidebar-nav">
        <li>
        <a href="list.php">
        <i class="bi bi-circle"></i><span>All List</span>
        </a>
        </li>
        <li>
        <a href="inList.php" class="active">
        <i class="bi bi-circle"></i><span>Inactive List</span>
        </a>
        </li>
        <li>
        <a href="acList.php">
        <i class="bi bi-circle"></i><span>Active List</span>
        </a>
        </li>
        </ul>
</ul>
</aside>
        <main id="main" class="main">
        <div class="pagetitle">
        <h1>Services</h1>
        <nav>
        <ol class="breadcrumb">
        <li class="breadcrumb-item "><a
href="adminIndex.php">Dashboard</a></li>
        <li class="breadcrumb-item active">Services</li>
        </ol>
        </nav>
        </div>
        <div id="msg-container">
        </div>
        <div class="card card-outline rounded-0 card-navy">
        <div class="card-header ">
        <div class="card-tools d-flex justify-content-end">
        <a href="create.php" id="create_new" class="btn btn-flat btn-primary bg-
gradient-teal border-0 rounded00"><span class="fas fa-plus"></span> Create
New</a>
        </div>
        </div>
        <div class="card-body">
        <div class="container-fluid">
        <div class="table-responsive">

```



```

        echo '
            </td>
            <td class="align-items-center" align="center">
                <form action="edit.php" method="post">
                    <input class="hidden" type="number"
name="edit" value="" . $row['sno'] . '"">
                    <button>Edit</button>
                </form>
            </td>
            <td class="align-items-center" align="center">
                <form action="list.php" method="post">
                    <input class="hidden" type="number"
name="delete" value="" . $row['sno'] . '"">
                    <button>Delete</button>
                </form>
            </td>
        </tr>';
    }
    }
    else {
        $sql = "SELECT * FROM `service_details` WHERE `active` = 0 ;";
        $result = mysqli_query($conn, $sql);
        $i = 1;
        while ($row = mysqli_fetch_array($result)) {
            echo '<tr>
                <td class="align-items-center text-center">
                    <form action = "view.php" method="post">
                        <input name="sno" type="text" value="" . $row['sno'] . ""
style="display:none">
                        <button class="button button1">View</button>
                    </form>
                </td>
                <td class="align-items-center">' . $row['email'] . '</td>
                <td class="align-items-center">' . $row['name'] . '</td>
                <td class="align-items-center">
                    ' . $row['service'] . '
                </td>
                <td class="align-items-center text-center">';
            echo '<span class="badge bg-danger px-3 rounded-pill">Inactive</span>';
            echo '
                </td>
                <td class="align-items-center" align="center">
                    <form action="edit.php" method="post">
                        <input class="hidden" type="number"
name="edit" value="" . $row['sno'] . '"">
                        <button>Edit</button>
                    </form>
            
```

```

                </td>
                <td class="align-items-center" align="center">
                    <form action="list.php" method="post">
                        <input class="hidden" type="number"
name="delete" value="' . $row['sno'] . '">
                        <button>Delete</button>
                    </form>
                </td>
            </tr>';
        }
    }
    echo '</tbody>
        </table>
    </div>
</div>
</div>
<script>
    $(document).ready(function(){
        $(".delete_data").click(function(){
            _conf("Are you sure to delete this service
permanently?", "delete_service",[$(this).attr("data-id")])
        })
    })
    function delete_service($id){
        start_loader();
        $.ajax({
            url:_base_url_+"classes/Master.php?f=delete_service",
            method:"POST",
            data:{id: $id},
            dataType:"json",
            error:err=>{
                console.log(err)
                alert_toast("An error occured.", "error");
                end_loader();
            },
            success:function(resp){
                if(typeof resp== "object" && resp.status == "success"){
                    location.reload();
                }else{
                    alert_toast("An error occured.", "error");
                    end_loader();
                }
            }
        })
    })
})

```

```

    }
</script>      </main>
    <div class="modal fade" id="uni_modal" role="dialog">
      <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
        <div class="modal-content rounded-0">
          <div class="modal-header">
            <h5 class="modal-title"></h5>
          </div>
          <div class="modal-body">
          </div>
          <div class="modal-footer">
            <button type="button" class="btn btn-primary bg-gradient-teal border-
0 rounded-0" id="submit" onclick="$("#uni_modal form").submit()">Save</button>
            <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Cancel</button>
          </div>
        </div>
      </div>
    </div>
    <div class="modal fade" id="uni_modal_right" role="dialog">
      <div class="modal-dialog modal-full-height modal-md rounded-0"
role="document">
        <div class="modal-content rounded-0">
          <div class="modal-header">
            <h5 class="modal-title"></h5>
            <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
              <span class="fa fa-arrow-right"></span>
            </button>
          </div>
          <div class="modal-body">
          </div>
        </div>
      </div>
    </div>
    <div class="modal fade" id="confirm_modal" role="dialog">
      <div class="modal-dialog modal-md modal-dialog-centered rounded-0"
role="document">
        <div class="modal-content rounded-0">
          <div class="modal-header">
            <h5 class="modal-title">Confirmation</h5>
          </div>
          <div class="modal-body">
            <div id="delete_content"></div>
          </div>
        </div>
      </div>
    </div>

```

```

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-primary bg-gradient-teal
border-0 rounded-0" id="confirm" onclick="">Continue</button>
            <button type="button" class="btn btn-secondary rounded-0" data-
dismiss="modal">Close</button>
        </div>
    </div>
</div>
<div class="modal fade" id="viewer_modal" role="dialog">
    <div class="modal-dialog modal-md" role="document">
        <div class="modal-content">
            <button type="button" class="btn-close" data-
dismiss="modal"><span class="fa fa-times"></span></button>
            <img src="" alt="">
        </div>
    </div>
</div>
<script>
$(document).ready(function(){
    window.viewer_modal = function($src = ""){
        start_loader()
        var t = $src.split(' . ')
        t = t[1]
        if(t == "mp4"){
            var view = $("<video src="src" controls autoplay></video>")
        }else{
            var view = $("")
        }
        $("#viewer_modal .modal-content video,#viewer_modal .modal-content
img").remove()
        $("#viewer_modal .modal-content").append(view)
        $("#viewer_modal").modal({
            show:true,
            backdrop:"static",
            keyboard:false,
            focus:true
        })
        end_loader()
    }
    window.uni_modal = function($title = "" , $url="", $size=""){
        start_loader()
        $.ajax({
            url:$url,

```

```

        error:err=>{
            console.log()
            alert("An error occurred")
        },
        success:function(resp){
            if(resp){
                $("#uni_modal .modal-title").html($title)
                $("#uni_modal .modal-body").html(resp)
                if($size != ""){
                    $("#uni_modal .modal-dialog").addClass($size+" modal-
dialog-centered")
                }else{
                    $("#uni_modal .modal-
dialog").removeAttr("class").addClass("modal-dialog modal-md modal-dialog-
centered")
                }
                $("#uni_modal").modal({
                    show:true,
                    backdrop:"static",
                    keyboard:false,
                    focus:true
                })
                end_loader()
            }
        }
    })
}

window._conf = function($msg="", $func="", $params = []){
    $("#confirm_modal
#confirm").attr("onclick", $func+"("+ $params.join(",")+ ")")
    $("#confirm_modal .modal-body").html($msg)
    $("#confirm_modal").modal("show")
}
})
</script>
<a href="#" class="back-to-top d-flex align-items-center justify-content-
center"><i class="bi bi-arrow-up-short"></i></a>
<script src="http://localhost/php-
spms/assets/vendor/apexcharts/apexcharts.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/chart.js/chart.umd.js"></script>
<script src="http://localhost/php-
spms/assets/vendor/echarts/echarts.min.js"></script>

```

```
<script src="http://localhost/php-  
spms/assets/vendor/quill/quill.min.js"></script>  
<script src="http://localhost/php-spms/assets/vendor/simple-datatables/simple-  
datatables.js"></script>  
<script src="http://localhost/php-  
spms/assets/vendor/tinymce/tinymce.min.js"></script>  
<script src="http://localhost/php-spms/assets/vendor/php-email-  
form/validate.js"></script>  
<script src="http://localhost/php-spms/assets/js/main.js"></script> '  
} else {  
    echo '<script>  
        window.location.href =  
            "login.php";  
  
</script>';  
}  
>  
</body>  
</html>
```

Other important code files

db.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "user_details";
$conn = mysqli_connect($servername, $username, $password, $dbname);
if (!$conn) {
    die(error_reporting(0));
}
?>
```

nav.php

```
<?php
echo '<nav class="navbar bg-body-tertiary fixed-top" >
<div class="container-fluid">
    <a class="navbar-brand" href="Home.php"></a>
    <button class="navbar-toggler" type="button" data-bs-toggle="offcanvas" data-
bs-target="#offcanvasNavbar" aria-controls="offcanvasNavbar" aria-label="Toggle
navigation">
    <span class="navbar-toggler-icon"></span>
</button>
    <div class="offcanvas offcanvas-end" tabindex="-1" id="offcanvasNavbar" aria-
labelledby="offcanvasNavbarLabel">
        <div class="offcanvas-header">
            <h5 class="offcanvas-title" id="offcanvasNavbarLabel"
style="color:black;">Welcome, ' . $_SESSION["adminName"] . ' on Servi-
Connect</h5>
            <button type="button" class="btn-close" data-bs-dismiss="offcanvas" aria-
label="Close"></button>
        </div>
        <div class="offcanvas-body">
            <ul class="navbar-nav justify-content-end flex-grow-1 pe-3">
                <li class="nav-item">
                    <a class="nav-link active" aria-current="page" href="Home.php">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="addService.php">Add Your Service</a>
                </li>
                <li class="nav-item">
```

```

        <a class="nav-link" href="deleteService.php">Edit\Delete Your
Service</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="logout.php">Log Out</a>
    </li>
</ul>
</div>
</div>
</div>
</nav>';
?>

```

sidebar.php

```

<?php
echo '
<aside id="sidebar" class="sidebar">
<ul class="sidebar-nav" id="sidebar-nav">
    <li class="nav-item">
        <a class="nav-link " href="adminIndex.php">
            <i class="bi bi-grid"></i>
            <span>Dashboard</span>
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link collapsed" data-bs-target="#services-nav" data-bs-
toggle="collapse" href="#" data-bs-collapse="false">
            <i class="bi bi-menu-button-wide"></i><span>Services</span><i class="bi bi-
chevron-down ms-auto"></i>
        </a>
        <ul id="services-nav" class="nav-content collapse " data-bs-
parent="#sidebar-nav">
            <li>
                <a href="list.php">
                    <i class="bi bi-circle"></i><span>All List</span>
                </a>
            </li>
            <li>
                <a href="inList.php">
                    <i class="bi bi-circle"></i><span>Inactive List</span>
                </a>
            </li>
            <li>
                <a href="acList.php">
                    <i class="bi bi-circle"></i><span>Active List</span>

```



```
        </a>
    </li>
</ul>
</li>
</ul>
</aside>';
?>
```

logout.php

```
<?php
session_start();
session_unset();
session_destroy();
unset($_SESSION['adminName']);
unset($_SESSION['email']);
echo '<script>
    window.location.href =
        "login.php";

</script>';
?>
```

CONCLUSION

THE PROJECT TITLED AS SERVICE MARKETPLACE IS DEEPLY STUDIES AND ANALYZED TO DESIGN THE CODE AND IMPLEMENT. IT WAS DONE UNDER THE GUIDANCE OF THE EXPERIENCED PROJECT GUIDANCE. ALL THE CURRENT REQUIREMENTS AND POSSIBILITYS HAVE BEEN TAKEN CARE DURING THE PROJECT TIME.

SERVICE MARKETPLACE IS A WEB BASED APPLICATION WHICH MANAGES AND HANDLES THE SERVICES PROVIDERS WHO GIVES THEIR SERVICE.

-
- ✚ Mobile application development
 - ✚ Advanced Search and filters
 - ✚ User Reviews and Rating
 - ✚ Integrated Messaging System.
 - ✚ Payment Gateway Integration
 - ✚ Subscription Models
 - ✚ Geolocation Services