Assignment 2

Rudraksh Kavishwar PRN 23070126511 AIML (B3)

Q.1 W.a.p that declares two arrays named 'even' and 'odd'. Accept numbers from the user and move them to respective arrays depending on whether they are even or odd.

Main.java

```
import java.util.Scanner;
public class Main {
  public static void main(String args) {
    Scanner scanner = new Scanner(System.in);
    System.out.print("Enter the number of elements: ");
    int n = scanner.nextInt();
    int[] numbers = new int[n];
    System.out.println("Enter the elements:");
    for (int i = 0; i < n; i++) {
      numbers[i] = scanner.nextInt();
    }
    EvenOddArray evenOddArray = new EvenOddArray();
    evenOddArray.sortEvenOdd(numbers);
    System.out.println("Even numbers:");
    evenOddArray.displayEvenNumbers();
    System.out.println("Odd numbers:");
```

```
evenOddArray.displayOddNumbers();
    scanner.close();
}
EvenOddArray.java
public class EvenOddArray {
  private int[] even;
  private int evenCount;
  private int[] odd;
  private int oddCount;
  public EvenOddArray() {
    even = new int[100]; // Assuming a maximum of 100 elements
    odd = new int[100];
    evenCount = 0;
    oddCount = 0;
  }
  public void sortEvenOdd(int[] numbers) {
    for (int num: numbers) {
      if (num % 2 == 0) {
        even[evenCount++] = num;
      } else {
        odd[oddCount++] = num;
      }
  }
  public void displayEvenNumbers() {
    for (int i = 0; i < evenCount; i++) {
      System.out.print(even[i] + " ");
    System.out.println();
```

```
public void displayOddNumbers() {
    for (int i = 0; i < oddCount; i++) {
        System.out.print(odd[i] + " ");
    }
    System.out.println();
}</pre>
```

```
Enter the number of elements: 5
Enter the elements: 99
45
44
12
04
Even numbers:
44 12 4
0dd numbers: 99 45
```

Q.2 Implement a java function that finds 2 neighboring numbers in an array with the smallest distance to each. The function should return the index of the 1st number.

Main.java

NearestNeighbors.java

```
public class NearestNeighbors {
  public int findNearest(int[] arr) {
    if (arr == null || arr.length < 2) {
        // Return -1 if the array is null or has less than 2 elements return -1;
    }
  int minDistance = Integer.MAX_VALUE;
  int nearestIndex = -1;
  for (int i = 0; i < arr.length - 1; i++) {</pre>
```

```
int distance = Math.abs(arr[i] - arr[i + 1]);
  if (distance < minDistance) {
      minDistance = distance;
      nearestIndex = i;
    }
}
return nearestIndex;
}</pre>
```

Nearest neighbors found at indices: 0 and 1 Nearest neighbors are: 5 and 10

3. Write a Java program to convert an array into ArrayList and vice Versa.

Main.java

```
import java.util.ArrayList;
import java.util.Arrays;
public class Main {
  public static void main(String[] args) {
    // Convert array to ArrayList
    Integer[] array = \{1, 2, 3, 4, 5\};
    ArrayList<Integer> arrayList = ArrayToArrayList.convertArrayToArrayList(array);
    System.out.println("ArrayList from array: " + arrayList);
    // Convert ArrayList to array
    ArrayList<String> strArrayList = new ArrayList<>();
    strArrayList.add("apple");
    strArrayList.add("banana");
    strArrayList.add("orange");
    String[] strArray = strArrayList.toArray(new String[0]);
    System.out.print("Array from ArrayList: ");
    for (String str : strArray) {
       System.out.print(str + " ");
    System.out.println();
  }
}
ArrayToArrayList.java
```

```
import java.util.ArrayList;
import java.util.Arrays;
public class ArrayToArrayList {
  public static ArrayList<Integer> convertArrayToArrayList(Integer[] array) {
```

```
return new ArrayList<>(Arrays.asList(array));
}

public static Integer[] convertArrayListToArray(ArrayList<Integer> arrayList) {
    return arrayList.toArray(new Integer[0]);
}
```

```
ArrayList from array: [1, 2, 3, 4, 5]
Array from ArrayList: apple banana orange
```