Pitchframe — session report

23 OCTOBER 2026 · BRANCH `main` · OVERLAY REFACTORS, HARNESS, TESTS, DOCS

One working session on the Pitchframe overlay: three pure-module extractions out of `app.js`, one cross-language test, one skip guard, one copy module, one harness deflake, and full verification — Python suite, JavaScript suite, and the gated browser harness — plus a live check of the served page. Everything is committed on `main` as `96a319e` and after.

1 · Commits, in order

COMMIT	WHAT IT DID
`73cba79`	The analysed-window cursor moved into `goal-clock.mjs` as `frameAt`, next to the goal-sync rules it belongs with.
`6b3ca3f`	The shareable frame link moved to `frame-link.mjs` — both directions, `buildFrameQuery` and `parseFrameQuery`, round-tripped against each other in tests.
`455670e`	The relative-movement ranking became one rule in two languages: `rank-agreement.test.mjs` holds the browser's `rankByRelativeMovement` and the server's `rank_by_relative_movement` (demo.py) to one order on identical fixtures.
`f297579`	That probe now *skips*, not fails, when no Python runtime is reachable. It tries `PYTHON`, then `python` / `py` / `python3` (the Windows Store alias was polluting output), and the skip message says what to do: set `PYTHON`. Verified both ways — 5/5 with an interpreter, 1 pass + 4 skipped with `PATH` stripped.
`186aa37`	The rate note and the ledger's plurals moved to `wording.mjs` as `rateNote` and `plural`, with tests pinning the boundaries (60 is a minute *by equality*; 90 rounds up to minutes; zero is plural). One deliberate non-change, noted in the code: the rejected-ledger branch's hardcoded “lines” stayed as written — harmonising it is a copy edit, not a refactor (see §4).
`96a319e`	The analyst-column wheel probe in the browser harness was deflaked (see §2).

2 · The browser harness, and the flake

The gated harness (`PITCHFRAME_BROWSER=1 python -m unittest tests.test_browser_harness`, 13 tests) failed its analyst-column wheel check twice — “the wheel over the column does not scroll it” — then passed twice on identical code. Diagnosis: the probe dispatched one CDP `mouseWheel` turn and read `scrollTop` one fixed sleep later, racing the browser's scroll scheduler. The refactors under test were exonerated by the unit suites in any case.

The fix keeps the assertion about the page and drops the only thing that was ever timing: the gesture repeats until the page answers, and the answer is polled with the harness's own `waitFor` helper rather than timed. After the fix, **three consecutive 13/13 green runs** where the old probe failed two of four.

3 · Verification of the served page

The server on port 8000 was *stale* — its code hash predated the refactors, and the project's own `stale.py` refuses to trust anything it answers. It was killed and restarted per the documented `python -m pitchframe --overlay`; the fresh server reports `"stale": false` and serves the new modules. Exercised over HTTP:

- **Boot and board** — replay running, 20 feed rows, the `frameAt`-driven board correct, rate note "1 second = 1 match minute", share URL written by the refactored builder with no seed on a named match.
- **Numbered deep link** (`/match?seed=28&at=2700`) — redirected to `/match/matchday`, restored at **45′ paused**, score 1–2: `parseFrameQuery` working in the served page.
- **Goal deep link** (`?goal=1570|home|Casek`) — build-up panel open ("26′ · Casek · Northgate Athletic"), paused at the goal's own clock, rewritten URL carries `at=1570` — the goal-clock fallback surviving a full build → parse round trip in the served page.

Suite status at the end of the session: **532/532 Python**, **44/44 JavaScript** (unit), **13/13 browser harness** ×3 runs.

4 · Proposed, awaiting approval: the ledger's copy

The ledger sentence is asymmetric in a way that shows: the accepted branch goes through the shared `plural` ("1 line published…", "2 lines published…"), while the rejected branch passes `"lines"` pre-pluralised — preserved verbatim by commit `186aa37` on purpose. That preservation has a consequence: with `verified = 1` and any rejections, the page prints **"1 lines published"** — a grammatical wart, not just an asymmetry.

> PROPOSED COPY (RECOMMENDED)
>
> ```
> ledger.rejected
>   ? `${plural(ledger.verified, "line")} published, ${plural(ledger.rejected, "claim")} caught by
> measurement and corrected.`
>   : `${plural(ledger.verified, "line")} published, each one checked against the event stream.`
> ```
>
> One-word change ("lines" → passed through `plural` as `"line"`). Kills the "1 lines" wart; every other word is untouched, so the existing wording tests hold.

Alternatives, if a different register is wanted:

- **Collective "lines" kept** — reword the accepted branch to match ("…published, each one checked…", plural always), accepting "1 lines" in the rare one-line-and-rejected case. Not recommended: it keeps the wart.
- **Restructure both branches** so they read parallel ("N lines published; M caught and corrected."). Cleaner copy, but a larger wording change than the session's rule — "this extraction changes wording nowhere" — allows.

Nothing has been edited or committed for this yet; it waits for approval.

5 · The `app.js` sweep — remaining extraction candidates

A read of all 1,803 lines against the standard the earlier extractions set (a pure decision, moved next to its own tests). Report only — no code changed. In descending order of value:

CANDIDATE	WHERE	THE DECISION IT HIDES	ASSESSMENT
A numeric/figure formatting module — `signed`, `claimedSigned`, `arrow`, `pct`-style share formatting	helpers block, ~lines 310–345; share bar in `renderBoard`	`claimedSigned` signs a stored-positive magnitude by its direction (reading it raw prints "down +0.07" beside a measured "down −0.07"); `arrow` maps flat/up/down to ·/▲/▼; `signed` prints an em-dash for null. All pure.	Strongest candidate. Three real decisions with boundary cases worth tests, same shape as `wording.mjs`.
The displayed-minute rule — `Math.min(minuteOf(...), 90 + Math.floor(Math.max(0, clock - 5400)/60))`	`renderBoard`, first lines	The scoreboard clamps the minute and derives second-half stoppage from 90′ at 5400 s. Inline arithmetic wearing a football rule.	Strong. One named function (`displayMinute`) in the same module as A; testable (clock 5700 → 95′).
Match-name path parsing — `namedMatch`	top of `app.js`, after the imports	`/match/<name>` is read from the path, not the query. It is URL *reading*, which is `frame-link.mjs`'s subject already.	Good, small: consolidates all URL reading in one tested module.
Build-up step label — `stepLabel`	the goal build-up section	`"pass (derived) · Rhee 12′"` — a copy rule: derived-ness appended, separator, minute glyph.	Good, small: belongs beside `plural` / `rateNote` in `wording.mjs`.
Build-up animation pacing — `hlAdvance`	the build-up animation loop	How one real-time slice advances across several step boundaries (a slow frame may not stretch the move). Pure arithmetic over `{done, t, speed}`.	Moderate: testable and genuinely pure, but it is animation mechanics, not a wording/numbering rule — a new module (`move-clock.mjs`?) for one function.
Key naming — `keyName` / `KEY_NAMES`	the keyboard section	`" "` prints "Space", arrows print glyphs, the rest upper-case.	Weak: one-line fallback beside the `SHORTCUTS` table it describes; moving it separates it from the table that gives it meaning.

Not candidates: `copyText` / `legacyCopy` (browser-coupled, and their deadline race is the behaviour being tested), the markup builders (templates, not decisions), and the port wiring (each control's options are the page saying what the control means).

Generated from the working session on 23 October 2026 · Pitchframe `main` at `96a319e` · tests at close: 532 Python · 44 JS · 13/13 harness ×3 · committed and pushed after this report.