```
1.db.students.find({department: "IT"}, {name: 1, cgpa: 1, _id: 0})
```

- 2.db.students.find({cgpa: {\$gte: 8.5}}, {name: 1, roll_no: 1, department: 1, _id: 0})
- 3.db.students.find({department: {\$in: ["ECE", "ME"]}})
- 4.db.students.find({year: 4, cgpa: {\$gt: 8.0}}, {name: 1, cgpa: 1, _id: 0})
- 5.db.students.find({\$and: [{department: {\$ne: "CSE"}}, {cgpa: {\$lte: 7.5}}]})
- 6.db.students.find().sort({cgpa: -1}).limit(3)
- 7.db.students.find().sort({cgpa: -1}).skip(3).limit(3)
- 8.db.students.updateMany({department: "CSE"}, {\sinc: {cgpa: 0.2}})
- 9.db.students.updateMany({cgpa: {\$lt: 7.0}}, {\$set: {department: "Probation"}})
- 10. db.students.updateMany({department:
 "ME"}, {\$unset: {email: ""}})
- 12. db.students.replaceOne({roll_no: "CSE2104"}, { roll_no: "CSE2104", name:

"Rudra Agrawal", year: 2, department: "CSE", gpa: 9.5, email: "rudra.agrawal@univ.edu" })