

Name → Rude Sharma
2400290120210

Code

file 1 app.py

```
from flask import Flask, render_template, request, redirect, url_for, jsonify
```

```
app = Flask(__name__)
```

```
# variable rule
@app.route("/success/<int:score>")
def success(score):
    return "Person passes with score "+str(score)
@app.route("/fail/<int:score>")
def fail(score):
    return "Person failed with score " + str(score)
@app.route("/form", methods=["GET", "POST"])
def form():
    if request.method=="GET":
        return render_template("form.html")
    else:
        maths=float(request.form['maths'])
        physics=float(request.form['physics'])
        chemistry=float(request.form['chemistry'])
        average_marks=(maths+chemistry+physics)/3
        result=""
        if average_marks>=75:
            res="success"
        else:
            res="fail"
        return redirect(url_for(res,score=average_marks))
# return render_template('form.html',score=average_marks)
```

```
@app.route("/api/marks", methods=["GET", "POST"])
def api_marks():
    if request.method == "POST":
        data = request.get_json()
        maths = float(data.get("maths", 0))
        physics = float(data.get("physics", 0))
        chemistry = float(data.get("chemistry", 0))
    else:
        maths = float(request.args.get("maths", 0))
        physics = float(request.args.get("physics", 0))
        chemistry = float(request.args.get("chemistry", 0))
```

```
average_marks = (maths + physics + chemistry) / 3
result = "pass" if average_marks >= 75 else "fail"
```

```
return jsonify({
    "Math":maths,
    "Chemistry":chemistry,
```

```
"Physics":physics,
"average": average_marks,
"result": result
})
if __name__=="__main__":
    app.run(debug=True)
```

file 2 form.html

```
<!DOCTYPE html>
<html>
<head>
<title>Marks Form</title>
</head>
<body>

<h2>Enter Marks</h2>

<form method="POST" action="/form">
<label>Maths:</label>
<input type="text" name="maths"><br><br>


<label>Physics:</label>
<input type="text" name="physics"><br><br>

<label>Chemistry:</label>
<input type="text" name="chemistry"><br><br>

<button type="submit">Calculate</button>
</form>

{% if score %}
<h3>Average Marks: {{ score }}</h3>
{% endif %}

</body>
</html>
```



The screenshot shows a web browser window with the address bar displaying "127.0.0.1:5000/form". The page title is "Enter Marks". The form contains three text input fields labeled "Maths:", "Physics:", and "Chemistry:". The values entered in the fields are 35, 37, and 76 respectively. Below the input fields is a button labeled "Calculate".

127.0.0.1:5000/fail/44

Person failed with score 44

127.0.0.1:5000/api/marks?maths=80&physics=70&chemistry=90

Pretty print ☐

```
{  
  "Chemistry": 90.0,  
  "Math": 80.0,  
  "Physics": 70.0,  
  "average": 80.0,  
  "result": "pass"  
}
```