Covid-19 Vaccination Campaign in Germany

The data used here were provided by Robert Koch Institute and the German federal ministry of Health.

These institutions publish the datasets and some analysis on the page impfdashboard.de.

Setup

Imports

In [1]:
```
# standard library
import datetime
import math
```

In [2]:
```
# third party
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import requests
import seaborn
```

Date this Notebook was run

In [3]:
```
today = datetime.datetime.today().strftime('%Y-%m-%d')
today
```

Out[3]:
```
'2021-07-25'
```

Set Defaults

In [4]:
```
# style like ggplot in R
plt.style.use('ggplot')
```

In [5]:
```
# Avoid cutting off part of the axis labels, see:
# https://stackoverflow.com/questions/6774086/why-is-my-xlabel-cut-off-in-my-matplotlib-plot
plt.rcParams.update({'figure.autolayout': True})
```

In [6]:
```
population_germany = 83_200_000
```

Get and Transform Data

In [7]:
```
vaccination_data_permalink = 'https://impfdashboard.de/static/data/germany_vaccinations_timeseries_v2.tsv'
vaccinations = pd.read_csv(
    vaccination_data_permalink,
    sep="\t")
```

Drop unnecessary / misleading columns

Columns with names starting with 'indikation_' will not be analyzed as the data providers stopped updating them.

In [8]:
```
cols_to_drop = vaccinations.columns[vaccinations.columns.str.contains('indikation_')]
vaccinations.drop(columns=cols_to_drop, inplace=True)
```

Some more columns can be dropped, as there is no interest in analyzing differences on a vaccine level - especially since in some cases vaccines were mixed.

In [9]:
```
more_cols_to_drop = ['dosen_biontech_erst_kumulativ', 'dosen_biontech_zweit_kumulativ',
                     'dosen_moderna_erst_kumulativ', 'dosen_moderna_zweit_kumulativ',
                     'dosen_astrazeneca_erst_kumulativ', 'dosen_astrazeneca_zweit_kumulativ']
vaccinations.drop(columns=more_cols_to_drop, inplace=True)
```

Some columns are labeled misleadingly. As stated by the data provider the columns `personen_erst_kumulativ` and `impf_quote_erst` contain people vaccinated with the Johnson & Johnson vaccine. As this requires only one shot. the same persons are included in `personen_voll_kumulativ` . Therefore more columns are dropped and recalculated later.

In [10]:
```
vaccinations.drop(columns=['impf_quote_erst', 'impf_quote_voll'], inplace=True)
```

Convert datatype of date column

In [11]:
```
vaccinations.iloc[ : , [0]] = vaccinations.iloc[ : , [0]].apply(pd.to_datetime)
```

Show Data

In [12]:
```
vaccinations.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 209 entries, 0 to 208
Data columns (total 15 columns):
 #   Column                           Non-Null Count  Dtype
---  ------                           --------------  -----
 0   date                             209 non-null    datetime64[ns]
 1   dosen_kumulativ                  209 non-null    int64
 2   dosen_differenz_zum_vortag       209 non-null    int64
 3   dosen_erst_differenz_zum_vortag  209 non-null    int64
 4   dosen_zweit_differenz_zum_vortag 209 non-null    int64
 5   dosen_biontech_kumulativ         209 non-null    int64
 6   dosen_moderna_kumulativ          209 non-null    int64
 7   dosen_astrazeneca_kumulativ      209 non-null    int64
 8   personen_erst_kumulativ          209 non-null    int64
 9   personen_voll_kumulativ          209 non-null    int64
 10  dosen_dim_kumulativ              209 non-null    int64
 11  dosen_kbv_kumulativ              209 non-null    int64
 12  dosen_johnson_kumulativ          209 non-null    int64
 13  dosen_erst_kumulativ             209 non-null    int64
 14  dosen_zweit_kumulativ            209 non-null    int64
dtypes: datetime64[ns](1), int64(14)
memory usage: 24.6 KB
```

In [13]:
```
vaccinations.tail(3)
```

Out[13]:

	date	dosen_kumulativ	dosen_differenz_zum_vortag	dosen_erst_differenz_zum_vortag	dosen_zweit_differenz_zum_vortag	dosen_biontech_kumulati
206	2021-07-21	87930757	732316	152890	579426	6523274
207	2021-07-22	88523131	592374	119282	473092	6575103
208	2021-07-23	89040601	517470	104892	412578	6619695

Check Validity

In [14]:
```
# get the last row / the newest available data
last_row = vaccinations.tail(1)
```

In [15]:
```
doses_used = last_row['dosen_kumulativ']
doses_used
```

Out[15]:
```
208    89040601
Name: dosen_kumulativ, dtype: int64
```

In [16]:
```
# The number of person having been vaccinated at least once, includes those fully vaccinated
at_least_once = last_row['personen_erst_kumulativ']
fully_vaccinated_people = last_row['personen_voll_kumulativ']
partially_vaccinated_people = at_least_once - fully_vaccinated_people
# The johnson & Johnson vaccine is the only one used in Germany that only needs a single shot:
johnson_doses = last_row['dosen_johnson_kumulativ']
```

In [17]:
```
# Must be exactly 0
doses_used - partially_vaccinated_people - (fully_vaccinated_people - johnson_doses) * 2 - johnson_doses ==  0
```

Out[17]:
```
208    True
dtype: bool
```

Calculate columns

In [18]:
```
vaccinations['partly vaccinated'] = round(
    (vaccinations['personen_erst_kumulativ'] - vaccinations['personen_voll_kumulativ']) * 100 / population_germany,
    2)
```

In [19]:
```
vaccinations['fully vaccinated'] = round(
    vaccinations['personen_voll_kumulativ'] * 100 / population_germany,
    2)
```

In [20]:
```
vaccinations.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 209 entries, 0 to 208
Data columns (total 17 columns):
 #   Column                            Non-Null Count  Dtype
---  ------                            --------------  -----
 0   date                              209 non-null    datetime64[ns]
 1   dosen_kumulativ                   209 non-null    int64
 2   dosen_differenz_zum_vortag        209 non-null    int64
 3   dosen_erst_differenz_zum_vortag   209 non-null    int64
 4   dosen_zweit_differenz_zum_vortag  209 non-null    int64
 5   dosen_biontech_kumulativ          209 non-null    int64
 6   dosen_moderna_kumulativ           209 non-null    int64
 7   dosen_astrazeneca_kumulativ       209 non-null    int64
 8   personen_erst_kumulativ           209 non-null    int64
 9   personen_voll_kumulativ           209 non-null    int64
 10  dosen_dim_kumulativ               209 non-null    int64
```

```
 11  dosen_kbv_kumulativ              209 non-null    int64
 12  dosen_johnson_kumulativ          209 non-null    int64
 13  dosen_erst_kumulativ             209 non-null    int64
 14  dosen_zweit_kumulativ            209 non-null    int64
 15  partly vaccinated                209 non-null    float64
 16  fully vaccinated                 209 non-null    float64
dtypes: datetime64[ns](1), float64(2), int64(14)
memory usage: 27.9 KB
```

In [21]:
```
vaccinations.tail(3)
```

Out[21]:

	date	dosen_kumulativ	dosen_differenz_zum_vortag	dosen_erst_differenz_zum_vortag	dosen_zweit_differenz_zum_vortag	dosen_biontech_kumulati
206	2021-07-21	87930757	732316	152890	579426	6523274
207	2021-07-22	88523131	592374	119282	473092	6575103
208	2021-07-23	89040601	517470	104892	412578	6619695

Last Update

Often the data is not updated on weekends, so get the highest date in the dataset.

In [22]:
```
last_update = vaccinations.loc[vaccinations.index[-1], "date"].strftime('%Y-%m-%d')
last_update
```

Out[22]:
```
'2021-07-23'
```

Doses Used

In [23]:
```
doses = vaccinations.loc[ : , ['date', 'dosen_differenz_zum_vortag']]
# Rename columns
doses.columns = ['date', 'doses used']
```

In [24]:
```
# Scale number of doses as millions
doses['doses used'] = doses['doses used'] / 1_000_000
```

Doses Daily

In [25]:
```
doses_daily = doses.set_index('date', inplace=False)
doses_daily.tail(1)
```

Out[25]:

	doses used
date	
2021-07-23	0.51747

In [26]:
```
# What is the highest number of doses used in a day?
max_doses_daily = max(doses_daily['doses used'])
max_doses_daily
```

Out[26]:
```
1.416883
```

In [27]:
```
doses_daily.plot(
    ylim=(0,math.ceil(max_doses_daily)),
    xlabel='Date',
    ylabel='Million Doses',
    title='VACCINATION DOSES PER DAY IN GERMANY')
```

Out[27]:
```
<AxesSubplot:title={'center':'VACCINATION DOSES PER DAY IN GERMANY'}, xlabel='Date', ylabel='Million Doses'>
```



Doses per Weekday (in the last 6 weeks)

In [28]:
```
last_6_weeks = doses.tail(42)
```

In [29]:
```
# Yields a warning, but exactly like the docs prescribe and it works
# https://pandas.pydata.org/docs/getting_started/intro_tutorials/05_add_columns.html
last_6_weeks['weekday'] = last_6_weeks['date'].dt.day_name()
```

```
<ipython-input-29-45013977109e>:3: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a
-view-versus-a-copy
  last_6_weeks['weekday'] = last_6_weeks['date'].dt.day_name()
```

In [30]:
```
# check:
last_6_weeks.tail(3)
```

Out[30]:

	date	doses used	weekday
206	2021-07-21	0.732316	Wednesday
207	2021-07-22	0.592374	Thursday
208	2021-07-23	0.517470	Friday

In [31]:
```
# drop the date column
last_6_weeks = last_6_weeks.drop(labels=['date'], axis=1)
```

In [32]:
```
#last_6_weeks.set_index('weekday', inplace=True)
last_6_weeks.tail(3)
```

Out[32]:

	doses used	weekday
206	0.732316	Wednesday
207	0.592374	Thursday
208	0.517470	Friday

In [33]:
```
pivot_table =last_6_weeks.pivot(columns='weekday', values='doses used')
pivot_table.tail()
```

Out[33]:

weekday	Friday	Monday	Saturday	Sunday	Thursday	Tuesday	Wednesday
204	NaN	0.373365	NaN	NaN	NaN	NaN	NaN
205	NaN	NaN	NaN	NaN	NaN	0.59202	NaN
206	NaN	NaN	NaN	NaN	NaN	NaN	0.732316
207	NaN	NaN	NaN	NaN	0.592374	NaN	NaN
208	0.51747	NaN	NaN	NaN	NaN	NaN	NaN

In [34]:

```
# Reorder the columns
pivot_table = pivot_table[['Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Sunday']]
# Rename the columns
pivot_table.columns=['Mo', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat', 'Sun']
pivot_table.tail()
```

Out[34]:

	Mo	Tue	Wed	Thu	Fri	Sat	Sun
204	0.373365	NaN	NaN	NaN	NaN	NaN	NaN
205	NaN	0.59202	NaN	NaN	NaN	NaN	NaN
206	NaN	NaN	0.732316	NaN	NaN	NaN	NaN
207	NaN	NaN	NaN	0.592374	NaN	NaN	NaN
208	NaN	NaN	NaN	NaN	0.51747	NaN	NaN

In [35]:

```
weekday_boxplot = pivot_table.boxplot()
```



In [36]:
```
fig = weekday_boxplot.get_figure()
fig.savefig('img/weekday_boxplot.png')
```

Doses per Week

In [37]:
```
# W-Mon in order to start the week on a Monday, see:
# https://pandas.pydata.org/pandas-docs/stable/user_guide/timeseries.html#anchored-offsets
doses_weekly = doses.groupby(pd.Grouper(key='date',freq='W-Mon')).sum()
doses_weekly.columns = ['million doses used']
doses_weekly.tail()
```

Out[37]:

date	million doses used
2021-06-28	5.656644
2021-07-05	4.936917
2021-07-12	4.384674
2021-07-19	3.971223
2021-07-26	2.434180

In [38]:
```
# What is the highest number of doses used in a week?
```

```
max_million_doses_weekly = max(doses_weekly['million doses used'])
max_million_doses_weekly
```

Out[38]: 6.07579

In [39]:
```
doses_weekly.plot(
    ylim=(0, math.ceil(max_million_doses_weekly)),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES PER WEEK IN GERMANY\n(until {last_update})")
```

Out[39]: <AxesSubplot:title={'center':'VACCINATION DOSES PER WEEK IN GERMANY\n(until 2021-07-23)'}, xlabel='Date', ylabel='Million Doses'>



Doses per Month

In [40]:
```
# M = month end frequency
doses_monthly = doses.groupby(pd.Grouper(key='date',freq='M')).sum()
doses_monthly.tail()
```

Out[40]:

	doses used
date	
2021-03-31	7.849483

date	doses used
2021-04-30	15.532625
2021-05-31	21.017219
2021-06-30	24.560918
2021-07-31	13.786779

In [41]:
```
max_doses_monthly = max(doses_monthly['doses used'])
max_doses_monthly
doses_monthly['month'] = doses_monthly.index.strftime('%B')
doses_monthly['year'] =  doses_monthly.index.strftime('%Y')
doses_monthly['label'] = doses_monthly['month'] + ' ' + doses_monthly['year']
doses_monthly.drop(columns=['month', 'year'], inplace=True)
doses_monthly.set_index('label', inplace=True)
doses_monthly.tail(6)
```

Out[41]:

label	doses used
February 2021	3.770298
March 2021	7.849483
April 2021	15.532625
May 2021	21.017219
June 2021	24.560918
July 2021	13.786779

In [42]:
```
monthly_plot = doses_monthly.plot.bar(
    ylim=(0,math.ceil(max_doses_monthly) + 1),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES PER MONTH IN GERMANY\n(including data for {last_update})")
```



In [43]:
```
fig = monthly_plot.get_figure()
fig.savefig('img/monthly_doses_germany.png')
```

Vaccination Campaign Progress

In [44]:
```
doses_cumulative = vaccinations.loc[ : , ['date', 'partly vaccinated', 'fully vaccinated']]
doses_cumulative.set_index('date', inplace=True)
doses_cumulative.tail(3)
```

Out[44]:

date	partly vaccinated	fully vaccinated
2021-07-21	12.45	47.99
2021-07-22	12.04	48.56
2021-07-23	11.69	49.06

In [45]:
```
doses_area_plot = doses_cumulative.plot.area(
    ylim=(0,100),
    xlabel='Date',
    ylabel='Percentage of population',
    title=f"Vaccination Campaign Progress in Germany\n(until {last_update})")
```



In [46]:
```
fig = doses_area_plot.get_figure()
fig.savefig('img/vaccinations_germany_area_plot.png')
```

As of Today

In [47]:
```
# get the last line of the data
current_state = doses_cumulative.iloc[-1]
current_state
```

Out[47]:
```
partly vaccinated    11.69
fully vaccinated     49.06
Name: 2021-07-23 00:00:00, dtype: float64
```

In [48]:
```
percentage_not_vacc = 100 - current_state['partly vaccinated'] - current_state['fully vaccinated']
labels = [f"not vaccinated ({round(percentage_not_vacc, 1)}%)",
          f"first dose ({round(current_state['partly vaccinated'], 1)}%)",
          f"fully vaccinated ({round(current_state['fully vaccinated'], 1)}%)"]
colors = ['red', 'yellow', 'green']
sizes = [percentage_not_vacc,
         current_state['partly vaccinated'],
         current_state['fully vaccinated']]
fig1, ax1 = plt.subplots()
ax1.pie(sizes, shadow=True, startangle=90)
ax1.axis('equal')  # Equal aspect ratio ensures that pie is drawn as a circle.
patches, texts = plt.pie(sizes, colors=colors, startangle=90)
```

```
plt.legend(patches, labels, loc="best")
plt.title(f"Vaccination Progress in Germany\nas of {last_update}")
# plt.savefig must be before show()
# BEWARE plt.savefig must be in the same Jupyter code cell that creates the graph!
# See comment by ijoseph here:
# https://stackoverflow.com/questions/9012487/matplotlib-pyplot-savefig-outputs-blank-image
plt.savefig('img/vaccination_in_germany_pie.png', bbox_inches='tight')
plt.show()
```



Vaccines in Use

In [49]:

```
vaccine_use = vaccinations.loc[ : , ['date', 'dosen_biontech_kumulativ',
                                     'dosen_moderna_kumulativ',
                                     'dosen_astrazeneca_kumulativ',
                                     'dosen_johnson_kumulativ']]
# Rename columns
vaccine_use.columns = ['date', 'BioNTech', 'Moderna', 'AstraZeneca', 'Johnson & Johnson']
# make 'date' an index
vaccine_use.set_index('date', inplace=True)
# divide columns by 1 million
vaccine_use["BioNTech"] = vaccine_use["BioNTech"] / 1_000_000
vaccine_use["Moderna"] = vaccine_use["Moderna"] / 1_000_000
vaccine_use["AstraZeneca"] = vaccine_use["AstraZeneca"] / 1_000_000
vaccine_use["Johnson & Johnson"] = vaccine_use["Johnson & Johnson"] / 1_000_000
vaccine_use.tail(3)
```

Out[49]:

date	BioNTech	Moderna	AstraZeneca	Johnson & Johnson
2021-07-21	65.232746	8.071006	12.339353	2.287652
2021-07-22	65.751039	8.113745	12.358084	2.300263
2021-07-23	66.196958	8.152654	12.376166	2.314823

In [50]:
```
vaccines_used = vaccine_use.plot(
    # as it is cumulative, the last row must contain the single highest number
    ylim=(0,math.ceil(max(vaccine_use.iloc[-1]))+10),
    xlabel='Date',
    ylabel='Million Doses (cumulative)',
    title=f"VACCINES USED IN GERMANY\n(until {last_update})")
```



In [51]:
```
fig = vaccines_used.get_figure()
fig.savefig('img/vaccines_used_in_germany.png')
```

Vaccination Centers versus Doctor’s Practices

In [52]:
```
by_place = vaccinations.loc[ : , ['date', 'dosen_dim_kumulativ', 'dosen_kbv_kumulativ']]
```

```
by_place.columns = ['date', 'vaccination centers', 'practices']
```

In [53]:
```
by_place['vaccination centers daily'] = by_place['vaccination centers'].diff()
by_place['practices daily'] = by_place['practices'].diff()
```

In [54]:
```
by_place['percentage practices'] =  round(
    by_place['practices daily'] * 100 /
    (by_place['vaccination centers daily'] + by_place['practices daily']), 2)

by_place['percentage centers'] = 100 - by_place['percentage practices']
```

In [55]:
```
# make 'date' an index
by_place.set_index('date', inplace=True)
```

In [56]:
```
by_place
```

Out[56]:

date	vaccination centers	practices	vaccination centers daily	practices daily	percentage practices	percentage centers
2020-12-27	24099	0	NaN	NaN	NaN	NaN
2020-12-28	42066	0	17967.0	0.0	0.00	100.00
2020-12-29	92091	0	50025.0	0.0	0.00	100.00
2020-12-30	155579	0	63488.0	0.0	0.00	100.00
2020-12-31	205273	0	49694.0	0.0	0.00	100.00
...	...	...	...	...	...	...
2021-07-19	52899288	33592649	191324.0	180026.0	48.48	51.52
2021-07-20	53109196	33970767	209908.0	378118.0	64.30	35.70
2021-07-21	53330118	34477235	220922.0	506468.0	69.63	30.37
2021-07-22	53537376	34857754	207258.0	380519.0	64.74	35.26
2021-07-23	53723994	35185498	186618.0	327744.0	63.72	36.28

209 rows × 6 columns

In [57]:
```
share = by_place.loc[ : , ['percentage centers', 'percentage practices']]
```

In [58]:
```
vacc_shares = share.plot(
    # as it is cumulative, the last row must contain the single highest number
    ylim=(0, 105),  # above 100 to see the line
    xlabel='Date',
    ylabel='Percentage of Vaccinations',
    title=f"Place of Vaccination in Germany\n(until {last_update})")
```



In [59]:
```
fig = vacc_shares.get_figure()
fig.savefig('img/vaccinations_germany_by_place.png')
```

Other units of Time

In [60]:
```
by_place_daily = by_place.loc[ : , ['vaccination centers daily', 'practices daily']]
by_place_daily.columns = ['vaccination centers', 'practices']
by_place_daily.reset_index(inplace=True)
```

Monthly

In [61]:
```
by_place_monthly = by_place_daily.groupby(pd.Grouper(key='date',freq='M')).sum()
by_place_monthly.tail()
```

Out[61]:

date	vaccination centers	practices

date	vaccination centers	practices
2021-03-31	7783249.0	66234.0
2021-04-30	10203485.0	5329140.0
2021-05-31	11533631.0	9483588.0
2021-06-30	11679334.0	12819000.0
2021-07-31	6230718.0	7487536.0

Scale:

In [62]:
```
by_place_monthly['vaccination centers'] = by_place_monthly['vaccination centers'] / 1_000_000
by_place_monthly['practices'] = by_place_monthly['practices'] / 1_000_000
```

Rename the columns

In [63]:
```
by_place_monthly['month'] = by_place_monthly.index.strftime('%B')
by_place_monthly['year'] =  by_place_monthly.index.strftime('%Y')
by_place_monthly['label'] = by_place_monthly['month'] + ' ' + by_place_monthly['year']
by_place_monthly.drop(columns=['month', 'year'], inplace=True)
by_place_monthly.set_index('label', inplace=True)
by_place_monthly.tail(6)
```

Out[63]:

label	vaccination centers	practices
February 2021	3.770298	0.000000
March 2021	7.783249	0.066234
April 2021	10.203485	5.329140
May 2021	11.533631	9.483588
June 2021	11.679334	12.819000
July 2021	6.230718	7.487536

In [64]:
```
monthly_plot = by_place_monthly.plot.bar(
    stacked=True,
```

```
    ylim=(0, 25),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES BY PLACE IN GERMANY\n(including data for {last_update})")
```



In [65]:
```
fig = monthly_plot.get_figure()
fig.savefig('img/monthly_doses_by_place_germany.png')
```