Covid-19 Vaccination Campaign in Germany

The data used here were provided by Robert Koch Institute and the German federal ministry of Health.

These institutions publish the datasets and some analysis on the page impfdashboard.de.

Setup

Imports

In [1]:
```
# standard library
import datetime
import math
```

In [2]:
```
# third party
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import requests
import seaborn
```

Date this Notebook was run

In [3]:
```
today = datetime.datetime.today().strftime('%Y-%m-%d')
today
```

Out[3]:
```
'2021-08-16'
```

Set Defaults

In [4]:
```
# style like ggplot in R
plt.style.use('ggplot')
```

In [5]:
```
# Avoid cutting off part of the axis labels, see:
# https://stackoverflow.com/questions/6774086/why-is-my-xlabel-cut-off-in-my-matplotlib-plot
plt.rcParams.update({'figure.autolayout': True})
```

In [6]:
```
population_germany = 83_200_000
```

Get and Transform Data

In [7]:
```
vaccination_data_permalink = 'https://impfdashboard.de/static/data/germany_vaccinations_timeseries_v2.tsv'
vaccinations = pd.read_csv(
    vaccination_data_permalink,
    sep="\t")
```

Drop unnecessary / misleading columns

Columns with names starting with 'indikation_' will not be analyzed as the data providers stopped updating them.

In [8]:
```
cols_to_drop = vaccinations.columns[vaccinations.columns.str.contains('indikation_')]
vaccinations.drop(columns=cols_to_drop, inplace=True)
```

Some more columns can be dropped, as there is no interest in analyzing differences on a vaccine level - especially since in some cases vaccines were mixed.

In [9]:
```
more_cols_to_drop = ['dosen_biontech_erst_kumulativ', 'dosen_biontech_zweit_kumulativ',
                     'dosen_moderna_erst_kumulativ', 'dosen_moderna_zweit_kumulativ',
                     'dosen_astrazeneca_erst_kumulativ', 'dosen_astrazeneca_zweit_kumulativ']
vaccinations.drop(columns=more_cols_to_drop, inplace=True)
```

Some columns are labeled misleadingly. As stated by the data provider the columns `personen_erst_kumulativ` and `impf_quote_erst` contain people vaccinated with the Johnson & Johnson vaccine. As this requires only one shot. the same persons are included in `personen_voll_kumulativ` . Therefore more columns are dropped and recalculated later.

In [10]:
```
vaccinations.drop(columns=['impf_quote_erst', 'impf_quote_voll'], inplace=True)
```

Convert datatype of date column

In [11]:
```
vaccinations.iloc[ : , [0]] = vaccinations.iloc[ : , [0]].apply(pd.to_datetime)
```

Show Data

In [12]:
```
vaccinations.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 232 entries, 0 to 231
Data columns (total 15 columns):
 #   Column                          Non-Null Count  Dtype
---  ------                          --------------  -----
 0   date                            232 non-null    datetime64[ns]
 1   dosen_kumulativ                 232 non-null    int64
 2   dosen_differenz_zum_vortag      232 non-null    int64
 3   dosen_erst_differenz_zum_vortag 232 non-null    int64
 4   dosen_zweit_differenz_zum_vortag 232 non-null   int64
 5   dosen_biontech_kumulativ        232 non-null    int64
 6   dosen_moderna_kumulativ         232 non-null    int64
 7   dosen_astrazeneca_kumulativ     232 non-null    int64
 8   personen_erst_kumulativ         232 non-null    int64
 9   personen_voll_kumulativ         232 non-null    int64
 10  dosen_dim_kumulativ             232 non-null    int64
 11  dosen_kbv_kumulativ             232 non-null    int64
 12  dosen_johnson_kumulativ         232 non-null    int64
 13  dosen_erst_kumulativ            232 non-null    int64
 14  dosen_zweit_kumulativ           232 non-null    int64
dtypes: datetime64[ns](1), int64(14)
memory usage: 27.3 KB
```

In [13]:
```
vaccinations.tail(3)
```

Out[13]:

	date	dosen_kumulativ	dosen_differenz_zum_vortag	dosen_erst_differenz_zum_vortag	dosen_zweit_differenz_zum_vortag	dosen_biontech_kumulati
229	2021-08-13	97309930	404192	89842	314350	7316561
230	2021-08-14	97492195	182265	46369	135896	7330373
231	2021-08-15	97582764	90569	22909	67660	7337209

Check Validity

In [14]:
```
# get the last row / the newest available data
last_row = vaccinations.tail(1)
```

In [15]:
```
doses_used = last_row['dosen_kumulativ']
doses_used
```

Out[15]:
```
231    97582764
Name: dosen_kumulativ, dtype: int64
```

In [16]:
```
# The number of person having been vaccinated at least once, includes those fully vaccinated
at_least_once = last_row['personen_erst_kumulativ']
fully_vaccinated_people = last_row['personen_voll_kumulativ']
partially_vaccinated_people = at_least_once - fully_vaccinated_people
# The johnson & Johnson vaccine is the only one used in Germany that only needs a single shot:
johnson_doses = last_row['dosen_johnson_kumulativ']
```

In [17]:
```
# Must be exactly 0
doses_used - partially_vaccinated_people - (fully_vaccinated_people - johnson_doses) * 2 - johnson_doses ==  0
```

Out[17]:
```
231    True
dtype: bool
```

Calculate columns

In [18]:
```
vaccinations['partly vaccinated'] = round(
    (vaccinations['personen_erst_kumulativ'] - vaccinations['personen_voll_kumulativ']) * 100 / population_germany,
    2)
```

In [19]:
```
vaccinations['fully vaccinated'] = round(
    vaccinations['personen_voll_kumulativ'] * 100 / population_germany,
    2)
```

In [20]:
```
vaccinations.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 232 entries, 0 to 231
Data columns (total 17 columns):
 #   Column                            Non-Null Count  Dtype
---  ------                            --------------  -----
 0   date                              232 non-null    datetime64[ns]
 1   dosen_kumulativ                   232 non-null    int64
 2   dosen_differenz_zum_vortag        232 non-null    int64
 3   dosen_erst_differenz_zum_vortag   232 non-null    int64
 4   dosen_zweit_differenz_zum_vortag  232 non-null    int64
 5   dosen_biontech_kumulativ          232 non-null    int64
 6   dosen_moderna_kumulativ           232 non-null    int64
 7   dosen_astrazeneca_kumulativ       232 non-null    int64
 8   personen_erst_kumulativ           232 non-null    int64
 9   personen_voll_kumulativ           232 non-null    int64
 10  dosen_dim_kumulativ               232 non-null    int64
```

```
 11  dosen_kbv_kumulativ              232 non-null    int64
 12  dosen_johnson_kumulativ          232 non-null    int64
 13  dosen_erst_kumulativ             232 non-null    int64
 14  dosen_zweit_kumulativ            232 non-null    int64
 15  partly vaccinated                232 non-null    float64
 16  fully vaccinated                 232 non-null    float64
dtypes: datetime64[ns](1), float64(2), int64(14)
memory usage: 30.9 KB
```

In [21]:
```
vaccinations.tail(3)
```

Out[21]:

	date	dosen_kumulativ	dosen_differenz_zum_vortag	dosen_erst_differenz_zum_vortag	dosen_zweit_differenz_zum_vortag	dosen_biontech_kumulati
229	2021-08-13	97309930	404192	89842	314350	7316561
230	2021-08-14	97492195	182265	46369	135896	7330373
231	2021-08-15	97582764	90569	22909	67660	7337209

Last Update

Often the data is not updated on weekends, so get the highest date in the dataset.

In [22]:
```
last_update = vaccinations.loc[vaccinations.index[-1], "date"].strftime('%Y-%m-%d')
last_update
```

Out[22]:
```
'2021-08-15'
```

Doses Used

In [23]:
```
doses = vaccinations.loc[ : , ['date', 'dosen_differenz_zum_vortag']]
# Rename columns
doses.columns = ['date', 'doses used']
```

In [24]:
```
# Scale number of doses as millions
doses['doses used'] = doses['doses used'] / 1_000_000
```

Doses Daily

In [25]:
```
doses_daily = doses.set_index('date', inplace=False)
doses_daily.tail(1)
```

Out[25]:

date	doses used
2021-08-15	0.090569

In [26]:
```
# What is the highest number of doses used in a day?
max_doses_daily = max(doses_daily['doses used'])
max_doses_daily
```

Out[26]:
```
1.423411
```

In [27]:
```
doses_daily.plot(
    ylim=(0,math.ceil(max_doses_daily)),
    xlabel='Date',
    ylabel='Million Doses',
    title='VACCINATION DOSES PER DAY IN GERMANY')
```

Out[27]:
```
<AxesSubplot:title={'center':'VACCINATION DOSES PER DAY IN GERMANY'}, xlabel='Date', ylabel='Million Doses'>
```



Doses per Weekday (in the last 6 weeks)

In [28]:
```
last_6_weeks = doses.tail(42)
```

In [29]:
```
# Yields a warning, but exactly like the docs prescribe and it works
# https://pandas.pydata.org/docs/getting_started/intro_tutorials/05_add_columns.html
last_6_weeks['weekday'] = last_6_weeks['date'].dt.day_name()
```

```
<ipython-input-29-45013977109e>:3: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a
-view-versus-a-copy
  last_6_weeks['weekday'] = last_6_weeks['date'].dt.day_name()
```

In [30]:
```
# check:
last_6_weeks.tail(3)
```

Out[30]:

	date	doses used	weekday
229	2021-08-13	0.404192	Friday
230	2021-08-14	0.182265	Saturday
231	2021-08-15	0.090569	Sunday

In [31]:
```
# drop the date column
last_6_weeks = last_6_weeks.drop(labels=['date'], axis=1)
```

In [32]:
```
#last_6_weeks.set_index('weekday', inplace=True)
last_6_weeks.tail(3)
```

Out[32]:

	doses used	weekday
229	0.404192	Friday
230	0.182265	Saturday
231	0.090569	Sunday

In [33]:
```
pivot_table =last_6_weeks.pivot(columns='weekday', values='doses used')
pivot_table.tail()
```

Out[33]:

weekday	Friday	Monday	Saturday	Sunday	Thursday	Tuesday	Wednesday
227	NaN	NaN	NaN	NaN	NaN	NaN	0.532551
228	NaN	NaN	NaN	NaN	0.459304	NaN	NaN
229	0.404192	NaN	NaN	NaN	NaN	NaN	NaN
230	NaN	NaN	0.182265	NaN	NaN	NaN	NaN
231	NaN	NaN	NaN	0.090569	NaN	NaN	NaN

In [34]:

```
# Reorder the columns
pivot_table = pivot_table[['Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Sunday']]
# Rename the columns
pivot_table.columns=['Mo', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat', 'Sun']
pivot_table.tail()
```

Out[34]:

	Mo	Tue	Wed	Thu	Fri	Sat	Sun
227	NaN	NaN	0.532551	NaN	NaN	NaN	NaN
228	NaN	NaN	NaN	0.459304	NaN	NaN	NaN
229	NaN	NaN	NaN	NaN	0.404192	NaN	NaN
230	NaN	NaN	NaN	NaN	NaN	0.182265	NaN
231	NaN	NaN	NaN	NaN	NaN	NaN	0.090569

In [35]:

```
weekday_boxplot = pivot_table.boxplot()
```



In [36]:
```
fig = weekday_boxplot.get_figure()
fig.savefig('img/weekday_boxplot.png')
```

Doses per Week

In [37]:
```
# W-Mon in order to start the week on a Monday, see:
# https://pandas.pydata.org/pandas-docs/stable/user_guide/timeseries.html#anchored-offsets
doses_weekly = doses.groupby(pd.Grouper(key='date',freq='W-Mon')).sum()
doses_weekly.columns = ['million doses used']
doses_weekly.tail()
```

Out[37]:

date	million doses used
2021-07-19	4.011470
2021-07-26	3.210873
2021-08-02	2.894774
2021-08-09	2.554762
2021-08-16	2.091906

In [38]:
```
# What is the highest number of doses used in a week?
```

```
max_million_doses_weekly = max(doses_weekly['million doses used'])
max_million_doses_weekly
```

Out[38]: 6.103273

In [39]:
```
doses_weekly.plot(
    ylim=(0, math.ceil(max_million_doses_weekly)),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES PER WEEK IN GERMANY\n(until {last_update})")
```

Out[39]: <AxesSubplot:title={'center':'VACCINATION DOSES PER WEEK IN GERMANY\n(until 2021-08-15)'}, xlabel='Date', ylabel='Million Doses'>



Doses per Month

In [40]:
```
# M = month end frequency
doses_monthly = doses.groupby(pd.Grouper(key='date',freq='M')).sum()
doses_monthly.tail()
```

Out[40]:

	doses used
date	
2021-04-30	15.537333

date	doses used
2021-05-31	21.026157
2021-06-30	24.675613
2021-07-31	17.140748
2021-08-31	5.053090

In [41]:
```
max_doses_monthly = max(doses_monthly['doses used'])
max_doses_monthly
doses_monthly['month'] = doses_monthly.index.strftime('%B')
doses_monthly['year'] =  doses_monthly.index.strftime('%Y')
doses_monthly['label'] = doses_monthly['month'] + ' ' + doses_monthly['year']
doses_monthly.drop(columns=['month', 'year'], inplace=True)
doses_monthly.set_index('label', inplace=True)
doses_monthly.tail(6)
```

Out[41]:

label	doses used
March 2021	7.851213
April 2021	15.537333
May 2021	21.026157
June 2021	24.675613
July 2021	17.140748
August 2021	5.053090

In [42]:
```
monthly_plot = doses_monthly.plot.bar(
    ylim=(0,math.ceil(max_doses_monthly) + 1),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES PER MONTH IN GERMANY\n(including data for {last_update})")
```



In [43]:
```
fig = monthly_plot.get_figure()
fig.savefig('img/monthly_doses_germany.png')
```

Vaccination Campaign Progress

In [44]:
```
doses_cumulative = vaccinations.loc[ : , ['date', 'partly vaccinated', 'fully vaccinated']]
doses_cumulative.set_index('date', inplace=True)
doses_cumulative.tail(3)
```

Out[44]:

date	partly vaccinated	fully vaccinated
2021-08-13	6.13	56.97
2021-08-14	6.03	57.13
2021-08-15	5.99	57.22

In [45]:
```
doses_area_plot = doses_cumulative.plot.area(
    ylim=(0,100),
    xlabel='Date',
    ylabel='Percentage of population',
    title=f"Vaccination Campaign Progress in Germany\n(until {last_update})")
```



In [46]:
```
fig = doses_area_plot.get_figure()
fig.savefig('img/vaccinations_germany_area_plot.png')
```

As of Today

In [47]:
```
# get the last line of the data
current_state = doses_cumulative.iloc[-1]
current_state
```

Out[47]:
```
partly vaccinated     5.99
fully vaccinated     57.22
Name: 2021-08-15 00:00:00, dtype: float64
```

In [48]:
```
percentage_not_vacc = 100 - current_state['partly vaccinated'] - current_state['fully vaccinated']
labels = [f"not vaccinated ({round(percentage_not_vacc, 1)}%)",
          f"first dose ({round(current_state['partly vaccinated'], 1)}%)",
          f"fully vaccinated ({round(current_state['fully vaccinated'], 1)}%)"]
colors = ['red', 'yellow', 'green']
sizes = [percentage_not_vacc,
         current_state['partly vaccinated'],
         current_state['fully vaccinated']]
fig1, ax1 = plt.subplots()
ax1.pie(sizes, shadow=True, startangle=90)
ax1.axis('equal')  # Equal aspect ratio ensures that pie is drawn as a circle.
patches, texts = plt.pie(sizes, colors=colors, startangle=90)
```

```
plt.legend(patches, labels, loc="best")
plt.title(f"Vaccination Progress in Germany\nas of {last_update}")
# plt.savefig must be before show()
# BEWARE plt.savefig must be in the same Jupyter code cell that creates the graph!
# See comment by ijoseph here:
# https://stackoverflow.com/questions/9012487/matplotlib-pyplot-savefig-outputs-blank-image
plt.savefig('img/vaccination_in_germany_pie.png', bbox_inches='tight')
plt.show()
```



Vaccines in Use

In [49]:
```
vaccine_use = vaccinations.loc[ : , ['date', 'dosen_biontech_kumulativ',
                                     'dosen_moderna_kumulativ',
                                     'dosen_astrazeneca_kumulativ',
                                     'dosen_johnson_kumulativ']]
# Rename columns
vaccine_use.columns = ['date', 'BioNTech', 'Moderna', 'AstraZeneca', 'Johnson & Johnson']
# make 'date' an index
vaccine_use.set_index('date', inplace=True)
# divide columns by 1 million
vaccine_use["BioNTech"] = vaccine_use["BioNTech"] / 1_000_000
vaccine_use["Moderna"] = vaccine_use["Moderna"] / 1_000_000
vaccine_use["AstraZeneca"] = vaccine_use["AstraZeneca"] / 1_000_000
vaccine_use["Johnson & Johnson"] = vaccine_use["Johnson & Johnson"] / 1_000_000
vaccine_use.tail(3)
```

Out[49]:

date	BioNTech	Moderna	AstraZeneca	Johnson & Johnson
2021-08-13	73.165618	8.971334	12.585308	2.587670
2021-08-14	73.303734	9.002477	12.586668	2.599316
2021-08-15	73.372095	9.019188	12.587308	2.604173

In [50]:
```
vaccines_used = vaccine_use.plot(
    # as it is cumulative, the last row must contain the single highest number
    ylim=(0,math.ceil(max(vaccine_use.iloc[-1]))+10),
    xlabel='Date',
    ylabel='Million Doses (cumulative)',
    title=f"VACCINES USED IN GERMANY\n(until {last_update})")
```



In [51]:
```
fig = vaccines_used.get_figure()
fig.savefig('img/vaccines_used_in_germany.png')
```

Vaccination Centers versus Doctor’s Practices

In [52]:
```
by_place = vaccinations.loc[ : , ['date', 'dosen_dim_kumulativ', 'dosen_kbv_kumulativ']]
```

```
by_place.columns = ['date', 'vaccination centers', 'practices']
```

In [53]:
```
by_place['vaccination centers daily'] = by_place['vaccination centers'].diff()
by_place['practices daily'] = by_place['practices'].diff()
```

In [54]:
```
by_place['percentage practices'] =  round(
    by_place['practices daily'] * 100 /
    (by_place['vaccination centers daily'] + by_place['practices daily']), 2)

by_place['percentage centers'] = 100 - by_place['percentage practices']
```

In [55]:
```
# make 'date' an index
by_place.set_index('date', inplace=True)
```

In [56]:
```
by_place
```

Out[56]:

date	vaccination centers	practices	vaccination centers daily	practices daily	percentage practices	percentage centers
2020-12-27	24089	0	NaN	NaN	NaN	NaN
2020-12-28	42081	0	17992.0	0.0	0.00	100.00
2020-12-29	92094	0	50013.0	0.0	0.00	100.00
2020-12-30	155587	0	63493.0	0.0	0.00	100.00
2020-12-31	205277	0	49690.0	0.0	0.00	100.00
...	...	...	...	...	...	...
2021-08-11	57466006	38807109	218811.0	310364.0	58.65	41.35
2021-08-12	57670955	39058964	204949.0	251855.0	55.13	44.87
2021-08-13	57881169	39251353	210214.0	192389.0	47.79	52.21
2021-08-14	58044403	39269532	163234.0	18179.0	10.02	89.98
2021-08-15	58126785	39277544	82382.0	8012.0	8.86	91.14

232 rows × 6 columns

In [57]:
```
share = by_place.loc[ : , ['percentage centers', 'percentage practices']]
```

In [58]:
```
vacc_shares = share.plot(
    # as it is cumulative, the last row must contain the single highest number
    ylim=(0, 105),  # above 100 to see the line
    xlabel='Date',
    ylabel='Percentage of Vaccinations',
    title=f"Place of Vaccination in Germany\n(until {last_update})")
```



In [59]:
```
fig = vacc_shares.get_figure()
fig.savefig('img/vaccinations_germany_by_place.png')
```

Other units of Time

In [60]:
```
by_place_daily = by_place.loc[ : , ['vaccination centers daily', 'practices daily']]
by_place_daily.columns = ['vaccination centers', 'practices']
by_place_daily.reset_index(inplace=True)
```

Monthly

In [61]:
```
by_place_monthly = by_place_daily.groupby(pd.Grouper(key='date',freq='M')).sum()
by_place_monthly.tail()
```

Out[61]:

date	vaccination centers	practices

date	vaccination centers	practices
2021-04-30	10208193.0	5329140.0
2021-05-31	11542569.0	9483588.0
2021-06-30	11794029.0	12819000.0
2021-07-31	7893850.0	9158395.0
2021-08-31	2604555.0	2421187.0

Scale:

In [62]:
```
by_place_monthly['vaccination centers'] = by_place_monthly['vaccination centers'] / 1_000_000
by_place_monthly['practices'] = by_place_monthly['practices'] / 1_000_000
```

Rename the columns

In [63]:
```
by_place_monthly['month'] = by_place_monthly.index.strftime('%B')
by_place_monthly['year'] =  by_place_monthly.index.strftime('%Y')
by_place_monthly['label'] = by_place_monthly['month'] + ' ' + by_place_monthly['year']
by_place_monthly.drop(columns=['month', 'year'], inplace=True)
by_place_monthly.set_index('label', inplace=True)
by_place_monthly.tail(6)
```

Out[63]:

label	vaccination centers	practices
March 2021	7.784979	0.066234
April 2021	10.208193	5.329140
May 2021	11.542569	9.483588
June 2021	11.794029	12.819000
July 2021	7.893850	9.158395
August 2021	2.604555	2.421187

In [64]:
```
monthly_plot = by_place_monthly.plot.bar(
    stacked=True,
```

```
    ylim=(0, 25),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES BY PLACE IN GERMANY\n(including data for {last_update})")
```



In [65]:
```
fig = monthly_plot.get_figure()
fig.savefig('img/monthly_doses_by_place_germany.png')
```