Covid-19 Vaccination Campaign in Germany

The data used here were provided by Robert Koch Institute and the German federal ministry of Health.

These institutions publish the datasets and some analysis on the page impfdashboard.de.

Setup

Imports

In [1]:
```
# standard library
import datetime
import math
```

In [2]:
```
# third party
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import requests
import seaborn
```

Date this Notebook was run

In [3]:
```
today = datetime.datetime.today().strftime('%Y-%m-%d')
today
```

Out[3]:
```
'2021-07-26'
```

Set Defaults

In [4]:
```
# style like ggplot in R
plt.style.use('ggplot')
```

In [5]:
```
# Avoid cutting off part of the axis labels, see:
# https://stackoverflow.com/questions/6774086/why-is-my-xlabel-cut-off-in-my-matplotlib-plot
plt.rcParams.update({'figure.autolayout': True})
```

In [6]:
```
population_germany = 83_200_000
```

Get and Transform Data

In [7]:
```
vaccination_data_permalink = 'https://impfdashboard.de/static/data/germany_vaccinations_timeseries_v2.tsv'
vaccinations = pd.read_csv(
    vaccination_data_permalink,
    sep="\t")
```

Drop unnecessary / misleading columns

Columns with names starting with 'indikation_' will not be analyzed as the data providers stopped updating them.

In [8]:
```
cols_to_drop = vaccinations.columns[vaccinations.columns.str.contains('indikation_')]
vaccinations.drop(columns=cols_to_drop, inplace=True)
```

Some more columns can be dropped, as there is no interest in analyzing differences on a vaccine level - especially since in some cases vaccines were mixed.

In [9]:
```
more_cols_to_drop = ['dosen_biontech_erst_kumulativ', 'dosen_biontech_zweit_kumulativ',
                     'dosen_moderna_erst_kumulativ', 'dosen_moderna_zweit_kumulativ',
                     'dosen_astrazeneca_erst_kumulativ', 'dosen_astrazeneca_zweit_kumulativ']
vaccinations.drop(columns=more_cols_to_drop, inplace=True)
```

Some columns are labeled misleadingly. As stated by the data provider the columns `personen_erst_kumulativ` and `impf_quote_erst` contain people vaccinated with the Johnson & Johnson vaccine. As this requires only one shot. the same persons are included in `personen_voll_kumulativ` . Therefore more columns are dropped and recalculated later.

In [10]:
```
vaccinations.drop(columns=['impf_quote_erst', 'impf_quote_voll'], inplace=True)
```

Convert datatype of date column

In [11]:
```
vaccinations.iloc[ : , [0]] = vaccinations.iloc[ : , [0]].apply(pd.to_datetime)
```

Show Data

In [12]:
```
vaccinations.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 211 entries, 0 to 210
Data columns (total 15 columns):
 #   Column                          Non-Null Count  Dtype
---  ------                          --------------  -----
 0   date                            211 non-null    datetime64[ns]
 1   dosen_kumulativ                 211 non-null    int64
 2   dosen_differenz_zum_vortag      211 non-null    int64
 3   dosen_erst_differenz_zum_vortag 211 non-null    int64
 4   dosen_zweit_differenz_zum_vortag 211 non-null   int64
 5   dosen_biontech_kumulativ        211 non-null    int64
 6   dosen_moderna_kumulativ         211 non-null    int64
 7   dosen_astrazeneca_kumulativ     211 non-null    int64
 8   personen_erst_kumulativ         211 non-null    int64
 9   personen_voll_kumulativ         211 non-null    int64
 10  dosen_dim_kumulativ             211 non-null    int64
 11  dosen_kbv_kumulativ             211 non-null    int64
 12  dosen_johnson_kumulativ         211 non-null    int64
 13  dosen_erst_kumulativ            211 non-null    int64
 14  dosen_zweit_kumulativ           211 non-null    int64
dtypes: datetime64[ns](1), int64(14)
memory usage: 24.9 KB
```

In [13]:
```
vaccinations.tail(3)
```

Out[13]:

	date	dosen_kumulativ	dosen_differenz_zum_vortag	dosen_erst_differenz_zum_vortag	dosen_zweit_differenz_zum_vortag	dosen_biontech_kumulati
208	2021-07-23	89069980	537767	109790	427977	6622124
209	2021-07-24	89267881	197901	49946	147955	6636611
210	2021-07-25	89387257	119376	30671	88705	6644752

Check Validity

In [14]:
```
# get the last row / the newest available data
last_row = vaccinations.tail(1)
```

In [15]:
```
doses_used = last_row['dosen_kumulativ']
doses_used
```

Out[15]:
```
210    89387257
Name: dosen_kumulativ, dtype: int64
```

In [16]:
```
# The number of person having been vaccinated at least once, includes those fully vaccinated
at_least_once = last_row['personen_erst_kumulativ']
fully_vaccinated_people = last_row['personen_voll_kumulativ']
partially_vaccinated_people = at_least_once - fully_vaccinated_people
# The johnson & Johnson vaccine is the only one used in Germany that only needs a single shot:
johnson_doses = last_row['dosen_johnson_kumulativ']
```

In [17]:
```
# Must be exactly 0
doses_used - partially_vaccinated_people - (fully_vaccinated_people - johnson_doses) * 2 - johnson_doses ==  0
```

Out[17]:
```
210    True
dtype: bool
```

Calculate columns

In [18]:
```
vaccinations['partly vaccinated'] = round(
    (vaccinations['personen_erst_kumulativ'] - vaccinations['personen_voll_kumulativ']) * 100 / population_germany,
    2)
```

In [19]:
```
vaccinations['fully vaccinated'] = round(
    vaccinations['personen_voll_kumulativ'] * 100 / population_germany,
    2)
```

In [20]:
```
vaccinations.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 211 entries, 0 to 210
Data columns (total 17 columns):
 #   Column                            Non-Null Count  Dtype
---  ------                            --------------  -----
 0   date                              211 non-null    datetime64[ns]
 1   dosen_kumulativ                   211 non-null    int64
 2   dosen_differenz_zum_vortag        211 non-null    int64
 3   dosen_erst_differenz_zum_vortag   211 non-null    int64
 4   dosen_zweit_differenz_zum_vortag  211 non-null    int64
 5   dosen_biontech_kumulativ          211 non-null    int64
 6   dosen_moderna_kumulativ           211 non-null    int64
 7   dosen_astrazeneca_kumulativ       211 non-null    int64
 8   personen_erst_kumulativ           211 non-null    int64
 9   personen_voll_kumulativ           211 non-null    int64
 10  dosen_dim_kumulativ               211 non-null    int64
```

```
 11  dosen_kbv_kumulativ              211 non-null    int64
 12  dosen_johnson_kumulativ          211 non-null    int64
 13  dosen_erst_kumulativ             211 non-null    int64
 14  dosen_zweit_kumulativ            211 non-null    int64
 15  partly vaccinated                211 non-null    float64
 16  fully vaccinated                 211 non-null    float64
dtypes: datetime64[ns](1), float64(2), int64(14)
memory usage: 28.1 KB
```

In [21]:
```
vaccinations.tail(3)
```

Out[21]:

	date	dosen_kumulativ	dosen_differenz_zum_vortag	dosen_erst_differenz_zum_vortag	dosen_zweit_differenz_zum_vortag	dosen_biontech_kumulati
208	2021-07-23	89069980	537767	109790	427977	6622124
209	2021-07-24	89267881	197901	49946	147955	6636611
210	2021-07-25	89387257	119376	30671	88705	6644752

Last Update

Often the data is not updated on weekends, so get the highest date in the dataset.

In [22]:
```
last_update = vaccinations.loc[vaccinations.index[-1], "date"].strftime('%Y-%m-%d')
last_update
```

Out[22]:
```
'2021-07-25'
```

Doses Used

In [23]:
```
doses = vaccinations.loc[ : , ['date', 'dosen_differenz_zum_vortag']]
# Rename columns
doses.columns = ['date', 'doses used']
```

In [24]:
```
# Scale number of doses as millions
doses['doses used'] = doses['doses used'] / 1_000_000
```

Doses Daily

In [25]:
```
doses_daily = doses.set_index('date', inplace=False)
doses_daily.tail(1)
```

Out[25]:

date	doses used
2021-07-25	0.119376

In [26]:
```
# What is the highest number of doses used in a day?
max_doses_daily = max(doses_daily['doses used'])
max_doses_daily
```

Out[26]:
```
1.416949
```

In [27]:
```
doses_daily.plot(
    ylim=(0,math.ceil(max_doses_daily)),
    xlabel='Date',
    ylabel='Million Doses',
    title='VACCINATION DOSES PER DAY IN GERMANY')
```

Out[27]:
```
<AxesSubplot:title={'center':'VACCINATION DOSES PER DAY IN GERMANY'}, xlabel='Date', ylabel='Million Doses'>
```



Doses per Weekday (in the last 6 weeks)

In [28]:
```
last_6_weeks = doses.tail(42)
```

In [29]:
```
# Yields a warning, but exactly like the docs prescribe and it works
# https://pandas.pydata.org/docs/getting_started/intro_tutorials/05_add_columns.html
last_6_weeks['weekday'] = last_6_weeks['date'].dt.day_name()
```

```
<ipython-input-29-45013977109e>:3: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a
-view-versus-a-copy
  last_6_weeks['weekday'] = last_6_weeks['date'].dt.day_name()
```

In [30]:
```
# check:
last_6_weeks.tail(3)
```

Out[30]:

	date	doses used	weekday
208	2021-07-23	0.537767	Friday
209	2021-07-24	0.197901	Saturday
210	2021-07-25	0.119376	Sunday

In [31]:
```
# drop the date column
last_6_weeks = last_6_weeks.drop(labels=['date'], axis=1)
```

In [32]:
```
#last_6_weeks.set_index('weekday', inplace=True)
last_6_weeks.tail(3)
```

Out[32]:

	doses used	weekday
208	0.537767	Friday
209	0.197901	Saturday
210	0.119376	Sunday

In [33]:
```
pivot_table =last_6_weeks.pivot(columns='weekday', values='doses used')
pivot_table.tail()
```

Out[33]:

weekday	Friday	Monday	Saturday	Sunday	Thursday	Tuesday	Wednesday
206	NaN	NaN	NaN	NaN	NaN	NaN	0.733611
207	NaN	NaN	NaN	NaN	0.59468	NaN	NaN
208	0.537767	NaN	NaN	NaN	NaN	NaN	NaN
209	NaN	NaN	0.197901	NaN	NaN	NaN	NaN
210	NaN	NaN	NaN	0.119376	NaN	NaN	NaN

In [34]:

```
# Reorder the columns
pivot_table = pivot_table[['Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Sunday']]
# Rename the columns
pivot_table.columns=['Mo', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat', 'Sun']
pivot_table.tail()
```

Out[34]:

	Mo	Tue	Wed	Thu	Fri	Sat	Sun
206	NaN	NaN	0.733611	NaN	NaN	NaN	NaN
207	NaN	NaN	NaN	0.59468	NaN	NaN	NaN
208	NaN	NaN	NaN	NaN	0.537767	NaN	NaN
209	NaN	NaN	NaN	NaN	NaN	0.197901	NaN
210	NaN	NaN	NaN	NaN	NaN	NaN	0.119376

In [35]:

```
weekday_boxplot = pivot_table.boxplot()
```



In [36]:
```
fig = weekday_boxplot.get_figure()
fig.savefig('img/weekday_boxplot.png')
```

Doses per Week

In [37]:
```
# W-Mon in order to start the week on a Monday, see:
# https://pandas.pydata.org/pandas-docs/stable/user_guide/timeseries.html#anchored-offsets
doses_weekly = doses.groupby(pd.Grouper(key='date',freq='W-Mon')).sum()
doses_weekly.columns = ['million doses used']
doses_weekly.tail()
```

Out[37]:

date	million doses used
2021-06-28	5.657261
2021-07-05	4.937349
2021-07-12	4.384903
2021-07-19	3.972185
2021-07-26	2.776042

In [38]:
```
# What is the highest number of doses used in a week?
```

```
max_million_doses_weekly = max(doses_weekly['million doses used'])
max_million_doses_weekly
```

Out[38]: 6.076509

In [39]:
```
doses_weekly.plot(
    ylim=(0, math.ceil(max_million_doses_weekly)),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES PER WEEK IN GERMANY\n(until {last_update})")
```

Out[39]: <AxesSubplot:title={'center':'VACCINATION DOSES PER WEEK IN GERMANY\n(until 2021-07-25)'}, xlabel='Date', ylabel='Million Doses'>



Doses per Month

In [40]:
```
# M = month end frequency
doses_monthly = doses.groupby(pd.Grouper(key='date',freq='M')).sum()
doses_monthly.tail()
```

Out[40]:

	doses used
date	
2021-03-31	7.849514

date	doses used
2021-04-30	15.532741
2021-05-31	21.017872
2021-06-30	24.563502
2021-07-31	14.130062

In [41]:
```
max_doses_monthly = max(doses_monthly['doses used'])
max_doses_monthly
doses_monthly['month'] = doses_monthly.index.strftime('%B')
doses_monthly['year'] =  doses_monthly.index.strftime('%Y')
doses_monthly['label'] = doses_monthly['month'] + ' ' + doses_monthly['year']
doses_monthly.drop(columns=['month', 'year'], inplace=True)
doses_monthly.set_index('label', inplace=True)
doses_monthly.tail(6)
```

Out[41]:

label	doses used
February 2021	3.770294
March 2021	7.849514
April 2021	15.532741
May 2021	21.017872
June 2021	24.563502
July 2021	14.130062

In [42]:
```
monthly_plot = doses_monthly.plot.bar(
    ylim=(0,math.ceil(max_doses_monthly) + 1),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES PER MONTH IN GERMANY\n(including data for {last_update})")
```



In [43]:
```
fig = monthly_plot.get_figure()
fig.savefig('img/monthly_doses_germany.png')
```

Vaccination Campaign Progress

In [44]:
```
doses_cumulative = vaccinations.loc[ : , ['date', 'partly vaccinated', 'fully vaccinated']]
doses_cumulative.set_index('date', inplace=True)
doses_cumulative.tail(3)
```

Out[44]:

date	partly vaccinated	fully vaccinated
2021-07-23	11.67	49.08
2021-07-24	11.57	49.26
2021-07-25	11.50	49.37

In [45]:
```
doses_area_plot = doses_cumulative.plot.area(
    ylim=(0,100),
    xlabel='Date',
    ylabel='Percentage of population',
    title=f"Vaccination Campaign Progress in Germany\n(until {last_update})")
```



In [46]:
```
fig = doses_area_plot.get_figure()
fig.savefig('img/vaccinations_germany_area_plot.png')
```

As of Today

In [47]:
```
# get the last line of the data
current_state = doses_cumulative.iloc[-1]
current_state
```

Out[47]:
```
partly vaccinated    11.50
fully vaccinated     49.37
Name: 2021-07-25 00:00:00, dtype: float64
```

In [48]:
```
percentage_not_vacc = 100 - current_state['partly vaccinated'] - current_state['fully vaccinated']
labels = [f"not vaccinated ({round(percentage_not_vacc, 1)}%)",
          f"first dose ({round(current_state['partly vaccinated'], 1)}%)",
          f"fully vaccinated ({round(current_state['fully vaccinated'], 1)}%)"]
colors = ['red', 'yellow', 'green']
sizes = [percentage_not_vacc,
         current_state['partly vaccinated'],
         current_state['fully vaccinated']]
fig1, ax1 = plt.subplots()
ax1.pie(sizes, shadow=True, startangle=90)
ax1.axis('equal')  # Equal aspect ratio ensures that pie is drawn as a circle.
patches, texts = plt.pie(sizes, colors=colors, startangle=90)
```

```
plt.legend(patches, labels, loc="best")
plt.title(f"Vaccination Progress in Germany\nas of {last_update}")
# plt.savefig must be before show()
# BEWARE plt.savefig must be in the same Jupyter code cell that creates the graph!
# See comment by ijoseph here:
# https://stackoverflow.com/questions/9012487/matplotlib-pyplot-savefig-outputs-blank-image
plt.savefig('img/vaccination_in_germany_pie.png', bbox_inches='tight')
plt.show()
```



Vaccines in Use

In [49]:

```
vaccine_use = vaccinations.loc[ : , ['date', 'dosen_biontech_kumulativ',
                                     'dosen_moderna_kumulativ',
                                     'dosen_astrazeneca_kumulativ',
                                     'dosen_johnson_kumulativ']]
# Rename columns
vaccine_use.columns = ['date', 'BioNTech', 'Moderna', 'AstraZeneca', 'Johnson & Johnson']
# make 'date' an index
vaccine_use.set_index('date', inplace=True)
# divide columns by 1 million
vaccine_use["BioNTech"] = vaccine_use["BioNTech"] / 1_000_000
vaccine_use["Moderna"] = vaccine_use["Moderna"] / 1_000_000
vaccine_use["AstraZeneca"] = vaccine_use["AstraZeneca"] / 1_000_000
vaccine_use["Johnson & Johnson"] = vaccine_use["Johnson & Johnson"] / 1_000_000
vaccine_use.tail(3)
```

Out[49]:

date	BioNTech	Moderna	AstraZeneca	Johnson & Johnson
2021-07-23	66.221246	8.154997	12.376975	2.316762
2021-07-24	66.366119	8.191452	12.384608	2.325702
2021-07-25	66.447520	8.221816	12.387724	2.330197

In [50]:
```
vaccines_used = vaccine_use.plot(
    # as it is cumulative, the last row must contain the single highest number
    ylim=(0,math.ceil(max(vaccine_use.iloc[-1]))+10),
    xlabel='Date',
    ylabel='Million Doses (cumulative)',
    title=f"VACCINES USED IN GERMANY\n(until {last_update})")
```



In [51]:
```
fig = vaccines_used.get_figure()
fig.savefig('img/vaccines_used_in_germany.png')
```

Vaccination Centers versus Doctor’s Practices

In [52]:
```
by_place = vaccinations.loc[ : , ['date', 'dosen_dim_kumulativ', 'dosen_kbv_kumulativ']]
```

```
by_place.columns = ['date', 'vaccination centers', 'practices']
```

In [53]:
```
by_place['vaccination centers daily'] = by_place['vaccination centers'].diff()
by_place['practices daily'] = by_place['practices'].diff()
```

In [54]:
```
by_place['percentage practices'] =  round(
    by_place['practices daily'] * 100 /
    (by_place['vaccination centers daily'] + by_place['practices daily']), 2)

by_place['percentage centers'] = 100 - by_place['percentage practices']
```

In [55]:
```
# make 'date' an index
by_place.set_index('date', inplace=True)
```

In [56]:
```
by_place
```

Out[56]:

date	vaccination centers	practices	vaccination centers daily	practices daily	percentage practices	percentage centers
2020-12-27	24096	0	NaN	NaN	NaN	NaN
2020-12-28	42064	0	17968.0	0.0	0.00	100.00
2020-12-29	92089	0	50025.0	0.0	0.00	100.00
2020-12-30	155577	0	63488.0	0.0	0.00	100.00
2020-12-31	205272	0	49695.0	0.0	0.00	100.00
...	...	...	...	...	...	...
2021-07-21	53336894	34477235	222217.0	506468.0	69.50	30.50
2021-07-22	53546458	34857754	209564.0	380519.0	64.49	35.51
2021-07-23	53753373	35185498	206915.0	327744.0	61.30	38.70
2021-07-24	53895315	35239989	141942.0	54491.0	27.74	72.26
2021-07-25	53994847	35258381	99532.0	18392.0	15.60	84.40

211 rows × 6 columns

In [57]:
```
share = by_place.loc[ : , ['percentage centers', 'percentage practices']]
```

In [58]:
```
vacc_shares = share.plot(
    # as it is cumulative, the last row must contain the single highest number
    ylim=(0, 105),  # above 100 to see the line
    xlabel='Date',
    ylabel='Percentage of Vaccinations',
    title=f"Place of Vaccination in Germany\n(until {last_update})")
```



In [59]:
```
fig = vacc_shares.get_figure()
fig.savefig('img/vaccinations_germany_by_place.png')
```

Other units of Time

In [60]:
```
by_place_daily = by_place.loc[ : , ['vaccination centers daily', 'practices daily']]
by_place_daily.columns = ['vaccination centers', 'practices']
by_place_daily.reset_index(inplace=True)
```

Monthly

In [61]:
```
by_place_monthly = by_place_daily.groupby(pd.Grouper(key='date',freq='M')).sum()
by_place_monthly.tail()
```

Out[61]:

date	vaccination centers	practices

date	vaccination centers	practices
2021-03-31	7783280.0	66234.0
2021-04-30	10203601.0	5329140.0
2021-05-31	11534284.0	9483588.0
2021-06-30	11681918.0	12819000.0
2021-07-31	6498198.0	7560419.0

Scale:

In [62]:
```
by_place_monthly['vaccination centers'] = by_place_monthly['vaccination centers'] / 1_000_000
by_place_monthly['practices'] = by_place_monthly['practices'] / 1_000_000
```

Rename the columns

In [63]:
```
by_place_monthly['month'] = by_place_monthly.index.strftime('%B')
by_place_monthly['year'] =  by_place_monthly.index.strftime('%Y')
by_place_monthly['label'] = by_place_monthly['month'] + ' ' + by_place_monthly['year']
by_place_monthly.drop(columns=['month', 'year'], inplace=True)
by_place_monthly.set_index('label', inplace=True)
by_place_monthly.tail(6)
```

Out[63]:

label	vaccination centers	practices
February 2021	3.770294	0.000000
March 2021	7.783280	0.066234
April 2021	10.203601	5.329140
May 2021	11.534284	9.483588
June 2021	11.681918	12.819000
July 2021	6.498198	7.560419

In [64]:
```
monthly_plot = by_place_monthly.plot.bar(
    stacked=True,
```

```
    ylim=(0, 25),
    xlabel='Date',
    ylabel='Million Doses',
    title=f"VACCINATION DOSES BY PLACE IN GERMANY\n(including data for {last_update})")
```



In [65]:
```
fig = monthly_plot.get_figure()
fig.savefig('img/monthly_doses_by_place_germany.png')
```