

PROJECT DEFINITION

RUF Diamond Parts Portal

Scope, Design, System Architecture, Support and Delivery Plan

Prepared for	Andres Martinez, Service Manager, RUF Diamond Ltd.
Prepared by	Deepshika Ghale
Date	July 26, 2026
Currency	All figures in Canadian dollars, excluding tax

This document responds to the requested review areas: hosting, design, system architecture, data structure, functionality, scalability, performance, security, backup, support, ownership and project planning.

1. Infrastructure and Hosting

OVHcloud is recommended. Their pricing is published openly and can be verified on their website at any time.

On data location: OVHcloud hosts in Beauharnois, Quebec, so our data sits in Canada. OVHcloud is a French company, so it is not subject to United States disclosure law. This meets the requirement without paying the premium attached to a Canadian-owned provider.

1.1 The recommended configuration

OVHcloud recommended their VPS-3 for this workload: 6 vCPU, 12 GB RAM, one IPv4 address, up to 2 Gb/s unlimited bandwidth, and 100 GB of storage expandable to 5 TB. This is more than adequate for the portal.

OVHcloud VPS range and current pricing: ovhcloud.com/en-ca/vps

1.2 Total locked-in cost, OVHcloud

Every recurring charge is listed below, including the items that cost nothing. There are no setup fees, no per-user charges, no per-brand or per-model fees, no licence fees, and no data transfer charges on this configuration.

Item	Monthly	Per year	Notes
VPS-3 server	\$16.83	\$201.96	6 vCPU, 12 GB RAM, 100 GB NVMe. Includes IPv4 address, unlimited bandwidth, anti-DDoS protection and standard daily backup.
Premium automated backup	\$1.80	\$21.60	Extends backup retention from 24 hours to 7 rolling days. Recommended.
Snapshot option	\$0.50	\$6.00	Manual restore point taken before significant updates.
Object storage, 500 GB	\$15.00	\$180.00	Drawing images and the independent nightly database copy. Scales with volume.
Domain name	\$0	\$0	A subdomain of rufdiamond.com, which we already own.
SSL/TLS certificate	\$0	\$0	Let's Encrypt, free and renewed automatically.
Database software	\$0	\$0	PostgreSQL. No licence fee, now or as we grow.
Operating system, web server	\$0	\$0	Ubuntu and Nginx. Open source.
Source code hosting	\$0	\$0	GitHub private repository, free at our scale.

Monitoring tools	\$0	\$0	Open source, running on our own server.
Email delivery	\$0	\$0	Free tier covers several thousand messages a month, far beyond our volume.
Setup or onboarding fee	\$0	\$0	None. OVHcloud VPS has no setup charge.
Data transfer charges	\$0	\$0	Unlimited bandwidth included. No egress fees.
Total	\$34.13	\$409.56	Excluding tax. Fixed and predictable.

1.3 What the two providers actually include

Price alone is misleading, because the two are not selling the same thing. This compares what each includes.

	ThinkOn (Quote 302387)	OVHcloud VPS-3
Processing	4 vCPU, 12 GB RAM	6 vCores, 12 GB RAM
Storage	250 GiB	100 GB included, expandable to 5 TB
Bandwidth	100 Mbps burstable	Up to 2 Gbps, unlimited traffic
Flood protection	Managed firewall included	Anti-DDoS included. Firewall configured by us once, then automatic.
Server backup	Managed, 500 GB, 30 daily copies	Daily included. Seven-day history for \$1.80 per month.
Off-site copy	500 GB included	Object storage, priced separately.
Provider support	Managed services listed. No response time stated in the quote.	Standard included: 8 business hours for a critical incident. Premium available for a faster target.
Commitment	36-month minimum, firm	No minimum term on the published price.

The honest reading. OVHcloud gives more processing and far more bandwidth for a fraction of the cost. What ThinkOn adds is that they configure and watch the firewall and backups for us. On OVHcloud those are set up once and then run automatically, which is covered in Sections 9 and 10. That is the real difference between the two figures, and at roughly \$16,000 over three years it is not a close call.

1.4 Provider support level

OVHcloud includes Standard Support at no cost, with a target first response of eight business hours for a critical infrastructure incident. Premium Support is available at additional cost for a two business hour target.

Support levels and current pricing: ovhcloud.com/en-ca/support-levels

Recommendation: start on Standard. Provider support covers the server, not the portal. If search breaks or a weekly import fails, that is an application matter and OVHcloud would not fix it either way. Premium is worth revisiting only if we find ourselves waiting on OVHcloud, which we should not be.

1.5 Comparison over three years

The ThinkOn quotation is on a three-year term, so the same period is used for both.

	Monthly	One-time	3-year total
OVHcloud	\$34.13	\$0	\$1,228.68
ThinkOn (Quote 302387)	\$474.89	\$465.36	\$17,561.40
Difference			\$16,332.72 lower

What ThinkOn includes that OVHcloud does not. The ThinkOn price covers a managed firewall and managed backup, meaning they configure and watch those for us. On OVHcloud those are set up once and then run automatically: the firewall is standard configuration, backups are scheduled and verified automatically, and both are covered in Sections 9 and 10. This is the practical difference between the two figures.

One point on the phrase locked in. The ThinkOn figure is a firm 36-month quoted commitment. The OVHcloud figure is their current published price with no minimum term, so it is not contractually fixed for three years in the same way. **In practice this cuts in our favour, since we are not tied in and can leave at any time, but the renewal rate should be confirmed on the order confirmation and that confirmation retained under the RUF Diamond account (need to confirm with them to 100% sure).** A longer commitment can also be selected at checkout for a lower rate if a fixed figure is preferred.

1.6 What is not in this figure

So that there is no ambiguity, the total above covers infrastructure and third-party services only. It does not include:

- Development of the portal itself.
- Ongoing technical support, meaning whoever patches the server, watches the backups and responds if something breaks.

Both sit outside this section. Everything that OVHcloud and the supporting services will charge us is in the table in 1.2.

1.7 Cost as the catalog grows


The figure above does not change as we add machines or brands. There are no per-model or per-brand fees, and no per-user charges, which is a structural difference from the platform we use today. The only cost that grows is storage, and only if the drawing library becomes large.

If we	Cost change	Notes
Add the IronHorse line	\$0	No brand fee. The structure already supports three brands.
Add more machines	\$0	No per-model fee.
Add more customer accounts	\$0	No per-user fee.
Exceed 500 GB of storage	Approx. \$0.03 per GB per month	Only if the drawing library grows substantially.
Outgrow the server	Approx. \$15 more per month	The next VPS size up. Not expected within the pilot or the first phase.

A saving plan on a longer commitment would reduce the server cost further. The figures above use the standard month-to-month rate, so they represent the upper end rather than the best case.

2. System Architecture

The portal runs on one server in Quebec, on its own web address, completely separate from the main RUF Diamond website. Neither can affect the other.



System architecture. Everything inside the red box runs on the OVHcloud server in Beauharnois, Quebec.

2.1 In plain terms

A customer opens parts.rufdiamond.com in a normal web browser. The connection is encrypted, the same way online banking is. The server checks who they are and which product lines they are allowed to see, then shows them the catalog for those machines only.

Behind that, the work is divided between separate services running on the same server: the screens customers see, the business rules that decide what they are shown and at what price, the database that holds everything, and background jobs that handle the weekly import, the nightly backups and outgoing email.

2.2 Why the parts are kept separate

Each part runs as its own service rather than everything being one large program. This costs nothing extra and it matters for three practical reasons.

- One part can be updated or fixed without disturbing the others. Changing how the weekly import works does not risk the customer-facing screens.
- If the portal ever outgrows a single server, individual services can be moved onto their own machine without rewriting anything. We do not expect this, but the option costs nothing to keep open.
- Rebuilding the system elsewhere is a matter of running the same services on a new server, which is what protects us if we ever change hosting provider.

For a catalog used by a few dozen people, one server is genuinely sufficient. The structure simply avoids painting us into a corner.

2.3 The main parts

Part	What it does
Portal screens	What customers and staff actually see, built from the approved Figma design. Search, exploded drawings, parts lists, the request list, and the administration screens.
Business rules	Decides who may see what, applies dealer discounts, runs searches, and handles submitted requests. This is where product-line permissions are enforced, so an unauthorised product line is genuinely unreachable rather than merely hidden.
Database	Holds machines, serial ranges, systems, figures, parts, prices, customers and a record of every change. Reachable only by the services above, never directly from the internet.
Drawing storage	The exploded diagram images, stored so they load quickly and copied nightly to a separate location.
Background jobs	Work that happens without anyone watching: the weekly parts import, nightly backups, and outgoing email such as request confirmations and import summaries.
Protection layer	Encrypted connections on every page, a firewall accepting only web traffic, automatic blocking of repeated failed logins, and OVHcloud's own protection against traffic floods.
Backups	OVHcloud backs up the server daily. On top of that, the database and drawings are copied nightly to storage in a separate location. Section 10.

Monitoring	Checks from outside the server that the portal is reachable, and alerts on outages, low disk space, a failed backup, a failed import or an expiring certificate. Section 8.
Source code	Held in a private GitHub account owned by RUF Diamond. Updates are published from there rather than edited directly on the server.
Xero (Phase 2)	Shown dashed on the diagram. Not part of the first release. Section 6.

2.4 What it is built with

All of it is free, open-source software. That is deliberate: no licence fees now or later, and no dependence on any one supplier's product.

Element	Choice	Why, and link
Server	OVHcloud VPS-3	Published pricing, Canadian data centre in Quebec. www.ovhcloud.com/en-ca/vps/
Operating system	Ubuntu Linux LTS	Security updates for five years. The most widely used server platform, so help is easy to find. ubuntu.com
Service packaging	Docker containers	Each service runs in its own container, which is what makes the separation above practical and the environment reproducible. www.docker.com
Database	PostgreSQL	No licence fee. Handles the catalog and the search without needing a separate product. www.postgresql.org
Web server	Nginx	Free, and efficient at serving large drawing images. nginx.org
Security certificate	Let's Encrypt	Free and renews itself, so it cannot lapse by oversight. letsencrypt.org
Source code	GitHub	Private repository under a RUF Diamond account. github.com

2.5 Two copies of the portal

Two environments are recommended, which is the normal minimum. The live one is what customers use. A second, identical copy is used to test changes before they go anywhere near customers. It runs on the same server at no extra cost. Testing an update on a copy first is what prevents most avoidable outages.

2.6 How updates reach the portal

Changes are published from **GitHub** rather than edited directly on the live server. This means every change is recorded and attributable, any release can be rolled back to a previous version, and nobody has to remember what was altered by hand.

3. Portal Design and User Experience

Design status

The portal design has been prepared in Figma. It covers the customer catalog and the administration back office, with responsive layouts for desktop only for now (once the design is approved, we will move on to making it responsive also for the tablet and mobile environment if required), and an interactive prototype showing navigation, search and drawing interaction.

Figma design file:

[Figma Link](#)

The Figma file serves as the visual and interaction specification for development. Comments can be left directly on the designs for review.

Screens designed

Fourteen screens cover the full customer journey and the administration side.

	Screen	Purpose
1	Sign in	Customer and staff login, with password recovery.
2	Select machine	Choose the machine, filtered to the product lines the account is permitted to see.
3	Serial range	Choose the serial-number variant, so the parts shown match the machine in front of the customer.
4	Find a part	Direct search by part number or description, for customers who already know what they need.
5	Systems	The assembly groups: cabin, engine, hydraulic and the rest.
6	Figures	The drawings within a system, shown as thumbnails.
7	Figure drawing	The exploded drawing with its parts list. Selecting a part highlights every place it appears.
8	Request list	The parts the customer has selected, with quantities, before submitting.
9	Confirmation	Confirmation that the request has been sent, with a reference.
10	Dealer figure net pricing	The same drawing view for a dealer account, showing net pricing after their discount.
11	Dealer order summary	Dealer request summary with net pricing and totals.
12	Admin view for figures	The administration side: upload a drawing, place the callouts, link them to parts.
13	Search with no results	What a customer sees when nothing matches, with suggested next steps. Also logged so that catalog gaps surface in reporting.
14	Empty request list	The request list before anything has been added.

The last two matter more than they appear to. Designing the empty and no-result states deliberately is what stops a portal feeling broken when a customer hits one.

Design deliverables

Deliverable	Contents
Structure and user flows	Site map, key user journeys, search paths and administration workflows.
Wireframes	Layouts for desktop only (once the design is approved, we will move on to making it responsive also for the tablet and mobile environment if required).
Visual design	High-fidelity customer portal and administration screens.
Interactive prototype	Clickable prototype covering navigation, search, drawing interaction and key administration tasks.
Handoff package	Component library, typography, spacing, responsive states, icons and assets, and implementation notes for the developer.

Customer experience

The design retains the methods customers already use, and improves the points that currently cause friction.

- Find parts by machine model, serial number, machine image, part number or description.
- Exploded diagrams displayed beside the corresponding parts list.
- Every occurrence of a selected part highlighted on the drawing, not only the first.
- Diagram and list selection synchronized in both directions.
- Search that tolerates partial terms and common spelling errors.
- Zoom, print, email and shopping-selection functions.
- Responsive layouts for desktop only for now, (once the design is approved, we will move on to making it responsive also for the tablet and mobile environment if required).
- The most recent update date shown for parts and pricing.

Responsibility for design, build and future changes

Activity	Responsibility
Design	Complete. The Figma file covers the customer catalog and the administration back office, and serves as the specification for development.
Build	A development resource working to the approved Figma design and the requirements in this document. The technical build, database work and hosting configuration should be assigned explicitly rather than assumed.
Content changes after launch	RUF Diamond, through the administration back office. Text, prices, parts, drawings and customer settings need no technical involvement.

Interface and structural changes	Designed and approved first, then implemented by the development resource. Screen layout and workflow changes are not made directly against the live system.
Future enhancements	Raised, prioritised and scheduled as described in Section 11. New capabilities follow the same route: design, approval, build, test, release.

Change management

Major screen and workflow decisions are approved in Figma before development begins. Content changes are made afterwards through the administration portal. Structural interface changes should be designed and approved before implementation.

4. Database Structure

The database is the system of record and is owned entirely by RUF Diamond. It is structured to mirror how the equipment is actually organised, which is what allows new brands and models to be added without rebuilding anything.

4.1 Catalog structure

The catalog is held in seven linked tables. The table below is a high-level summary of what each one holds.

Table	Purpose
BRAND	Fat Truck, IronHorse, Agilis. Adding a brand is a new row, not a rebuild.
MODEL	The machine, for example FT3 Wagon or 2.8C.
VARIANT	Serial-number ranges within a model, for example 2.8C up to 9928C210502 and 9928C210503 and up.
ASSEMBLY	The system groupings: cabin, drive, electric, engine, filters, frame, fuel, hydraulic, tire and wheel.
FIGURE	An exploded diagram belonging to an assembly, with its image file.
POSITION	One row for every callout on a drawing, holding the reference number, quantity and the coordinates where it sits. A part appearing three times on a figure has three rows.
PART	The part itself, stored once and reused by every figure and model that references it.
PRICE	Held separately with an effective date, so pricing history is retained rather than overwritten. Also carries the field reserved for a future Xero item code.

Why POSITION is a separate table. This is what solves the highlighting issue raised in the review. Because each callout is its own record rather than one record per part, selecting a part highlights every

location where it appears, the quantity in the list and the number of highlighted points always agree, and clicking any point on the drawing selects the correct row in the list.

4.2 Customers, access and audit

A second group of tables covers who may see what, at which price, and what they did.

Table	Purpose
CUSTOMER_CATEGORY	Dealer, Retail and any category added later. Carries the discount percentage, currently 10% and 0%.
CUSTOMER	The company. Holds an optional discount override for individually negotiated accounts, and whether the account may submit orders.
CUSTOMER_BRAND_ACCESS	Which product lines a customer can see. A Fat Truck customer has one row, a dealer carrying two lines has two.
USER	Individual login accounts belonging to a customer, or to RUF Diamond staff.
AUDIT_LOG	Every change recorded with the user, the record, the old and new values and the timestamp.

Discounts are calculated when a page is displayed rather than stored against each part. Changing the dealer discount from 10% to 12% is a single field edit that takes effect immediately across every part and every machine.

4.3 How the FT3 Wagon export maps to the database

The FT3 Wagon export dated 14 July 2026 contains 635 rows across 16 columns. Every column has a defined destination in the new structure, and the mapping below is what the import tool will implement.

Export column	Destination	Notes
No.	not stored	Row sequence in the export only. Ordering is held in the new structure by sort_order.
PART NO	PART.part_no	536 unique values across 635 rows. Becomes the unique key for a part.
DESCRIPTION	PART.description	505 unique values. Indexed for search.
MODEL	BRAND.name + MODEL.name	Currently a single combined value, FAT TRUCK FT3 WAGON. Split on import into brand and model so IronHorse and Agilis sit alongside it.
VARIANTS	VARIANT.label, serial_from, serial_to	SERIAL NUMBER 99FT3WXXXXXX and up. Parsed into a from and an optional to value.
AGGREGATE / SYSTEM	ASSEMBLY.name	12 values on this machine: CABIN, ENGINE, HYDRAULIC, FILTERS, DRIVE SYSTEM and so on.
GROUPNO	FIGURE.figure_no	44 distinct figures, for example FT3 WAGON FIG- 1.1.

ASSEMBLY NAME - PAGE	FIGURE.name	The readable name of the drawing.
START DATE	PRICE.effective_from	Currently 2026-01-01 throughout. Becomes the start of the price record.
END DATE	PRICE.effective_to	Empty in the export, meaning the price is current. Held as null.
QTY	POSITION.quantity	Quantity used at that location on that drawing.
PNC	POSITION.ref_no	The callout number printed on the drawing. This is what the reference arrow points to.
UNIT PRICE (CAD)	PRICE.amount, PRICE.currency	262 distinct prices. Currency recorded explicitly as CAD.
MAKER	PART.manufacturer	Empty in the current export. The field is provided so it can be populated later without a structural change.
S/NS	PART.stock_status	Currently S on every row.
REMARKS	POSITION.remarks	148 rows carry a remark, for example TOW PACKAGE OPTION or MIDDLE NOT SHOWN. Held against the position rather than the part, since the note applies to that location on that drawing.

The one thing the export cannot carry. There is no column for where on the drawing each callout sits. The coordinates are the only data that must be created rather than imported. This is done once per figure in the hotspot editor, by opening the drawing and clicking each callout. Because the parts and reference numbers are already loaded from the export, this is clicking rather than typing, and it is work RUF Diamond staff can do without technical knowledge.

What the numbers tell us. 635 rows against 536 unique part numbers means 83 parts appear on more than one figure of this single machine, one of them on five separate drawings. Under the current system each of those has one callout recorded and the rest are unmarked. This is precisely the behaviour raised in the review, and storing each callout as its own row is what corrects it.

4.4 Data migration

The FT3 Wagon Excel export is the pilot dataset. The sequence for each machine is the same:

1. Export the parts data from the current system.
2. Clean and map the data to the new structure.
3. Import parts, descriptions, quantities, prices and remarks.
4. Upload the associated drawings.
5. Mark the callout positions on each drawing to link them to the parts records.
6. Validate with RUF Diamond before release.

Steps one to four are quick and largely automatic once the import tools exist. Step five is the manual work, since a spreadsheet cannot record where on a drawing each number sits. The pilot measures how long this takes for one machine, which then makes the remaining machines predictable.

Outstanding input: the FT3 Wagon drawing files. Vector or high-resolution files are preferable, although the best available export can be used for the pilot.

4.5 Weekly price updates (if we want to update it in weekly period)

Pricing is received weekly, so the update route needs to be quick and low-risk rather than a data-entry exercise. Two routes are provided.

Route	How it works
Bulk spreadsheet update	Export the current price list to Excel, edit the price column, upload it back. The portal matches on part number, shows what will change before anything is applied, and asks for confirmation. A weekly price file becomes a few minutes of work rather than a day of typing.
Individual edit	Change a single price directly in the administration screen. Takes effect immediately.

The bulk route is the one that matters weekly, and it is deliberately built with safeguards so that a bad file cannot damage the catalog.

Step	What happens	Why
1. Upload	A trained RUF Diamond administrator uploads the week's Excel or CSV file through the administration screens.	No developer involved.
2. Validate	The portal checks required fields, formats, prices, duplicate references and serial ranges before touching any live data.	Catches a malformed or wrong file before it can do harm.
3. Preview	A summary shows what will be added, what will change, what stays the same and what is rejected, with the reason for each rejection.	Nothing is a surprise. The administrator sees the effect before agreeing to it.
4. Approve	The administrator approves and publishes. Changes go live immediately.	A human decision, not an automatic overwrite.
5. Record	Every change is logged with the user, the date and the source file name.	We can always trace a price back to the file it came from.
6. Rollback	The previous published version is retained, so an import can be reversed if the source file turns out to be wrong.	A mistake is a few minutes to undo rather than a recovery exercise.

7. Summary	A summary of what changed is emailed to a RUF Diamond mailbox after each import.	A record arrives without anyone having to go looking for one.
------------	--	---

The previous price is retained rather than overwritten, so we can always see what a part cost at a given date. Changes are live to customers as soon as they are published, so the catalog stops being a week behind.

Once the Xero integration in Section 6 is in place, the weekly file can flow in automatically rather than being uploaded, at which point the update becomes no work at all.

4.6 Ongoing maintenance by RUF Diamond

All of the following are done through the administration portal, with no technical assistance required:

- Add, edit, archive or remove parts.
- Update prices individually or through bulk spreadsheet import.
- Edit descriptions, quantities, remarks and related information.
- Upload or replace diagrams and mark part locations.
- Add manufacturers, product lines, machine models and serial-number variants.
- Manage customer accounts, product visibility and discounts.

5. Portal Functionality and Administration

Please review this to make sure, that we got all the privileges right according to the portal:

Customer portal

- Secure login and account recovery.
- Machine and parts search using multiple entry points.
- Interactive exploded drawings with synchronized parts lists.
- Part detail showing description, quantity, remarks, price and update date.
- Shopping selection or enquiry list, with ordering to follow if approved.
- Print, email and export functions.
- Responsive use on desktop, tablet and mobile.

Administration portal

- Parts, prices, descriptions, quantities and remarks management.
- Spreadsheet-based bulk imports and updates.
- Diagram upload, replacement and part-location mapping.
- Manufacturer, product-line, model and serial-range management.
- Customer account creation, disabling, password reset and access control.
- Customer categories, discount rules and product visibility.
- Audit history showing who changed what and when.

- Report viewing and export to Excel.

Reporting

Report	Purpose
Most-searched parts	Identifies demand and frequently accessed items.
Searches with no results	Highlights missing descriptions, synonyms or catalog gaps.
Machine and section activity	Shows which product areas are used most.
Customer activity	Shows login frequency, last access and portal usage.
Viewed but not selected	Supports future sales and catalog improvement analysis.
Change history	Provides accountability for catalog and pricing changes.
Usage trends	Tracks visitor volumes and activity over time.

6. Xero Integration

Linking the portal to Xero is a stated priority. It is achievable, and this section sets out what it would do, how it would work, and what is being built now so that it is straightforward later rather than a rebuild.

6.1 The problem it solves

Pricing arrives weekly. Without integration, that price is entered in Xero for accounting and again in the portal for customers. Two places, entered twice, and they drift apart the moment someone forgets one of them. A customer then sees a price that no longer matches what we would invoice.

With integration, the price is entered once and the portal follows automatically.

6.2 A worked example

Take a real part from the FT3 Wagon catalog. Part 36-00304, the air filter element, currently listed at \$279.70.

Step	What happens	Detail
1	The price changes in Xero	Our supplier raises the cost, and 36-00304 is updated to \$291.40 in Xero as part of the normal weekly accounting work. Nobody touches the portal.
2	Overnight, the portal asks Xero what has changed	A scheduled routine runs at, say, 2am. It requests from Xero only the items modified since it last ran, rather than the whole catalog.
3	The portal matches the item	Xero returns item code 36-00304. The portal finds the part holding that same code in its Xero reference field and knows they are the same item.
4	A new price record is added	The portal adds a new price of \$291.40 effective from today. The old \$279.70 record is closed off, not deleted, so we can still see what the part cost last month.

5	Customers see the new price	A retail customer opening the drawing sees \$291.40. A dealer on 10% sees \$262.26, calculated at the moment the page is drawn.
6	The change is logged	The audit trail records that the price changed, when, and that it came from the Xero sync rather than a person.

Total human effort in that example: entering the price in Xero once, which is work already being done.

6.3 Later: requests becoming purchase orders

The same connection can work in the other direction. When a customer submits a parts request, the portal can create a draft purchase order or invoice in Xero with the correct item codes, quantities and prices already filled in, ready for review. The alternative is re-keying it, which is both slower and where transcription errors come from.

This is a second stage, sequenced after price synchronisation is working reliably.

6.4 What is built now, at no additional cost

Three decisions are made at the outset. All three cost nothing now and are expensive to retrofit later.

Decision	Why it matters
A Xero item code field on every part	Sits empty until we integrate. Without it, parts would later have to be matched to Xero by description, which is guesswork. With it, matching is exact.
Prices held with effective dates	Lets a sync add a new price without erasing the old one, so pricing history survives. Already required for our own purposes, and it makes the integration simpler.
All pricing read through one place in the code	When pricing later comes from Xero, one component changes rather than every screen that shows a price.

6.5 How it connects

Xero publishes a documented interface for exactly this purpose, covering items with purchase and sales prices, contacts, invoices and purchase orders.

Xero developer documentation: developer.xero.com

Two practical points. The connection is authorised once by a RUF Diamond Xero user and then runs unattended. And it runs on a schedule overnight rather than asking Xero every time a customer opens a page, because Xero limits how often it can be called and because the portal must keep working normally if Xero is briefly unavailable.

6.6 Phasing, and what is deliberately not done

Stage	Scope
-------	-------

Phase 1, first release	No live connection. Prices maintained through the weekly spreadsheet upload in Section 4.5. The Xero item code is captured against parts wherever it is already known, so the groundwork is done.
Phase 2, controlled connection	Authorised connection to Xero. Selected fields synchronised overnight. An approved customer request can create a draft quote or draft invoice in Xero, which a RUF Diamond user reviews before it is issued.
Not recommended	Automatically issuing final invoices, or letting a sync overwrite the whole catalog, without a human approval step. Both create accounting and data-quality risk before the process has been proven.

6.7 Sequencing

Xero integration is a later phase, not part of the initial build. Until it exists, prices are maintained in the portal through the weekly spreadsheet upload described in Section 4.5, which takes minutes. After it, Xero becomes the source and the portal follows. Either way there is one place prices are maintained, never two.

7. Users, Capacity and Scalability

Planning question	Design assumption
Registered users	Several thousand accounts are supportable. The expected operating range is in the low hundreds.
Concurrent users	The environment should be designed and load-tested for at least 50 to 100 simultaneous users, well beyond expected demand.
Geographic access	Accessible internationally. Users far from the Quebec data centre may see slightly higher page load times.
Storage growth	Drawings are the main storage driver. The VPS-3 includes 100 GB and expands to 5 TB without changing the application.
Scaling path	Increase the server size first, separate the database when justified, and add further application instances only if demand requires it.

Capacity targets should be confirmed by load testing before launch. The architecture allows growth without changing the user experience or rebuilding the data model.

8. Performance and Monitoring

Measure	Target	Validation
Typical page load	Under 2 seconds	Measured under agreed test conditions.
Search results	Under 1 second	For part-number and description searches.

Large drawing load	Under 3 seconds	Images optimized without making labels unreadable.
Monthly availability	Target 99.9%	Subject to hosting and support arrangements.
Application error rate	Below 0.1% of requests	Exceptions logged, reviewed and corrected.

Monitoring tools

Monitoring can be built entirely from established open-source tools at no licence cost. All of the following are free and widely used.

Tool	Purpose	Link
Uptime Kuma	Checks from outside the server that the portal is reachable, every minute or two, and alerts immediately if it is not. Covers the most important case.	uptime.kuma.pet
Prometheus	Collects server and database measurements over time.	prometheus.io
Grafana	Displays those measurements as dashboards, with alerting.	grafana.com
Netdata	A lighter alternative to the two above. Installs in minutes and gives live server metrics out of the box.	www.netdata.cloud
GoAccess	Summarises web traffic and error patterns from the server logs.	goaccess.io
Backup verification	Automated confirmation that each nightly backup completed, with an alert when one does not. Backups fail silently more often than they fail loudly.	Scripted, no product required.

What triggers an alert

Thresholds are set so that problems surface before they become outages, rather than after.

Condition	Alert
Portal unreachable	After two or three consecutive failed checks from outside, so a momentary blip does not raise a false alarm.
Disk filling	Warning at 75% used, urgent at 85%. A full disk is one of the few things that stops a portal without warning.
Sustained high load	Alert on prolonged high processor or memory use, which is the early sign of a problem rather than the failure itself.

Certificate expiry	Alert 30 days before expiry, even though renewal is automatic. Automation occasionally fails quietly.
Backup failure	Alert whenever a scheduled backup fails or does not run at all. Backups fail silently far more often than loudly.
Weekly import	Alert when validation rejects records or an approved import fails part way through.

A monthly summary covering availability, performance, incidents and capacity should be produced from these tools and reviewed.

9. Cybersecurity

Expected threats

Most of what a portal like this faces is automated rather than targeted.

- Automated scanning for outdated or vulnerable software components.
- Repeated login attempts using passwords stolen from other websites.
- Attempts to attack through forms, search fields or file uploads.
- Compromise of an administrator account.
- Traffic floods intended to make the site unavailable.
- **Accidental damage from our own side**, such as an incorrect bulk update or a deletion. In practice this is the most likely cause of a bad day, and also the easiest to recover from.

Standard protections

These are the ordinary measures expected of any business web application. None of them is exotic or expensive.

Control	Detail
HTTPS and TLS	All pages encrypted. Certificate issued free through Let's Encrypt and renewed automatically, so it cannot lapse by oversight.
Two-step login for administrators	A code from a phone app in addition to the password. This single measure prevents most account takeovers.
Role-based permissions	Each account reaches only what it should, enforced by the application rather than by hiding menu items.
Password and lockout rules	Minimum password standards, and automatic blocking after repeated failed attempts.
Secure coding practices	Input validation and safe handling of database queries and file uploads, which prevents the common attack types.
Patching	Automatic security updates for the operating system, and scheduled updates for the application components.

Firewall and rate limiting	Only web traffic accepted. Administrative access restricted by key. Repeated abusive requests blocked automatically.
Encrypted database and backups	Data encrypted at rest, and backups held where they cannot be deleted through the portal itself.
Audit log	Every administrative and data change recorded, so we can always establish what happened and who did it.

Automated code and dependency scanning

Several scanning tools run automatically on every change rather than depending on anyone remembering to check. The distinction below matters because not everything GitHub offers is free on a private repository.

Free on a private GitHub repository

Tool	What it does	Link
Dependabot alerts	Watches the third-party components the portal depends on and raises an alert when a security flaw is published for one of them. This is the most common way web applications are compromised.	docs.github.com/en/code-security/dependabot
Dependabot updates	Automatically prepares the update for a vulnerable component so it can be reviewed and applied quickly.	Included with the above.
Branch protection	Prevents changes reaching the released version without review.	Standard GitHub feature.

Free alternatives to the paid GitHub tools

An important correction to note. GitHub's own code scanning (CodeQL) and secret scanning are free on public repositories but require a paid GitHub plan on private ones. Since our repository will be private, the equivalent open-source tools below are used instead. They do the same job at no licence cost and run in the same automated way.

Tool	What it does	Link
Semgrep Community	Scans our own code for common security weaknesses each time a change is made. The free equivalent of CodeQL for our purposes.	semgrep.dev/products/community-edition/
Gitleaks	Detects passwords, keys or connection details accidentally committed to the	github.com/gitleaks/gitleaks

	repository, and can block the commit before it lands.	
Trivy	Scans the packaged services and their contents for known vulnerabilities before they are deployed.	trivy.dev
OWASP ZAP	Tests the running portal on the staging copy for common web vulnerabilities before a major release.	www.zaproxy.org

If GitHub's own tools are preferred later, GitHub Team is the entry point at a modest per-user monthly cost. It is not assumed in any figure in this document.

Incident response

The response sequence is: contain the incident, establish what was reached and when, reset affected credentials, restore from a known-good backup taken before the incident, close the gap that allowed it, document what happened, and notify anyone whose information was involved where required. Privacy law requires notification where personal data is affected, and customer contact details count.

The party responsible for responding should be named before the portal goes live rather than identified during an incident.

10. Backup and Recovery

OVHcloud provides backup facilities directly, and these form the first layer. A second, independent layer is added because of a specific limitation described below.

10.1 What OVHcloud provides

Facility	Detail
Standard automated backup	Included free with every VPS. A full backup of the system disk taken daily and retained for 24 hours. Restored from the OVHcloud control panel without needing to connect to the server.
Premium automated backup	Paid option. Extends retention to seven rolling days and allows the backup time to be set, so it can run outside business hours. Recommended.
Replication	Backups are copied three times within the data centre, on servers separate from the one hosting the portal.
Snapshots	A manual point-in-time image of the server, taken before a significant update so it can be rolled back. One snapshot is held at a time.
Retention after cancellation	Data is archived for 30 days after a VPS is cancelled, then deleted.

An important limitation to be aware of. *OVHcloud's automated backup and snapshots cover the system disk only. Any additional storage volume attached to the server is not included. If the database or the diagram files were held on an attached disk, they would not be in the OVHcloud backup. This is a*

documented behaviour and a known cause of unpleasant surprises, so the design must account for it deliberately rather than assume the provider backup covers everything.

10.2 Our backup design

Two layers, so that no single failure loses the catalog.

Item	Frequency	Purpose
OVHcloud automated backup	Daily, 7-day retention	Full server recovery. Covers the operating system and everything on the system disk.
Database dump to object storage	Nightly	An independent copy of the catalog data, written to storage separate from the server. This is the layer that protects against the system-disk limitation above.
Database transaction log	Continuous	Allows recovery to a chosen minute rather than only to last night, which matters after an incorrect bulk update.
Diagram image files	On change, versioned	Every version of every drawing retained, so replacing one by mistake is reversible.
Server snapshot	Before major updates	A rollback point taken manually before any significant change.

10.3 Where backups are held and for how long

- Three copies across two systems, with one copy in a location separate from the production server.
- Object storage credentials kept separate from the portal's own credentials, so that access to the portal does not grant access to the backups.
- Retention of seven daily, four weekly and twelve monthly recovery points. The monthly copies cover the case of an error found long after it was made.
- Recovery procedures documented and stored outside the system they describe, so they are readable when the system is unavailable.
- A recovery test carried out and recorded quarterly. A backup that has never been restored is an assumption rather than a backup.

10.4 How RUF Diamond would reach the backups

Server backups are restored through the OVHcloud control panel, using our own account credentials. Day-to-day corrections do not require a restore at all: because every change is recorded in the audit log, an incorrect price or description is simply corrected in the administration screen. The independent database copies in object storage are reachable through our own account and can be downloaded directly if ever needed.

10.5 Recovery times

Scenario	Target	Approach
----------	--------	----------

Incorrect price or description	Immediate	Corrected in the administration portal. No restore required.
Incorrect bulk update or deletion	1 to 2 hours	Restore to a verified point before the change, confirm, then bring into production.
Server or data-centre failure	2 to 4 hours	Rebuild the server, restore the database and reconnect the image storage.

Objective: no more than 15 minutes of work lost in any failure, and the portal running again within four hours in the worst case.

11. Support and Maintenance

Level	Responsibility	Activities
Content administration	RUF Diamond	Prices, descriptions, parts, diagrams, customer accounts, discounts and routine catalog changes.
Technical operations	Appointed technical resource	Server and application updates, security patches, monitoring, certificate checks, backup verification and incident response.
Changes and additions	Appointed technical resource	New features, workflow changes and future integrations.

The content side sits with RUF Diamond and requires no technical background. The technical side is a distinct responsibility and should be assigned explicitly rather than assumed, since it includes availability outside working hours.

Response times, and why there are two sets

Response times are worth agreeing before launch, and they need to be shown in two separate places, because they cover different things and it is easy to assume one covers the other.

The distinction matters. OVHcloud responds if the server itself has a problem. They do not fix portal code, correct catalog data, or rerun a failed weekly import. Those are application matters and need their own arrangement. Assuming the hosting plan covers them is the easiest mistake to make here.

Hosting provider, OVHcloud

Plan	First response target	Cost
Standard (included)	8 business hours for a critical infrastructure incident	Included in the VPS price. Recommended starting point.
Premium (optional)	2 business hours	Additional monthly cost, confirmed at order. Worth revisiting only if we find we are waiting.

Portal application, proposed targets

These are proposed operating targets rather than contractual promises. They should be confirmed with whoever takes the technical support role before the portal goes live.

Severity	Acknowledge	Then
Portal unavailable, or a confirmed security incident	Within 1 business hour	Workaround or restoration targeted within 4 hours during agreed coverage.
Major function broken, for example search or login	Within 4 business hours	Fix or workaround targeted within 1 business day.
Minor or cosmetic issue	Within 1 business day	Scheduled into the next suitable release.
Weekly import problem or data question	Within 1 business day	Rerun the import, correct the mapping, or advise on rejected records.
New feature or change request	Scheduled	Estimated and approved before work begins.

12. Ownership, Source Code and Documentation

Everything produced for this project belongs to RUF Diamond. The points below should be established at the outset rather than settled later.

Item	Position
Source code	Owned by RUF Diamond.
Database and content	Owned entirely by RUF Diamond, exportable in common formats at any time and at no cost.
Code repository	A private GitHub repository under a RUF Diamond account. See below.
Figma design files	The Figma project, component library and assets belong to RUF Diamond.
Technical documentation	Architecture, data model and operational notes, sufficient for another qualified developer to continue the work.
Administrator guide	Task-based instructions for RUF Diamond staff.
Deployment documentation	Instructions for configuring and rebuilding the system on the hosting environment.

GitHub repository

The source code will be held in a private GitHub repository. RUF Diamond can create the organization account at any time, and doing so early is worthwhile because it means all work is held in our own account from the first line of code rather than moved across later.

Item	Position
------	----------

Account	A GitHub organization created under RUF Diamond, with RUF Diamond holding the administrator rights.
Cost	Free. Private repositories and the security scanning features described in Section 8 are included at no charge at our scale.
Visibility	Private. The source code is not publicly accessible.
Access	Anyone working on the portal is added as a collaborator and removed when their involvement ends.
History	The full development history stays with RUF Diamond, giving a complete record of what changed and when.
Documentation	Technical and deployment documentation stored alongside the code so it stays current with it.
Credentials	Passwords, keys and connection details are never stored in the repository.
Repository backup	A periodic copy held outside GitHub, so the code remains available if the account or service is unavailable.

At least two RUF Diamond administrators should hold access to the GitHub organization and to the OVHcloud account, so that neither depends on a single individual.

Creating the accounts. Both the GitHub organization and the OVHcloud account should be opened using a RUF Diamond email address rather than a personal one, so that ownership sits with the company from the start and does not need transferring later. This can be done now, before any development begins, and costs nothing in the case of GitHub.

Keeping the system maintainable

- Widely adopted, well supported technologies only, with no proprietary components that tie us to one supplier.
- Documentation updated as features are delivered rather than promised at the end.
- Independent RUF Diamond access to hosting, the GitHub repository, Figma files, backups and administrator credentials.
- An annual technical and security review.

13. Project Phases and Delivery Plan

The design work is already initiated and needs to be approved, which removes the phase that usually takes longest to settle. Development is being carried out using AI-assisted tooling, which substantially shortens the build compared with conventional estimates. On that basis the pilot should be complete in roughly two to three months rather than the six to nine a project of this description would normally take.

No development costs are included here.

13.1 Phases

Phase	Scope and deliverable	Duration	Status
-------	-----------------------	----------	--------

1. Design	Screens, user flows and interactive prototype in Figma, covering the customer catalog and the administration side. Fourteen screens, listed in Section 3.		Needs Approval
2. Requirements sign-off	Confirm the design and this document reflect what is wanted, before building starts.	1 week	Pending review
3. Accounts and environment	Open the OVHcloud and GitHub accounts, provision the server, apply security settings, connect the subdomain and certificate.	Under 1 week	Ready to start
4. Database and import tools	Build the structure in Section 4 and the tool that reads the Excel export. Deliverable: a repeatable import.	1 to 2 weeks	
5. Portal build	Customer catalog and administration back office: search, drawings, hotspot editor, users, discounts, reporting, audit.	4 to 6 weeks	
6. FT3 Wagon data load	Import the export, upload the drawings, mark the callout positions, verify against the current portal.	2 to 3 weeks	Runs in parallel
7. Testing	Function, performance and security testing, plus RUF Diamond review against the agreed requirements.	1 to 2 weeks	
8. Launch and training	Release to selected customers alongside the existing portal. Train staff on the administration side and write the internal guide.	1 week	
9. Pilot period	The FT3 Wagon runs live while we measure how long a machine takes to maintain and gather customer feedback.	60 to 90 days	
Total to launch	From approval to the pilot machine being live	2 to 3 months	

The data load runs alongside the build rather than after it, since the drawings and the export can be prepared while the portal is being written. That overlap is a large part of why the timeline is short.

13.2 Why this is faster than a conventional estimate

- The design is already initiated and needs approval,. On most projects this is the phase that consumes weeks of back and forth before anything can be built.
- Development is AI-assisted, which shortens the writing of the code itself considerably. It does not shorten the parts that need human judgement: agreeing requirements, checking the data is correct, and testing.

- The scope is one machine. The structure supports all three brands from the start, but only the FT3 Wagon is loaded for the pilot.
- The infrastructure is a single server with no complex integration. Xero comes later.

13.3 What could extend it

Two things realistically, and both are visible now rather than surprises:

- **The drawing files.** If the current portal will not release usable drawing images, they have to be produced from our own source documents, which adds time to the data load.
- **Marking the callout positions.** This is the one task that cannot be automated from the export. The FT3 Wagon has 44 drawings and 635 callouts. The pilot measures exactly how long this takes, which is what makes the remaining machines predictable.

13.4 Responsibilities

Area	RUF Diamond	Development
Requirements and design	Review and approve the design and this document.	Design provided. Adjust following review.
Accounts	Open the OVHcloud and GitHub accounts under a rufdiamond.com address.	Configure and secure the server.
Build	Answer questions on catalog structure and business rules.	Build the database, portal and import tools.
Data	Provide the drawing files. Verify the loaded machine is correct.	Import the data and mark the callouts.
Testing	Confirm it works for our own use.	Testing and corrections.
Launch	Select pilot customers and communicate the change.	Deploy, monitor, train and document.
After launch	Own all catalog content and customer administration.	Technical operation, patching, backups and monitoring.

13.5 What has to be ready before each stage

- Nothing can be built until the design and requirements are approved.
- The environment cannot be set up until the OVHcloud and GitHub accounts exist. Both can be opened now.
- The data load cannot start until the FT3 Wagon drawing files are supplied. The Excel export is already in hand.
- Launch cannot proceed until a restore from backup has been tested successfully.
- Retiring the current portal cannot be scheduled until its contract terms and notice period are known.

13.6 Recommended approach

- Run the FT3 Wagon as a controlled pilot before committing to the remaining machines.
- Keep the existing portal running throughout. Nothing is switched off until the replacement is proven.
- During the pilot, record enhancement ideas rather than building them, unless something is genuinely broken. A pilot with a moving specification does not finish.
- Load the IronHorse line first after the pilot, since it is not in the current catalog and adds coverage rather than duplicating it.

14. Recurring Costs

The figures below cover infrastructure and third-party services only. Development effort is not included here and is a separate matter.

14.1 Infrastructure, OVHcloud

Item	Cost	Notes
VPS-3 server	\$16.83 / month	6 vCPU, 12 GB RAM, 100 GB storage. Includes IPv4 address, unlimited bandwidth, anti-DDoS protection and standard daily backup. Published price.
Premium automated backup	From \$1.80 / month	Extends backup retention to seven rolling days and allows the backup time to be set. Recommended.
Snapshot option	From \$0.50 / month	Manual rollback point taken before significant updates.
Object storage	Approx. \$5 to \$15 / month	Diagram images and the independent nightly database copy. Depends on volume.
Additional storage	As required	Only if the catalog grows beyond the included 100 GB. Expandable to 5 TB.
Infrastructure subtotal	Approx. \$25 to \$40 / month	Roughly \$300 to \$500 per year.

14.2 Third-party services

Service	Cost	Notes
Domain name	Nil	A subdomain of rufdiamond.com, for example parts.rufdiamond.com. No registration cost.
SSL/TLS certificate	Nil	Let's Encrypt, free and automatically renewed.
GitHub	Nil	Private repositories and security scanning are free at our scale.
Email delivery service	Nil to approx. \$30 / month	For password resets, account notifications and system alerts. Free tiers cover several thousand messages a month, which is well beyond our expected volume. A paid tier applies only if volume grows.

Monitoring tools	Nil	Uptime Kuma, Prometheus and Grafana are open source and run on our own server. Hosted alternatives exist if preferred.
Database software	Nil	PostgreSQL carries no licence fee.
Operating system and web server	Nil	Ubuntu and Nginx are open source.
Application components	Nil expected	The standard components for a portal of this type are open source. If any paid component is proposed during development, it should be raised and approved before it is adopted.

14.3 Summary

Category	Per year	Confidence
OVHcloud infrastructure	\$300 to \$500	High. Published prices.
Third-party services	Nil to approx. \$360	High. Mostly free tiers.
Software licensing	Nil	High. All open source.
Total recurring	Approx. \$300 to \$860	Excludes development and technical support.

Recurring infrastructure and service costs are therefore modest. The significant costs in this project are development effort and ongoing technical support, both of which sit outside this section.

15. Decisions Required Before Building

These are the points that need an answer from management rather than from us. Everything else can proceed once they are settled.

	Decision	Why it matters now
1	Approve the Figma design and the scope in this document.	Nothing should be built until the screens are agreed. Changing a design costs an hour, changing built screens costs days.
2	Confirm OVHcloud as the provider, and Standard rather than Premium support to begin with.	Determines the account that gets opened and the monthly figure in Section 1.
3	Confirm 500 GB of off-site backup storage is enough for the drawing library.	Affects the storage line. Easily increased later, but better sized now.
4	Confirm the dealer pricing rules and who is permitted to submit requests.	Determines how customer categories and permissions are set up. Currently understood as Dealer at 10% and Retail at 0%.
5	Confirm the meaning of PNC and S/NS in the parts export.	PNC is understood to be the drawing callout number and S/NS a stock indicator. Worth

		confirming before the import is built around that assumption.
6	Confirm whether Xero is Phase 2 or part of the first release.	The recommendation is Phase 2. Section 6.
7	Agree who holds the technical support role and confirm the response targets.	Section 11. This should be settled before launch rather than during the first incident.
8	Confirm the current portal's annual cost, contract term and notice period.	Needed to complete the overall business case and to plan when the existing system can be retired.

16. Plain-Language Glossary

Terms used in this document, explained without jargon.

Term	What it means
API	A controlled way for two systems, such as the portal and Xero, to exchange information automatically.
Backup	A separate copy kept so information can be restored after a deletion, a mistake or a server failure.
Container	A way of packaging each part of the software so it runs the same way every time and can be changed independently of the others.
Database	The organised store holding machines, parts, prices, customers and how they relate to each other. It replaces treating a spreadsheet as the system.
DNS	The service that points a web address, such as parts.rufdiamond.com, at the correct server.
Figma	The design file showing exactly how each screen should look and behave, agreed before anything is programmed.
Firewall	Rules that block unwanted network access and allow only the connections that are needed.
GitHub	The company-controlled place where the source code, documentation and full history of changes are stored.
Hotspot / callout	The numbered marker on an exploded drawing that points at a part. Storing each one separately is what lets the portal highlight every place a part appears.
MFA	Multi-factor authentication. A second check at login in addition to the password, usually a code from a phone.
Monitoring	Automatic checks that detect outages, high resource use, failed backups and expiring certificates, and alert someone.
OAuth	A secure way for the portal to connect to Xero without ever storing a user's Xero password.
Off-site backup	A backup kept somewhere other than the live server, so a single incident cannot destroy both copies.

SSL / TLS	The encryption that protects information travelling between a browser and the portal. The padlock in the address bar.
Staging	A private copy of the portal used to test changes before customers ever see them.
VPS	Virtual private server. The rented server the portal runs on.

17. Reference Links

Every product and service named in this document, with its official source. Pricing should be rechecked at the point of purchase.

Reference	Link
OVHcloud VPS pricing and specifications	www.ovhcloud.com/en-ca/vps/
OVHcloud VPS backup and snapshot options	www.ovhcloud.com/en-ca/vps/options/
OVHcloud support levels	www.ovhcloud.com/en-ca/support-levels/
Ubuntu Linux	ubuntu.com
PostgreSQL	www.postgresql.org
Nginx	nginx.org
Docker	www.docker.com
Let's Encrypt	letsencrypt.org
GitHub	github.com
GitHub Dependabot	docs.github.com/en/code-security/dependabot
Semgrep Community Edition	semgrep.dev/products/community-edition/
Gitleaks	github.com/gitleaks/gitleaks
Trivy	trivy.dev
OWASP ZAP	www.zaproxy.org
Uptime Kuma	uptime.kuma.pet
Prometheus	prometheus.io
Grafana	grafana.com
Xero Accounting API	developer.xero.com/documentation/api/accounting/overview

ThinkOn figures are taken from Quote ID 302387, prepared 20 July 2026, tax excluded, on a 36-month term.

18. Required Inputs

- FT3 Wagon drawing files in the best available format, alongside the Excel export already provided.
- Confirmation of the data and drawings that can be exported from the current provider.
- Current annual cost, licence terms and notice period for the existing portal.
- Review and approval of the Figma design.
- Creation of the RUF Diamond GitHub organization and the OVHcloud account, both under a rufdiamond.com email address.
- Confirmation of who holds the technical support responsibility described in Section 10.

Recommended next step

Proceed with the FT3 Wagon as a controlled pilot. Approve the Figma design, open the OVHcloud and GitHub accounts, and obtain the FT3 Wagon drawing files so that the data migration can begin.