

65-inch ultra-high-definition LCD splicing unit/monitor (joint 3.5mm)

Product model: AE-LED65-3.5MM

datasheet

SAMSUNG ELECTRONICS RESERVES THE RIGHT TO CHANGE PRODUCTS, INFORMATION AND SPECIFICATIONS WITHOUT NOTICE.

For updates or additional information about Samsung products, contact your nearest Samsung office.

All brand names, trademarks and registered trademarks belong to their respective owners.

© 2023 Samsung Electronics Co., Ltd. All rights reserved.





product specification	
Product Series	multi-screen
screen size	65 inches
Exterior color	black
Stitching thickness	3.5MM

VIDEO WALL MONITOR

datasheet

input/output interface	
USB input	1 USB2.0, Max 480Mbps
Audio speaker output	none
other	Equipped with an image engine accelerator (magic wand), it can realize HDMI ultra-clear resolution 4000X2250 display
signal input	<ul style="list-style-type: none"> • Support 1 HDMI input, support version 1.4, maximum support 3840X2160 input • Support 1 channel DVI signal input, maximum support 1920X1080 input . • Support RJ45 input and output, access to infrared receiver and RS232 for device control and debugging . • Support image 180-degree flip, (left and right mirror, up and down mirror, need to be customized)
Electrical performance of the whole machine	
enter	176-240V~, 47~63Hz, 2A, Max
DC output	12V=4A _
Machine power consumption	65 inches: 158w (DLCD)
speaker power	no speakers
main hardware	
size model	65 inches
Memory	Full hardware architecture , no memory, no storage
built-in memory	not support
memory expansion	not support
WiFi	not support
operating system	Full hardware architecture , no CPU and operating system
decoding resolution	The highest resolution is 3840X2160

Show performance parameters	
Product number	LED65-3.5MM
Backlight type	DLCD
Display size(mm)	L1429 x W806.50
physical resolution	2K (1920 x 1080)
Overall peak brightness	600 cd/m ² ± 30
Dynamic Contrast	1200:1
viewing angle	89/89/89/89
screen ratio	16:9
display color	10Bit, 16.7M
Structural dimensions (unit: mm)	
Overall Dimensions (length×height×thickness)	L1429 x W806.50 x T85
Outer box packing size (length×height×thickness)	L1530 x W385 x T795
Bare metal net weight (KG)	28KG
Gross weight of the whole machine (KG)	59KG (two sets)
wall mount size	Three hooking methods, see the view below for details
VESA hole size	See the hexagonal view below for details
Wall Mount Screw Specifications	M5*6 and M6*10



指挥中心



会议室




监控中心



展厅



婚庆礼仪



KTV

