Interactive Touch Panel specifications

Product model: AE-LED75-YTD

datasheet

SAMSUNG ELECTRONICS RESERVES THE RIGHT TO CHANGE PRODUCTS, INFORMATION AND SPECIFICATIONS WITHOUT NOTICE.

For updates or additional information about Samsung products, contact your nearest Samsung office.

All brand names, trademarks and registered trademarks belong to their respective owners.

SAMSUNG

SAMSUNG ELECTRONICS

datasheet

Note: The startup interface and appearance color of the machine are subject to the actual product!

1. Aluminum alloy frame, surface sandblasted and anodized, iron shell back cover, active heat dissipation;
2. 4mm physically tempered vandal-proof high-transparency glass; enhances visual effects and enhances touch experience;
3. Supports up to 20 points of touch, faster writing speed, and the best writing experience;
4. Ultra-narrow sandblasted face frame, ultra-narrow design, the entire machine face frame is only 22MM on one side.
5. It uses the internationally accepted standard OPS slot and has an integrated plug-in design, which is convenient for upgrades and maintenance. There are no visible computer module connection lines on the outside, and the body is beautiful.
6. Front-mounted expansion port: 2-way USB is convenient for users to expand and use.
7. The front one-button start switch realizes the three-in-one TV, computer, and energy-saving switch functions; it is easy to operate and has a simple and elegant appearance.
8. The front remote control window makes it easy for users to operate with the remote control and set up and debug the machine for use.
9. The speaker has a front sound outlet and a honeycomb sound hole to prevent sound effects caused by the built-in environment.
10. The Android motherboard and PC in the machine have built-in WIFI modules respectively, which facilitates users to conduct wireless transmission and network operations through WIFI.
11. Support side-pull touch menu, support any channel writing, annotation, and screenshot functions; child lock function, key functions can be blocked through settings.

SAMSUNG

datasheet

75-inch LCD parameter specifications	
size	75"
Bare metal size	1721.89 (length) x 1031.49 (height) x 106.20 (thickness) mm
Package Size	1847 (length) x1185 (height) x205 (thickness) mm
Display area	1650.24(H)✕928.26(V) (mm)
point distance	0.105 mm x 0.315 mm
best resolution	3840*2160
brightness	350cd/㎡
Contrast	1200:1 (Typ.) Transmission
Viewing angle	178°,178°
Response time	8ms
Display color	8 bit/16.7 Billion
Backlight	DLED
Screen life	60000 hours
power	≤280W
Operating Voltage	100V-240VAC,50/60Hz
speaker	8Ω10W*2
Net weight/gross weight	Estimated 65KG/73KG

datasheet

İnteractive Touch Panel

Android system System parameters	processor	Amlogic T982
	GPU	ARM Mali-G52 GPU
	CPU	Cortex-A55 CPU
	Memory	DDR4 4G
	solid state storage	32G
	system version	Android 11.0
	OSD language	Chinese, English, multiple languages can be customized
	front port	USB2.0*2
	Function port	HDMI *2, USB 3.0*1, USB 2.0*1, RS232 *1, RJ45 IN *1, TOUCH*1, AV IN*1, AV OUT*1, EARPHONE*1, MIC IN*1,
	WIFI	compatible 2.4G+5G
Ops computer parameters (optional)	CPU	Intel I3/I5/I7 (optional)
	graphics card	Intel CPU integrated graphics
	Memory	4G DDR3/DDR4 (optional)
	harddisk	128G/256G (optional)
	network card	Realtek 8111F Gigabit network card
	I/O interface	2*USB2.0 port 2*USB3.0 port 1*VGA port 1*COM port 1*HDMI port 1*RJ45 port 1*WIFI antenna 1*Earphone-OUT port 1*MIC-IN port 1*POWER button
	system	Support Windows 7/Windows10

SAMSUNG ELECTRONICS

SAMSUNG

SAMSUNG ELECTRONICS

SAMSUNG