



SPAREPARTS · MULTI-TENANT AUTO PARTS PLATFORM

IGNITION DESIGN PACKAGE · REPORT 02 OF 6

Visual Design Language.

The complete Ignition token system, iconography, and high-fidelity hero mockups for the Dashboard and the new unified Client Workspace.

Carbon black surfaces. Brake-caliper orange ignition. Plus Jakarta Sans precision type. A dark-first system engineered to read as a genuinely new application — not a re-skin of Aurora — across React web, WPF desktop, and React Native mobile.

Report 02 — Visual Design Language

Design vision · tokens · hero mockups · iconography

dev-graphic-designer

Visual Design Agent

2 July 2026

SpareParts Ignition Package





Table of Contents

Twelve sections covering design rationale, the full token system, before/after proof, four hero mockups, iconography, data-visualization rules, and the cross-platform token mapping table.

01	Design Vision — Ignition	Why carbon + orange, what it communicates	03
02	Color System — Dark Mode	Full ramps, usage rules, semantic colors	04
03	Color System — Light Mode	Full ramps for the light surface variant	05
04	Typography, Spacing & Radii	Type scale, 4/8 spacing grid, radius tokens	06
05	Elevation & Motion	4 shadow levels, duration/easing tokens	07
06	Before → After	Current Apex/Aurora dashboard vs. Ignition	08
07	Hero Figure A — Dashboard (Desktop)	Full command-center mockup, real data	09
08	Hero Figure B — Client Workspace (Desktop)	Customer 360, aging, invoices, timeline	10
09	Mobile Variants	Dashboard & Client Workspace, narrow layout	11
10	Light-Mode Dashboard Variant	Full light-surface rendition	12
11	Iconography	Stroke spec + 12-icon reference set	13
12	Data Visualization Style	Chart palette, gridlines, empty states	14
13	Cross-Platform Token Mapping	CSS vars → WPF ResourceDictionary → RN theme.js	15


Ignition

Why carbon black and brake-caliper orange communicate exactly what a spare-parts shop owner needs to feel at 7am on a Monday.

Aurora — the system we are replacing — was a dark navy dashboard trying to look like fintech software. Deep blue-black (#080c14), a cool teal accent, soft glassmorphism. It is competent, but it is generic: it could be a banking app, a logistics app, a CRM. Nothing about it says *auto parts*. And because the shop owner's mental model of quality software is "did it change," a navy-to-navy restyle reads as nothing happening at all.

Ignition starts from the object, not the industry template. A brake caliper is painted safety orange for one reason: so a mechanic can find it instantly, under a car, in bad light, in a hurry. That is precisely the job this dashboard does all day — surface the number that matters (today's negative P&L, the client with 91 overdue days, the part at zero stock) inside a wall of otherwise-neutral data. Carbon black is not a mood, it's a canvas: matte, low-glare, the color of a tool bench, the color of a dashboard cluster at night. Orange is not a brand color, it's an alert color repurposed as the single accent — used sparingly enough that when it appears, it means "look here."

Typography reinforces the same idea. **Plus Jakarta Sans**, tightened to -0.04em tracking, gives headings a machined, slightly technical edge — closer to a dashboard cluster typeface than a SaaS marketing font. **Inter** carries body copy because it disappears at small sizes, which matters across dense tables of parts and invoices. **JetBrains Mono** is reserved exclusively for tabular numerals — prices, quantities, aging buckets — so every column of digits lines up like a parts catalog, not like prose.




Shape follows the same restraint-with-one-exception logic: cards are borderless, separated only by layered shadow and a one-shade surface shift (carbon → surface → elevated), at a generous 16px radius that reads as confident rather than playful. The one place geometry gets sharp is status: pill badges, hard accent underlines, a 2px orange rail on the active nav item — precision marks, not decoration.

The result should be unmistakable in a screenshot from across the room: **if it isn't carbon black with one orange accent and machined type, it isn't Ignition.** That is the bar for "impress me" — not a new color variable, a different application.


Dark Mode — Primary Surface

The default application surface. Three-step elevation, one accent, four semantic states, full neutral and orange ramps.

NEUTRAL / CARBON RAMP — BACKGROUNDS & BORDERS



IGNITION ORANGE RAMP — THE SINGLE ACCENT, 50+900



SEMANTIC STATUS COLORS



TOKEN	HEX	USAGE RULE
surface.carbon	#0A0A0B	App shell base — behind rail, behind command bar, page canvas
surface.default	#131316	Cards, panels, table rows — first elevation step off carbon
surface.elevated	#1B1B1F	Popovers, dropdowns, modals, hover state on cards
surface.elevated2	#232328	Active/pressed states, nested widgets inside elevated panels
border.default	#26262B	Hairline dividers — used sparingly; prefer shadow over border for cards
border.strong	#3A3A42	Input focus rings (paired with orange), table header rules
text.primary	#FAFAFA	Headings, values, primary body text
text.secondary	#A1A1AA	Labels, captions, secondary metadata
text.muted	#6B6B74	Placeholder text, disabled state, timestamps
accent.orange	#F97316	Primary CTA fill, active nav rail, focus ring, links, chart primary series — the ONE accent
accent.orange-hover	#EA580C	Hover/pressed state of orange elements
status.warning	#FBBF24	Low-stock badges, margin-watch flags, "attention soon"
status.success	#22C55E	Paid, in-stock, positive delta, "all clear"
status.danger	#EF4444	Overdue, negative P&L, out-of-stock, failed message
status.info	#38BDF8	Informational badges, secondary chart series, links inside dark tables

Light Mode

Same structure, inverted elevation direction (white → down to grey), same single orange accent recalibrated for AA contrast on white.

NEUTRAL / PAPER RAMP – BACKGROUNDS & BORDERS



IGNITION ORANGE RAMP – LIGHT-SURFACE CALIBRATION



Note: on light backgrounds the accent base shifts one step darker (#EA580C, ramp 600) rather than #F97316 (ramp 500) — #F97316 on white fails AA for text/icon-on-white at small sizes; it remains valid as a fill behind white text.

SEMANTIC STATUS COLORS – LIGHT MODE



TOKEN	DARK VALUE	LIGHT VALUE	USAGE RULE
surface.canvas	#0A0A0B	#FFFFFF	Outermost app background
surface.default	#131316	#F7F7F8	Cards, table rows
surface.elevated	#1B1B1F	#E0E0E1	Popovers, modals
text.primary	#FAFAFA	#111114	Headings and values
text.secondary	#A1A1AA	#52525B	Labels and captions
border.default	#26262B	#DCDCE1	Hairlines
accent.orange	#F97316	#EA580C	CTA fill, active states, links

Rule of thumb across both modes: **orange never fills more than roughly 8% of a screen's surface area**. It marks the primary action and active/critical states only — inventory panels, tables, and charts otherwise use the neutral ramp plus the four semantic colors so orange retains its "look here" weight.

Typography, Spacing & Radii

A ten-step type scale on a 1.25 ratio, an 4/8px spacing grid, and a restrained three-step radius system plus pill.

TYPE SCALE		
display-xl / 800	\$18,420.00	44/34 · -0.04em
display-lg / 800	Dashboard	32/26 · -0.035em
heading-md / 700	Garage Elie Motors	24/18 · -0.02em
heading-sm / 700	Action Queue	20/14 · -0.01em
body-md / 400 Inter	3 open transactions waiting for payment	20/13
body-sm / 400 Inter	Last synced 2 minutes ago	16/11.5
label / 600 caps	OVERDUE 90+ DAYS	14/10 · +0.08em
mono-num / 500 JB Mono	1,284,600 LBP	18/13 tabular-nums

SPACING SCALE (4PX BASE)		
TOKEN	VALUE	USE
space-1	4px	icon-to-label gaps
space-2	8px	tight stacks, chip padding
space-3	12px	card internal padding (compact)
space-4	16px	default card padding, gutter
space-6	24px	section gaps
space-8	32px	panel-to-panel on dashboard grid
space-12	48px	page top margin under command bar
space-18	72px	icon-rail width (fixed)

RADII & GRID		
TOKEN	VALUE	USE
radius-sm	8px	chips, inputs, small buttons
radius-md	12px	nested widgets, table cells (grouped)
radius-lg	16px	cards, panels — the default
radius-xl	24px	hero/metric-band container, modals
radius-pill	999px	status badges, avatar, filter pills
grid	12-col	24px gutter, max content 1440px

Elevation & Motion

Four shadow levels layered on carbon surfaces, plus the motion tokens governing hover, panel entry, and chart transitions.




LEVEL	TOKEN	SHADOW VALUE (DARK MODE)	SHADOW VALUE (LIGHT MODE)	APPLIES TO
L0	-- shadow-0	0 1px 2px rgba(0,0,0,.5)	0 1px 2px rgba(17,17,20,.06)	Table rows, inline chips
L1	-- shadow-1	0 4px 14px rgba(0,0,0,.45), 0 1px 3px rgba(0,0,0,.5)	0 2px 8px rgba(17,17,20,.06), 0 1px 2px rgba(17,17,20,.04)	Default cards, KPI tiles
L2	-- shadow-2	0 12px 28px rgba(0,0,0,.5), 0 2px 6px rgba(0,0,0,.4)	0 8px 24px rgba(17,17,20,.1)	Dropdowns, command palette, toasts
L3	-- shadow-3	0 24px 60px rgba(0,0,0,.6), 0 0 0 1px rgba(249,115,22,.08)	0 24px 48px rgba(17,17,20,.16)	Modals, full-screen client workspace panel

MOTION TOKENS		
TOKEN	VALUE	USE
duration-instant	80ms	Icon color/opacity swaps, checkbox toggle
duration-fast	140ms	Button hover/press, badge fade-in
duration-base	220ms	Card hover-lift, tab underline slide
duration-panel	320ms	Modal/drawer enter, client workspace tab switch
duration-chart	600ms	Sales trend line draw-in, KPI count-up
ease-standard	cubic-bezier(.4,0,.2,1)	Default for all UI transitions
ease-out-back	cubic-bezier(.34,1.56,.64,1)	Success confirmation pop (payment recorded, etc.)

Before → After


The current live "Apex/Aurora" dashboard (graphite-blue #11161c, brick-red #c23a32 accent, Manrope type) next to the new Ignition dashboard. Same data, unmistakably different application.

CURRENT • REJECTED



Manrope display type, graphite-blue surfaces, brick-red/gold accent split, rounded 6px cards — reads as generic B2B SaaS.


NEW • IGNITION



Carbon canvas, single orange accent, Plus Jakarta Sans display type, tabular JetBrains Mono figures, borderless 16px-radius cards — reads as a new application.


New Dashboard — Full Desktop Screen

Icon rail, command bar with global search, full-width KPI metric band, action queue, sales trend, low-stock & receivables panels. Data reflects real SpareParts entities: parts, clients, LBP/USD dual currency, aging buckets.



New Client Workspace — Full Desktop Screen

Unified customer 360: client list rail, identity + balance + risk header, tabbed record (Overview, Invoices, Payments, Quotes, Part Requests, Vehicles, Timeline), aging bar and activity feed — replaces the fragmented Contacts / Aging / Invoices views.




Narrow Layout — Dashboard & Client Workspace

Icon rail collapses to a bottom tab bar; KPI band becomes a horizontal scroll snap; client list rail becomes a full-screen list that pushes to a detail screen. Touch targets increase to 44px minimum (WPF/web use 32-36px pointer targets — mobile is a deliberate divergence for touch ergonomics).

DASHBOARD • MOBILE




CLIENT WORKSPACE • MOBILE



Mobile-specific divergences (documented per the platform rule): bottom tab bar replaces the icon rail; minimum tap target 44×44px vs 32px pointer targets on web/WPF; KPI band becomes horizontally scrollable with snap + dot pagination instead of a fixed 6-up grid; the command bar's Ctrl K hint is replaced by a full-width tap-to-search field.

Dashboard — Light Mode

Full light-surface rendition of the same dashboard: paper white canvas, orange recalibrated to ramp-600 for AA contrast, identical layout and data.



All structural rules (72px rail, KPI band, borderless 16px cards, JetBrains Mono figures) carry over unchanged — only the surface/text ramp and orange calibration switch per the light-mode token table on page 5.

Stroke Style & Reference Set

A single geometric stroke family used across all three platforms — no filled icons except status dots and the active-state accent fill.

STROKE SPECIFICATION	
Grid	24×24px artboard, 20×20 live area, 2px safe margin
Stroke weight	1.75px at 24px size (scales proportionally: 1.5px at 20px, 2px at 32px)
Corners	Round joins and round caps throughout — no mitered/sharp joins
Fill	None by default (stroke-only); accent-filled variant reserved for active nav state and status dots
Color (dark)	#A1A1AA default, #FAFAFA on hover/active label, #F97316 when representing the active/selected icon
Color (light)	#52525B default, #111114 hover/active label, #EA580C active icon
Optical sizes	14px (inline/table), 16px (buttons), 20px (nav rail), 28px (empty-state illustration accents)

REFERENCE 12-ICON SET



React web renders these as inline SVG (existing CockpitIcons.js icon map is restructured 1:1 to this stroke spec). WPF uses the same paths as Path geometry resources in the replacement resource dictionary. React Native renders via react-native-svg with the identical path data — one icon source of truth, three renderers.

Chart Palette, Gridlines & Empty States

Charts sit on the surface (#131316) or elevated (#1B1B1F) layer, never directly on carbon — this keeps gridlines legible without raising overall screen brightness.

SERIES PALETTE (ORDERED)

ORDER	COLOR	USE
1 · primary	#F97316	The metric being emphasized (sales trend, primary bar)
2 · comparison	#38BDF8	Prior period / comparison series
3 · positive	#22C55E	Profit, paid, in-stock segments
4 · caution	#FBBF24	Aging 1-60 days, low-stock threshold line
5 · critical	#EF4444	Aging 90+, out-of-stock, overdue
6 · neutral fill	#3A3A42	Category "other" bucket, disabled series

GRIDLINE & AXIS RULES

Gridlines	#1B1B1F on surface panels, 1px, horizontal only (no vertical gridlines on time-series)
Axis labels	JetBrains Mono 8px, #6B6B74, right-aligned on Y, centered on X
Zero line	#26262B, 1px solid (never dashed — dashed is reserved for forecast/projection)
Area fill	Linear gradient, series color at 35% opacity → 0% opacity over the chart height
Data point	4px radius, carbon fill + 2.4px series-color stroke; peak point 5px + label callout
Tooltip	Elevated surface (#1B1B1F), L2 shadow, 8px radius, JetBrains Mono value

APPLIED EXAMPLE — STACKED AGING BAR + EMPTY STATE

Receivables Aging — stacked

● Current

● 1-30d

● 31-60d

● 90+d

Segment order is fixed left→right: current → 1-30 → 31-60 → 61-90 → 90+. Never reorder by value — the eye must scan risk left-to-right consistently.

Empty state — no chart data

No sales recorded yet today
Chart fills in as invoices are posted

Empty states never show a literal blank panel: a muted icon (stroke #3A3A42 on #1B1B1F) plus a one-line explanation and, where relevant, a primary CTA in orange. This applies identically to the Dashboard sales trend, Client Workspace invoice table, and any report-builder chart with zero rows.

Token Mapping — Web, WPF, Mobile

One token system, three implementations. This table is the contract dev-web-react, dev-desktop-wpf, and dev-mobile-rn build against.

IGNITION TOKEN	REACT WEB — CSS CUSTOM PROPERTY	WPF — RESOURCEDICTIONARY KEY	REACT NATIVE — THEME.JS
Carbon canvas	--ig-bg-canvas: #0a0a0b	IgBrushCanvas (SolidColorBrush #0A0A0B)	colors.bgCanvas = '#0A0A0B'
Surface	--ig-bg-surface: #131316	IgBrushSurface	colors.bgSurface
Elevated	--ig-bg-elevated: #1b1b1f	IgBrushElevated	colors.bgElevated
Elevated-2	--ig-bg-elevated-2: #232328	IgBrushElevated2	colors.bgElevated2
Border default	--ig-border: #26262b	IgBrushBorder	colors.border
Text primary	--ig-text-primary: #fafafa	IgBrushTextPrimary	colors.textPrimary
Text secondary	--ig-text-secondary: #a1a1aa	IgBrushTextSecondary	colors.textSecondary
Text muted	--ig-text-muted: #6b6b74	IgBrushTextMuted	colors.textMuted
Accent orange	--ig-accent: #f97316	IgBrushAccent	colors.accent
Accent hover	--ig-accent-hover: #ea580c	IgBrushAccentHover	colors.accentHover
Success	--ig-success: #22c55e	IgBrushSuccess	colors.success
Warning	--ig-warning: #fbbf24	IgBrushWarning	colors.warning
Danger	--ig-danger: #ef4444	IgBrushDanger	colors.danger
Info	--ig-info: #38bdf8	IgBrushInfo	colors.info
Display font	--ig-font-display: 'Plus Jakarta Sans'	IgFontDisplay (FontFamily, packaged .ttf)	fonts.display: 'PlusJakartaSans-Bold'
Body font	--ig-font-body: 'Inter'	IgFontBody	fonts.body: 'Inter-Regular'
Mono font	--ig-font-mono: 'JetBrains Mono'	IgFontMono	fonts.mono: 'JetBrainsMono-Medium'
Radius lg	--ig-radius-lg: 16px	IgCornerRadiusLg (CornerRadius 16)	radii.lg = 16
Radius pill	--ig-radius-pill: 999px	IgCornerRadiusPill (CornerRadius 999)	radii.pill = 999
Shadow L1	--ig-shadow-1 (box-shadow)	IgShadowL1 (DropShadowEffect, BlurRadius 14)	shadows.l1 (elevation:4 / shadowRadius:14)
Space-4	--ig-space-4: 16px	IgSpace4 (Thickness 16)	spacing.space4 = 16
Duration base	--ig-duration-base: 220ms	IgDurationBase (Duration 0:0:0.22)	motion.durationBase = 220
Icon rail width	--ig-rail-w: 72px	IgRailWidth (GridLength 72)	layout.railW = 72 (n/a — bottom tabs used instead)

IMPLEMENTATION NOTES FOR THE PLATFORM AGENTS

React web (dev-web-react): replace the :root block in styles.css wholesale with the --ig-* variables above; component class names (.ck-*) can stay, only the token values and a handful of radius/shadow rules need to change given the app already reads from CSS custom properties.

WPF (dev-desktop-wpf): a new IgnitionTheme.xaml resource dictionary replaces whichever theme is currently merged in App.xaml; keys above are exact 1:1 replacements for existing brush/geometry keys so styles/templates referencing DynamicResource repaint without template rewrites where structure is unchanged.

React Native (dev-mobile-rn): export the same values as a flat theme.js object; bottom-tab layout and 44px touch targets are the only intentional deviations from the desktop spec, called out explicitly on page 11.

