



TraveXperience

Data Dictionary

Server: TraveXperience_Atlas

Author: Administrator

Date: 2026-07-12 23:14:56

Version: 1.0

Table of Contents

- 1. Introduction 1
- 2. Server: TraveXperience_Atlas (MongoDB) 2
 - 2.1. Database: travexperience 2
 - 2.1.1. Collections 2
 - 2.1.1.1. Collection: activitylogs 2
 - 2.1.1.2. Collection: favorites 3
 - 2.1.1.3. Collection: hotels 4
 - 2.1.1.4. Collection: places 7
 - 2.1.1.5. Collection: reviews 9
- 12. Error Report 12

1. Introduction

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:
TraveXperience_Atlas (MongoDB)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

2. Server: TraveXperience_Atlas (MongoDB)

Version: 8.0.27

1 database is listed below.

2.1. Database: travexperience

Database objects to be listed: 5 collections

2.1.1. Collections

2.1.1.1. Collection: activitylogs

Validation

Validator Type: Query

Validator
<pre>{ \$jsonSchema: { bsonType: "object", title: "activitylogs", description: "Registro de eventos de comportamiento del usuario.", required: ["userId", "eventType", "source"], properties: { userId: { bsonType: "int", description: "Puente lógico -> MySQL users.id" }, eventType: { enum: ["search", "view_place", "save_favorite", "book_itinerary", "app_open", "wearable_sync"], description: "Tipo de evento registrado" }, metadata: {</pre>

```
    description: "Payload libre según eventType (tipo Mixed)"
  },
  source: {
    enum: [
      "web",
      "mobile",
      "smartwatch"
    ],
    description: "Plataforma origen del evento"
  },
  createdAt: {
    bsonType: "date",
    description: "Fecha del evento"
  }
}
}
```

Indexes

Name	Fields
userId_1_createdAt_1	userId, createdAt

2.1.1.2. Collection: favorites

Validation

Validator Type: Query

```
Validator
{
  $jsonSchema: {
    bsonType: "object",
    title: "favorites",

    description: "Lugares guardados como favoritos por el usuario.",
    required: [
      "userId",
      "placeId"
    ],
    properties: {
      userId: {
        bsonType: "int",
        description: "Puente lógico -> MySQL users.id"
      }
    }
  }
}
```

```
{
  },
  placeId: {
    bsonType: "objectId",
    description: "ObjectId de places"
  },
  createdAt: {
    bsonType: "date",

    description: "Fecha en que se marcó como favorito"
  }
}
```

Indexes

Name	Fields
userId_1_placeId_1	userId, placeId

2.1.1.3. Collection: hotels

Validation

Validator Type: Query

Validator
<pre>{ \$jsonSchema: { bsonType: "object", title: "hotels", description: "Catálogo específico de hoteles registrados por administradores, con habitaciones y tarifas.", required: ["name", "location", "ownerId"], properties: { name: { bsonType: "string", description: "Nombre del hotel" }, category: {</pre>

```
    bsonType: "string",
    description: "Ej. 'Boutique', 'Todo incluido'"
  },
  address: {
    bsonType: "string",
    description: "Dirección física del hotel"
  },
  location: {
    bsonType: "object",
    required: [
      "type",
      "coordinates"
    ],
    description: "GeoJSON Point - índice 2dsphere",
    properties: {
      type: {
        enum: [
          "Point"
        ],
        description: "Tipo GeoJSON, siempre 'Point'"
      },
      coordinates: {
        bsonType: "array",
        items: {
          bsonType: "double"
        },
        description: "[longitud, latitud]"
      }
    }
  },
  mainImage: {
    bsonType: "string",
    description: "URL de la imagen principal"
  },
  amenities: {
    bsonType: "array",
    items: {
      bsonType: "string"
    },
    description: "Ej. wifi, alberca, desayuno"
  },
  rooms: {
    bsonType: "array",
    description: "Array de subdocumentos con las habitaciones del hotel",
    items: {
      bsonType: "object",
      required: [
```

```
    "name",
    "pricePerNight"
  ],
  properties: {
    name: {
      bsonType: "string",
      description: "Nombre/tipo de habitación"
    },
    details: {
      bsonType: "string",
      description: "Detalles de la habitación"
    },
    pricePerNight: {
      bsonType: [
        "double",
        "int"
      ],
      description: "Precio por noche"
    }
  }
},
ownerId: {
  bsonType: "int",

  description: "Puente lógico -> MySQL users.id (admin dueño)"
},
ratingAvg: {
  bsonType: [
    "double",
    "int"
  ],

  description: "Promedio de calificación, denormalizado desde reviews"
},
ratingCount: {
  bsonType: "int",

  description: "Total de reseñas, denormalizado desde reviews"
},
isActive: {
  bsonType: "bool",
  description: "Estado del registro"
}
}
}
```

Indexes

Name	Fields
location_2dsphere	location 2DSphere
ownerId_1	ownerId

2.1.1.4. Collection: places

Validation

Validator Type: Query

Validator
<pre>{ \$jsonSchema: { bsonType: "object", title: "places", description: "Catálogo de lugares turísticos (playas, sitios culturales, restaurantes, eventos).", required: ["name", "category", "location"], properties: { name: { bsonType: "string", description: "Nombre del lugar - requerido" }, category: { enum: ["playa", "sitio_cultural", "hotel", "restaurante", "evento", "entretenimiento", "naturaleza"], description: "Categoría del lugar" }, description: { bsonType: "string", maxLength: 800, description: "Descripción del lugar, máx. 800 caracteres" } } } }</pre>

```
,
address: {
  bsonType: "string",
  description: "Dirección física del lugar"
},
municipality: {
  bsonType: "string",
  description: "Municipio, default 'Xicotepec'"
},
location: {
  bsonType: "object",
  required: [
    "type",
    "coordinates"
  ],
  description: "GeoJSON Point - índice 2dsphere para búsquedas de proximidad",
  properties: {
    type: {
      enum: [
        "Point"
      ],
      description: "Tipo GeoJSON, siempre 'Point'"
    },
    coordinates: {
      bsonType: "array",
      items: {
        bsonType: "double"
      },
      description: "[longitud, latitud]"
    }
  }
},
images: {
  bsonType: "array",
  items: {
    bsonType: "string"
  },
  description: "URLs de imágenes del lugar"
},
tags: {
  bsonType: "array",
  items: {
    bsonType: "string"
  },
  description: "Etiquetas para búsqueda"
},
priceLevel: {
  bsonType: "int",
```

```

        minimum: 1,
        maximum: 4,
        description: "Nivel de precio, rango de 1 a 4"
    },
    ratingAvg: {
        bsonType: [
            "double",
            "int"
        ],

        description: "Promedio de calificación, denormalizado desde reviews"
    },
    ratingCount: {
        bsonType: "int",

        description: "Total de reseñas, denormalizado desde reviews"
    },
    isActive: {
        bsonType: "bool",
        description: "Estado del registro"
    },
    createdAt: {
        bsonType: "date",

        description: "Fecha de creación (timestamp automático)"
    },
    updatedAt: {
        bsonType: "date",

        description: "Fecha de última actualización (timestamp automático)"
    }
}
}
}
}

```

Indexes

Name	Fields
location_2dsphere	location 2DSphere

2.1.1.5. Collection: reviews

Validation

Validator Type: Query

Validator
<pre>{ \$jsonSchema: { bsonType: "object", title: "reviews", description: "Reseñas y calificaciones (1-5 estrellas) de los lugares.", required: ["userId", "placeId", "rating"], properties: { userId: { bsonType: "int", description: "Puente lógico -> MySQL users.id" }, placeId: { bsonType: "objectId", description: "ObjectId de places" }, placeName: { bsonType: "string", description: "Nombre del lugar reseñado" }, rating: { bsonType: "int", minimum: 1, maximum: 5, description: "Calificación de 1 a 5" }, comment: { bsonType: "string", maxLength: 1000, description: "Comentario de la reseña, máx. 1000 caracteres" }, photos: { bsonType: "array", items: { bsonType: "string" }, description: "URLs de fotos adjuntas a la reseña" }, tags: { bsonType: "array",</pre>

```
    items: {
      bsonType: "string"
    },
    description: "Etiquetas de la reseña"
  },
  createdAt: {
    bsonType: "date",

    description: "Fecha de creación (timestamp automático)"
  },
  updatedAt: {
    bsonType: "date",

    description: "Fecha de última actualización (timestamp automático)"
  }
}
```

Indexes

Name	Fields
placeId_1	placeId
userId_1	userId

3. Error Report
