



RugFreeCoins Audit



Peperika Token Smart Contract Security Audit

May 12th ,2023

Contents

| | |
|--------------------------------|----|
| Audit details | 1 |
| Disclaimer | 2 |
| Overview | 3 |
| Background | 4 |
| Target market and the concept | 6 |
| Contract details | 7 |
| Contract code function details | 8 |
| Contract description table | 10 |
| Security issue checking status | 16 |
| Owner privileges | 18 |
| Audit conclusion | 22 |

Audit details



Audited project

Peperika Token



Contract Address

0xbA03ea394FaF07FFB47801f41E6c08a3404784ec



Client contact

Peperika Team



Blockchain

Binance smart chain



Project website

Not Available

Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Rugfreecoins and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (Rugfreecoins) owe no duty of care towards you or any other person, nor does Rugfreecoins make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and Rugfreecoins hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, Rugfreecoins hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against Rugfreecoins, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report. The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

Overview

- ✓ No mint function found, the owner cannot mint tokens after initial deployment.
- ✓ The owner can set a max transaction limit minimum of up to 0.1%
- ✓ The owner can't pause trading.
- ✓ The owner can't blacklist wallets.
- ✓ The owner can set a max wallet limit minimum of up to 0.1%
- ✓ The owner can't claim the contract's balance of its own token.
- ✓ The owner can't set fees over 20%.

Background

Rugfreecoins was commissioned by the Peperika Team to perform an audit of the smart contract.

<https://bscscan.com/token/0xbA03ea394FaF07FFB47801f41E6c08a3404784ec>

The focus of this audit is to verify that the smart contract is secure, resilient, and working according to the specifications.

The information in this report should be used to understand the risk exposure of the smart contract, project feasibility, and long-term sustainability, and as a guide to improving the smart contract's security posture by remediating the identified issues.

Tokenomics

10% tax when buying & selling

6% of trade goes to marketing wallet in BNB

4% of trade goes among all holders in BNB

0% of trade goes to buyback wallet in BNB

Target market and the concept

Target market

- Anyone who's interested in the Crypto space with long-term investment plans.
- Anyone who's ready to earn a passive income by holding tokens.
- Anyone who's interested in trading tokens.
- Anyone who's interested in taking part in the Peperika ecosystem.
- Anyone who's interested in taking part in the future plans of Peperika Token.
- Anyone who's interested in making financial transactions with any other party using Peperika Token as the currency.

Contract details

Token contract details for 12th of May 2023

| | |
|---|--|
| Contract name | PEPERICA |
| Contract address | 0xbA03ea394FaF07FFB47801f41E6c08a3404784ec |
| Token supply | 420,690,000,000,000 |
| Token ticker | \$PEPER |
| Decimals | 9 |
| Token holders | 1 |
| Transaction count | 1 |
| Contract deployer address | 0x8Be30cc514D9D151FF309f9a0570D138099F4a53 |
| Contract's current owner address | 0x8be30cc514d9d151ff309f9a0570d138099f4a53 |
| Marketing wallet | 0xf80c630e14a63e5b9b9f9589b7ad6df9bcf05200 |
| Auto Liquidity Receiver | 0x8be30cc514d9d151ff309f9a0570d138099f4a53 |
| Buyback Receiver | 0xf80c630e14a63e5b9b9f9589b7ad6df9bcf05200 |
| Distributor | 0x566a6ab7522760f3f8d67600ff03eab13dbc6157 |





Contract code function details














| No | Category | Item | Result |
|----|---------------------------------------|--|-----------|
| 1 | Coding conventions | BRC20 Token standards | pass |
| | | compile errors | pass |
| | | Compiler version security | pass |
| | | visibility specifiers | pass |
| | | Gas consumption | pass |
| | | SafeMath features | pass |
| | | Fallback usage | pass |
| | | tx.origin usage | pass |
| | | deprecated items | pass |
| | | Redundant code | pass |
| | | Overriding variables | pass |
| 2 | Function call audit | Authorization of function call | pass |
| | | Low level function (call/delegate call) security | pass |
| | | Returned value security | Low issue |
| | | Selfdestruct function security | pass |
| 3 | Business security | Access control of owners | pass |
| | | Business logics | pass |
| | | Business implementations | pass |
| 4 | Integer overflow/underflow | | pass |
| 5 | Reentrancy | | pass |
| 6 | Exceptional reachable state | | pass |
| 7 | Transaction ordering dependence | | pass |
| 8 | Block properties dependence | | pass |
| 9 | Pseudo random number generator (PRNG) | | pass |
| 10 | DoS (Denial of Service) | | pass |
| 11 | Token vesting implementation | | pass |

| | | | |
|-----------|-----------------------|--|-------------|
| 12 | Fake deposit | | pass |
| 13 | Event security | | pass |

Contract description table

The below table represents the summary of the contracts and methods in the token contract. We scanned the whole contract and listed down all the Interfaces, functions, and implementations with their visibility and mutability.

| Contract | Type | Bases | | |
|------------------------|--|------------|---|-----------|
| L | Function Name | Visibility | Mutability | Modifiers |
| | | | | |
| IDexFactory | Interface | | | |
| L | createPair | External ! |  | NO ! |
| | | | | |
| IDexRouter | Interface | | | |
| L | factory | External ! | | NO ! |
| L | WETH | External ! | | NO ! |
| L | addLiquidityETH | External ! |  | NO ! |
| L | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! |  | NO ! |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! |  | NO ! |
| | | | | |
| IERC20 Extended | Interface | | | |
| L | totalSupply | External ! | | NO ! |
| L | decimals | External ! | | NO ! |
| L | symbol | External ! | | NO ! |
| L | name | External ! | | NO ! |
| L | balanceOf | External ! | | NO ! |



| | | | | |
|------------------------------|-------------------------|--|---|-----------|
| L | transfer | External ! |  | NO ! |
| L | allowance | External ! | | NO ! |
| L | approve | External ! |  | NO ! |
| L | transferFrom | External ! |  | NO ! |
| | | | | |
| Context | Implementation | | | |
| L | _msgSender | Internal  | | |
| L | _msgData | Internal  | | |
| | | | | |
| Ownable | Implementation | Context | | |
| L | | Public ! |  | NO ! |
| L | owner | Public ! | | NO ! |
| L | renounceOwnership | Public ! |  | onlyOwner |
| L | transferOwnership | Public ! |  | onlyOwner |
| | | | | |
| Idividend Distributor | Interface | | | |
| L | setDistributionCriteria | External ! |  | NO ! |
| L | setShare | External ! |  | NO ! |
| L | deposit | External ! |  | NO ! |
| L | process | External ! |  | NO ! |
| L | claimDividend | External ! |  | NO ! |
| L | getPaidEarnings | External ! | | NO ! |

| | | | | |
|-----------------------------|-------------------------|---------------------------------|---|-----------|
| L | getUnpaidEarnings | External ! | | NO ! |
| L | totalDistributed | External ! | | NO ! |
| | | | | |
| Dividend Distributor | Implementation | IDividendDistributor | | |
| L | | Public ! | 🔴 | NO ! |
| L | setDistributionCriteria | External ! | 🔴 | onlyToken |
| L | setShare | External ! | 🔴 | onlyToken |
| L | deposit | External ! | 🏧 | onlyToken |
| L | process | External ! | 🔴 | onlyToken |
| L | shouldDistribute | Internal 🔒 | | |
| L | distributeDividend | Internal 🔒 | 🔴 | |
| L | claimDividend | External ! | 🔴 | NO ! |
| L | getPaidEarnings | Public ! | | NO ! |
| L | getUnpaidEarnings | Public ! | | NO ! |
| L | getCumulativeDividends | Internal 🔒 | | |
| L | addShareholder | Internal 🔒 | 🔴 | |
| L | removeShareholder | Internal 🔒 | 🔴 | |
| | | | | |
| PEPERICA | Implementation | IERC20 Extended, Ownable | | |
| L | | Public ! | 🔴 | Ownable |
| L | | External ! | 🏧 | NO ! |


| | | | | |
|---|-----------------------------|------------|---|----------|
| L | totalSupply | External ! | | NO ! |
| L | decimals | External ! | | NO ! |
| L | symbol | External ! | | NO ! |
| L | name | External ! | | NO ! |
| L | balanceOf | Public ! | | NO ! |
| L | allowance | External ! | | NO ! |
| L | approve | Public ! | 🔴 | NO ! |
| L | approveMax | External ! | 🔴 | NO ! |
| L | transfer | External ! | 🔴 | NO ! |
| L | transferFrom | External ! | 🔴 | NO ! |
| L | _transferFrom | Internal 🔒 | 🔴 | |
| L | _basicTransfer | Internal 🔒 | 🔴 | |
| L | takeFee | Internal 🔒 | 🔴 | |
| L | setBuyAccFee | Internal 🔒 | 🔴 | |
| L | setSellAccFee | Internal 🔒 | 🔴 | |
| L | shouldSwapBack | Internal 🔒 | | |
| L | swapBack | Internal 🔒 | 🔴 | swapping |
| L | claimDividend | External ! | 🔴 | NO ! |
| L | getPaidDividend | Public ! | | NO ! |
| L | getUnpaidDividend | External ! | | NO ! |
| L | getTotalDistributedDividend | External ! | | NO ! |

| | | | | |
|---|-------------------------|------------|---|-----------|
| L | setIsDividendExempt | External ! |  | onlyOwner |
| L | enableTrading | External ! |  | onlyOwner |
| L | setMaxTxnAmount | External ! |  | onlyOwner |
| L | setMaxWalletAmount | External ! |  | onlyOwner |
| L | setIsFeeExempt | External ! |  | onlyOwner |
| L | setIsLimitExempt | External ! |  | onlyOwner |
| L | setIsWalletExempt | External ! |  | onlyOwner |
| L | setBuyFees | Public ! |  | onlyOwner |
| L | setSellFees | Public ! |  | onlyOwner |
| L | setFeeReceivers | External ! |  | onlyOwner |
| L | setSwapBackSettings | External ! |  | onlyOwner |
| L | setDistributionCriteria | External ! |  | onlyOwner |
| L | setDistributorSettings | External ! |  | onlyOwner |

Legend

| Symbol | Meaning |
|---|---------------------------|
|  | Function can modify state |
|  | Function is payable |

Inheritance Hierarchy



Security issue checking status

❖ High severity issues

No high severity issues found

❖ Medium severity issues

No medium severity issues found

❖ Low severity issues

There is no amount validation method in `removeStuckEth` function, if the contract has less BNB than the amount value this will fail and better to require statement to check contract BNB balance greater than or equal to the amount or not

Informed & fixed

```
ftrace | funcSig
function removeStuckEth(uint256 amount↑) external onlyOwner {
    payable(owner()).transfer(amount↑);
}
```

- In `setSwapBackSettings` function, it's trying to check new threshold greater than to 0 or not but instead of `_amount` variable, it is checking `swapThershold` variable, if the owner accidentally put `swapThershold` to 0 then the owner can not change the swap setting after that.

Informed & fixed

```
ftrace | funcSig
function setSwapBackSettings(
    bool _enabled↑,
    uint256 _amount↑
) external onlyOwner {
    require(swapThreshold > 0);
    swapEnabled = _enabled↑;
    swapThreshold = _amount↑;
}
```

- `autoLiquidityReceiver` not used anywhere in the contract

```
isWalletExempt[autoLiquidityReceiver] = true;  
isWalletExempt[marketingFeeReceiver] = true;
```

❖ **Centralization Risk**

No centralization issues found

Owner privileges

- ❖ Owner can include/exclude wallets from dividends

```
ftrace | funcSig
function setIsDividendExempt(
    address holder↑,
    bool exempt↑
) external onlyOwner {
    require(holder↑ != address(this) && holder↑ != pair);
    isDividendExempt[holder↑] = exempt↑;
    if (exempt↑) {
        distributor.setShare(holder↑, 0);
    } else {
        distributor.setShare(holder↑, _balances[holder↑]);
    }
}
```

- ❖ Owner can enable trading once enabled can not disable again

```
ftrace | funcSig
function enableTrading() external onlyOwner {
    require(!trading, "Already enabled");
    trading = true;
    swapEnabled = true;
    launchedAt = block.timestamp;
}
```

- ❖ Owner can set max transaction amount minimum up to 0.1%

```
ftrace | funcSig
function setMaxTxnAmount(uint256 amount↑) external onlyOwner {
    require(amount↑ >= _totalSupply / 1000);
    maxTxnAmount = amount↑;
}
```


- ❖ Owner can set max wallet amount minimum up to 0.1%

```
ftrace | funcSig
function setMaxWalletAmount(uint256 amount↑) external onlyOwner {
    require(amount↑ >= _totalSupply / 1000);
    maxWalletAmount = amount↑;
}
```

- ❖ Owner can include/exclude wallet from fees

```
ftrace | funcSig
function setIsFeeExempt(address holder↑, bool exempt↑) external onlyOwner {
    isFeeExempt[holder↑] = exempt↑;
}
```

- ❖ Owner can include/exclude wallets from transactions limit

```
ftrace | funcSig
function setIsLimitExempt(
    address[] memory holders↑,
    bool exempt↑
) external onlyOwner {
    for (uint256 i; i < holders↑.length; i++) {
        isLimitExempt[holders↑[i]] = exempt↑;
    }
}
```

- ❖ Owner can include/exclude wallet from max wallet limit

```
ftrace | funcSig
function setIsWalletExempt(address holder↑, bool exempt↑) external onlyOwner {
    isWalletExempt[holder↑] = exempt↑;
}
```

- ❖ Owner can change buy fees maximum up to 15%

```
ftrace | funcSig
function setBuyFees(
    uint256 _reflectionFee↑,
    uint256 _buyBackFee↑,
    uint256 _marketingFee↑
) public onlyOwner {
    _reflectionBuyFee = _reflectionFee↑;
    _buyBackBuyFee = _buyBackFee↑;
    _marketingBuyFee = _marketingFee↑;
    totalBuyFee = _buyBackFee↑ + (_reflectionFee↑) + (_marketingFee↑);
    require(
        totalBuyFee <= (feeDenominator * 15) / (100),
        "Can't be greater than 15%"
    );
}
```

- ❖ Owner can change sell fees maximum upto 15%

```
ftrace | funcSig
function setSellFees(
    uint256 _buyBackFee↑,
    uint256 _reflectionFee↑,
    uint256 _marketingFee↑
) public onlyOwner {
    _buyBackSellFee = _buyBackFee↑;
    _reflectionSellFee = _reflectionFee↑;
    _marketingSellFee = _marketingFee↑;
    totalSellFee = _buyBackFee↑ + (_reflectionFee↑) + (_marketingFee↑);
    require(
        totalSellFee <= (feeDenominator * 15) / (100),
        "Can't be greater than 15%"
    );
}
```

- ❖ Owner can change all fee receivers

```
ftrace | funcSig
function setFeeReceivers(
    address _autoLiquidityReceiver↑,
    address _marketingFeeReceiver↑,
    address _buyBackFeeReceiver↑
) external onlyOwner {
    autoLiquidityReceiver = _autoLiquidityReceiver↑;
    marketingFeeReceiver = _marketingFeeReceiver↑;
    buyBackFeeReceiver = _buyBackFeeReceiver↑;
}
```

- ❖ Owner can enable/disable swap back setting and can change swap threshold

```
ftrace | funcSig
function setSwapBackSettings(
    bool _enabled↑,
    uint256 _amount↑
) external onlyOwner {
    require(swapThreshold > 0);
    swapEnabled = _enabled↑;
    swapThreshold = _amount↑;
}
```

- ❖ Owner can change minimum reward time and amount

```
ftrace | funcSig
function setDistributionCriteria(
    uint256 _minPeriod↑,
    uint256 _minDistribution↑
) external onlyOwner {
    distributor.setDistributionCriteria(_minPeriod↑, _minDistribution↑);
}
```

Audit conclusion

RugFreeCoins team has performed in-depth testings, line-by-line manual code review, and automated audit of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, manipulations, and hacks. According to the smart contract audit.

Smart contract functional Status: **PASS**

Number of risk issues: **1**

Solidity code functional issue level: **PASS**

Number of owner privileges: **12**

Centralization risk correlated to the active owner: **HIGH**

Smart contract active ownership: **ACTIVE**