



RUGFREECOINS



HoneyBB Token

RugfreeCoins Verified on July 31st, 2023

Overview

- ✓ No mint function found, the owner cannot mint tokens after initial deployment.
- ✗ The owner can set a max transaction limit
- ✓ The owner can't pause trading once it's enabled
- ✗ The owner can change fees over 20%.
- ✓ The owner can't blacklist wallets.
- ✓ The owner can't set a max wallet limit
- ✓ The owner can't claim the contract's balance of its own token.

! HIGH SEVERITY ISSUES

The owner can change swap router address, If owner change this to wrong address selling will stop

```
function setSwapRouter(
    address _swapRouter,
    SwapRouterVersion _version
) external onlyRole(ADMIN_ROLE) {
    require(
        _swapRouter != address(0),
        "Swap router cannot be zero address"
    );
    if (_version == SwapRouterVersion.V3) {
        swapRouterV3 = ISwapRouter(_swapRouter);
    } else {
        swapRouterV2 = IUniswapV2Router02(_swapRouter);
    }
    emit SwapRouterUpdated(_swapRouter, _version);
}
```

The owner can set buy and sell fees up to 100%, the owner can stop trading by setting these values to more than 50%

```
/* ----- CONFIG FUNCTIONS ----- */
function setSellAndBuyTaxRate(
    uint256 _sellAndBuyTaxRate
) external onlyRole(ADMIN_ROLE) {
    require(
        _sellAndBuyTaxRate <= ONE_HUNDRED_PERCENT,
        "Sell and buy tax rate must be less than 100%"
    );
    sellAndBuyTaxRate = _sellAndBuyTaxRate;
    emit SellAndBuyTaxRateUpdated(_sellAndBuyTaxRate);
}
```

The owner can change max tx amount to a very low value, the owner can stop trading by putting this to 1

```
function setMaxAmountPerTx(
    uint256 _maxAmountPerTx
) external onlyRole(ADMIN_ROLE) {
    require(
        _maxAmountPerTx > 0,
        "Max amount per tx must be greater than 0"
    );
    maxAmountPerTx = _maxAmountPerTx;
    emit MaxAmountPerTxUpdated(_maxAmountPerTx);
}
```

Contents

Overview.....	2
Contents.....	4
Audit details.....	5
Disclaimer.....	6
Background.....	7
Tokenomics.....	8
Target market and the concept.....	9
Potential to grow with score points.....	10
Contract details.....	11
Contract code function details.....	12
Contract description table.....	13
Inheritance Hierarchy.....	18
Security issue checking status.....	19
Owner privileges.....	22
Audit conclusion.....	25

Audit details



Audited project
HoneyBB Token



Contract Address
0x936dF79234533F9A7765841653E2e191441A9Ee2



Client contact
HoneyBB Token Team



Blockchain
Ethereum



Project website
<https://honeybb.io/>

Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the disclaimer below – **please make sure to read it in full.**

❗ DISCLAIMER

By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. **This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice.** No one shall have any right to rely on the report or its contents, and **RugfreeCoins and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (RugfreeCoins) owe no duty of care towards you or any other person**, nor does RugfreeCoins make any warranty or representation to any person on the accuracy or completeness of the report.

The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and RugfreeCoins hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, RugfreeCoins hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against RugfreeCoins, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

Background

RugfreeCoins was commissioned by the **HoneyBB Token Team** to perform an audit of the smart contract.

<https://etherscan.io/address/0x936df79234533f9a7765841653e2e191441a9ee2>

This audit focuses on verifying that the smart contract is secure, resilient, and working according to the specifications.

The information in this report should be used to understand the risk exposure of the smart contract, project feasibility, and long-term sustainability, and as a guide to improving the smart contract's security posture by remediating the identified issues.

Tokenomics












▲ 10% tax when buying & selling (31/07/2023)

10% of trade goes to a private wallet in tokens

Target market and the concept

- ▶ Anyone who's interested in the Crypto space with long-term investment plans.
- ▶ Anyone who's ready to earn a passive income by holding tokens.
- ▶ Anyone who's interested in trading tokens.
- ▶ Anyone who's interested in taking part in the HoneyBB token ecosystem.
- ▶ Anyone who's interested in taking part in the future plans of HoneyBB Token.
- ▶ Anyone who's interested in making financial transactions with any other party using HoneyBB Token as the currency.

Potential to grow with score points

 Project efficiency	8 / 10
 Project uniqueness	7 / 10
 Information quality	8 / 10
 Service quality	8 / 10
 System quality	8 / 10
 Impact on the community	8 / 10
 Impact on the business	9 / 10
 Preparing for the future	8 / 10
 Smart contract security	7 / 10
 Smart contract functionality assessment	8 / 10
 Total Score	7.9/ 10

Contract details

Token contract details for 31st of July 2023

Contract name	HoneyBB
Contract address	0x936dF79234533F9A7765841653E2e191441A9Ee2
Token supply	579,000,000,000,000
Token ticker	HoneyBB
Decimals	18
Token holders	3
Transaction count	4
Contract deployer address	0xF5f59c25064711A3c77583f56dF7A302A6015EcB
Contract's current owner address	0xF5f59c25064711A3c77583f56dF7A302A6015EcB
Private wallet	0x6521502bdF1983194D4273297bF048676dd066bd

Contract code function details

Nº	Category	Item	Result
1	Coding conventions	BRC20 Token standards	PASS ▾
		Compile errors	PASS ▾
		Compiler version security	PASS ▾
		Visibility specifiers	PASS ▾
		Gas consumption	PASS ▾
		SafeMath features	PASS ▾
		Fallback usage	PASS ▾
		tx.origin usage	PASS ▾
		Deprecated items	PASS ▾
		Redundant code	PASS ▾
2	Function call audit	Overriding variables	PASS ▾
		Authorization of function call	PASS ▾
		Low level function (call/delegate call) security	PASS ▾
		Returned value security	PASS ▾
3	Business security & centralisation	Self destruct function security	PASS ▾
		Access control of owners	HIGH ▾
		Business logics	HIGH ▾
4	Integer overflow/underflow	Business implementation	PASS ▾
5	Reentrancy		PASS ▾
6	Exceptional reachable state		PASS ▾
7	Transaction ordering dependence		PASS ▾
8	Block properties dependence		PASS ▾
9	Pseudo random number generator (PRNG)		PASS ▾
10	DoS (Denial of Service)		PASS ▾
11	Token vesting implementation		PASS ▾
12	Fake deposit		PASS ▾
13	Event security		PASS ▾













Contract description table










The below table represents the summary of the contracts and methods in the token contract. We scanned the whole contract and listed down all the Interfaces, functions, and implementations with their visibility and mutability.

Contract	Type	Bases		
L	Function Name	Visibility	Mutability	Modifiers
HoneyBB	Implementation	ERC20, ERC20 Burnable, AccessControl		
L		Public !	●	ERC20
L	setSellAndBuyTaxRate	External !	●	onlyRole
L	setMaxAmountPerTx	External !	●	onlyRole
L	antiWhaleSwitch	External !	●	onlyRole
L	setSellAndBuyTaxRecipient	External !	●	onlyRole
L	setSwapRouter	External !	●	onlyRole
L	addTokenPair	External !	●	onlyRole
L	removeTokenPair	External !	●	onlyRole
L	setNumberOfTxBeforeSwap	External !	●	onlyRole
L	_transfer	Internal 🔒	●	
L	transferFrom	Public !	●	NO !
L	whichSwapCalled	Private 🔒		
L	swapTokenForEthV2	Private 🔒	●	
L	swapTokenForEthV3	Private 🔒	●	
L		External !	💰	NO !
ERC20	Implementation	Context, IERC20, IERC20 Metadata		
L		Public !	●	NO !



L	name	Public !		NO !
L	symbol	Public !		NO !
L	decimals	Public !		NO !
L	totalSupply	Public !		NO !
L	balanceOf	Public !		NO !
L	transfer	Public !	●	NO !
L	allowance	Public !		NO !
L	approve	Public !	●	NO !
L	transferFrom	Public !	●	NO !
L	increaseAllowance	Public !	●	NO !
L	decreaseAllowance	Public !	●	NO !
L	_transfer	Internal 🔒	●	
L	_mint	Internal 🔒	●	
L	_burn	Internal 🔒	●	
L	_approve	Internal 🔒	●	
L	_spendAllowance	Internal 🔒	●	
L	_beforeTokenTransfer	Internal 🔒	●	
L	_afterTokenTransfer	Internal 🔒	●	
IERC20	Interface			
L	totalSupply	External !		NO !
L	balanceOf	External !		NO !
L	transfer	External !	●	NO !
L	allowance	External !		NO !
L	approve	External !	●	NO !
L	transferFrom	External !	●	NO !
IERC20Metadata	Interface	IERC20		
L	name	External !		NO !

L	symbol	External !		NO !
L	decimals	External !		NO !
Context	Implementation			
L	_msgSender	Internal 🔒		
L	_msgData	Internal 🔒		
ERC20Burnable	Implementation	Context, ERC20		
L	burn	Public !	●	NO !
L	burnFrom	Public !	●	NO !
AccessControl	Implementation	Context, IAccessControl, ERC165		
L	supportsInterface	Public !		NO !
L	hasRole	Public !		NO !
L	_checkRole	Internal 🔒		
L	_checkRole	Internal 🔒		
L	getRoleAdmin	Public !		NO !
L	grantRole	Public !	●	onlyRole
L	revokeRole	Public !	●	onlyRole
L	renounceRole	Public !	●	NO !
L	_setupRole	Internal 🔒	●	
L	_setRoleAdmin	Internal 🔒	●	
L	_grantRole	Internal 🔒	●	
L	_revokeRole	Internal 🔒	●	
IAccessControl	Interface			
L	hasRole	External !		NO !
L	getRoleAdmin	External !		NO !
L	grantRole	External !	●	NO !


L	revokeRole	External !		NO !
L	renounceRole	External !		NO !
ERC165	Implementation	IERC165		
L	supportsInterface	Public !		NO !
IERC165	Interface			
L	supportsInterface	External !		NO !
ISwapRouter	Interface	IUniswapV3 SwapCallback		
L	exactInputSingle	External !		NO !
L	exactInput	External !		NO !
L	exactOutputSingle	External !		NO !
L	exactOutput	External !		NO !
IUniswapV3 SwapCallback	Interface			
L	uniswapV3SwapCallback	External !		NO !
IUniswapV2 Router02	Interface	IUniswapV2 Router01		
L	removeLiquidityETHSupportingFeeOnTransferTokens	External !		NO !
L	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External !		NO !
L	swapExactTokensForTokensSupportingFeeOnTransferTokens	External !		NO !
L	swapExactETHForTokensSupportingFeeOnTransferTokens	External !		NO !
L	swapExactTokensForETHSupportingFeeOnTransferTokens	External !		NO !
IUniswapV2 Router01	Interface			
L	factory	External !		NO !

L	WETH	External !		NO !
L	addLiquidity	External !		NO !
L	addLiquidityETH	External !		NO !
L	removeLiquidity	External !		NO !
L	removeLiquidityETH	External !		NO !
L	removeLiquidityWithPermit	External !		NO !
L	removeLiquidityETHWithPermit	External !		NO !
L	swapExactTokensForTokens	External !		NO !
L	swapTokensForExactTokens	External !		NO !
L	swapExactETHForTokens	External !		NO !
L	swapTokensForExactETH	External !		NO !
L	swapExactTokensForETH	External !		NO !
L	swapETHForExactTokens	External !		NO !
L	quote	External !		NO !
L	getAmountOut	External !		NO !
L	getAmountIn	External !		NO !
L	getAmountsOut	External !		NO !
L	getAmountsIn	External !		NO !

Legend

Symbol	Meaning
	Function can modify state
	Function is payable

Inheritance Hierarchy



Security issue checking status

❖ High severity issues

The owner can change swap router address, If owner change this to wrong address selling will stop

```
function setSwapRouter(
    address _swapRouter,
    SwapRouterVersion _version
) external onlyRole(ADMIN_ROLE) {
    require(
        _swapRouter != address(0),
        "Swap router cannot be zero address"
    );
    if (_version == SwapRouterVersion.V3) {
        swapRouterV3 = ISwapRouter(_swapRouter);
    } else {
        swapRouterV2 = IUniswapV2Router02(_swapRouter);
    }
    emit SwapRouterUpdated(_swapRouter, _version);
}
```

The owner can set buy and sell fees up to 100%, the owner can stop trading by setting these values to more than 50%

```
/* ----- CONFIG FUNCTIONS ----- */
function setSellAndBuyTaxRate(
    uint256 _sellAndBuyTaxRate
) external onlyRole(ADMIN_ROLE) {
    require(
        _sellAndBuyTaxRate <= ONE_HUNDRED_PERCENT,
        "Sell and buy tax rate must be less than 100%"
    );
    sellAndBuyTaxRate = _sellAndBuyTaxRate;
    emit SellAndBuyTaxRateUpdated(_sellAndBuyTaxRate);
}
```

The owner can change max tx amount to a very low value, the owner can stop trading by putting this to 1

```
function setMaxAmountPerTx(
    uint256 _maxAmountPerTx
) external onlyRole(ADMIN_ROLE) {
    require(
        _maxAmountPerTx > 0,
        "Max amount per tx must be greater than 0"
    );
    maxAmountPerTx = _maxAmountPerTx;
    emit MaxAmountPerTxUpdated(_maxAmountPerTx);
}
```

Wrong logic when checking to buy and sell, to check whether it's a buy or sell, it should check sender or receiver from the pair address or not, currently contract does not take any buy or sell taxes

INFORMED AND FIXED ▾

```
/* ----- HELPER FUNCTIONS ----- */
function isUniswapCall() private view returns (bool) {
    return
        msg.sender == address(swapRouterV3) ||
        msg.sender == address(swapRouterV2);
}
```

❖ Medium severity issues

All the taxes are going to a private wallet, not to the contract.

```
function setSellAndBuyTaxRecipient(
    address _sellAndBuyTaxRecipient
) external onlyRole(ADMIN_ROLE) {
    require(
        _sellAndBuyTaxRecipient != address(0),
        "Sell and buy tax recipient cannot be zero address"
    );
    sellAndBuyTaxRecipient = _sellAndBuyTaxRecipient;
    emit SellAndBuyTaxRecipientUpdated(_sellAndBuyTaxRecipient);
}
```

❖ Low severity issues
No low-severity issues found

Owner privileges

- ❖ The owner can change max transactions amount

```
function setMaxAmountPerTx(  
    uint256 _maxAmountPerTx  
) external onlyRole(ADMIN_ROLE) {  
    require(  
        _maxAmountPerTx > 0,  
        "Max amount per tx must be greater than 0"  
    );  
    maxAmountPerTx = _maxAmountPerTx;  
    emit MaxAmountPerTxUpdated(_maxAmountPerTx);  
}
```

- ❖ The owner can change buy and sell fees

```
/* ----- CONFIG FUNCTIONS ----- */  
function setSellAndBuyTaxRate(  
    uint256 _sellAndBuyTaxRate  
) external onlyRole(ADMIN_ROLE) {  
    require(  
        _sellAndBuyTaxRate <= ONE_HUNDRED_PERCENT,  
        "Sell and buy tax rate must be less than 100%"  
    );  
    sellAndBuyTaxRate = _sellAndBuyTaxRate;  
    emit SellAndBuyTaxRateUpdated(_sellAndBuyTaxRate);  
}
```

- ❖ The owner can enable/disable anti-whale (max transaction limit will apply when this enable)

```
function antiWhaleSwitch(  
    bool _isAntiWhaleEnabled  
) external onlyRole(ADMIN_ROLE) {  
    isAntiWhaleEnabled = _isAntiWhaleEnabled;  
    emit AntiWhaleSwitched(_isAntiWhaleEnabled);  
}
```

- ❖ The owner can change buy and sell tax receivers

```
function setSellAndBuyTaxRecipient(  
    address _sellAndBuyTaxRecipient  
) external onlyRole(ADMIN_ROLE) {  
    require(  
        _sellAndBuyTaxRecipient != address(0),  
        "Sell and buy tax recipient cannot be zero address"  
    );  
    sellAndBuyTaxRecipient = _sellAndBuyTaxRecipient;  
    emit SellAndBuyTaxRecipientUpdated(_sellAndBuyTaxRecipient);  
}
```

- ❖ The owner can change the V2 and V3 router address

```
function setSwapRouter(  
    address _swapRouter,  
    SwapRouterVersion _version  
) external onlyRole(ADMIN_ROLE) {  
    require(  
        _swapRouter != address(0),  
        "Swap router cannot be zero address"  
    );  
    if (_version == SwapRouterVersion.V3) {  
        swapRouterV3 = ISwapRouter(_swapRouter);  
    } else {  
        swapRouterV2 = IUniswapV2Router02(_swapRouter);  
    }  
    emit SwapRouterUpdated(_swapRouter, _version);  
}
```


❖ The owner can add/remove LP pairs

```
function addTokenPair(
    address _tokenPair,
    SwapRouterVersion _version
) external onlyRole(ADMIN_ROLE) {
    require(_tokenPair != address(0), "Token pair cannot be zero address");
    if (_version == SwapRouterVersion.V3) {
        isTokenPairV3[_tokenPair] = true;
    } else {
        isTokenPairV2[_tokenPair] = true;
    }
    emit AddTokenPair(_tokenPair, _version);
}

function removeTokenPair(
    address _tokenPair,
    SwapRouterVersion _version
) external onlyRole(ADMIN_ROLE) {
    require(_tokenPair != address(0), "Token pair cannot be zero address");
    if (_version == SwapRouterVersion.V3) {
        isTokenPairV3[_tokenPair] = false;
    } else {
        isTokenPairV2[_tokenPair] = false;
    }
    emit RemoveTokenPair(_tokenPair, _version);
}
```


Audit conclusion

RugFreeCoins team has performed in-depth testing, line-by-line manual code review, and automated audit of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, manipulations, and hacks. According to the smart contract audit.

Smart contract functional Status:	PASS ▾
Smart contract security status:	HIGH ▾
Number of risk issues:	4
Solidity code functional issue level:	PASS ▾
Number of owner privileges:	6
Centralization risk correlated to the active owner:	HIGH ▾
Smart contract active ownership:	ACTIVE ▾