Fundamentos de Programação

António J. R. Neves
João Rodrigues

Departamento de Electrónica, Telecomunicações e Informática
Universidade de Aveiro

Topics

- Getting started with *Python*
- Values and types
- Variables
- Keywords
- Operators, expressions and statements
- Functions
- Console input/output
- Scripts

Getting started with *Python*

- *Python* is a ***general purpose*** programming language well known for its elegant syntax and readable code.
- With *Python* it is possible to do everything from GUI development, web applications, system administration tasks, data analysis, visualization, etc.
- *Python* is an ***interpreted*** language - an interpreter parses and executes a *Python* program on a line by line basis. This is usually slower than *compiled* languages.
- In *Python*, basic data structures and small utility functions are built-in, you don't need to define them.
- Moreover, *Python* has hundreds of extension libraries (modules) available at `https://pypi.Python.org/`

Python in interactive mode

- There are two ways to use the interpreter: *interactive mode* and *script mode*.
- Execute `pyhton3` with no argument to run in **interactive mode.** Then, type *Python* statements and the interpreter displays the result:

```
$ python3
>>> 1 + 1
2
>>>
```

- The chevron, >>>, is the ***prompt*** the interpreter uses to indicate that it is ready.
- When you type an expression, the interpreter prints the result. Then, it shows the prompt again.

Python in script mode

- Alternatively, you can store the statements in a file, which is called a **script** or **program**, and use the interpreter to execute it. By convention, *Python* scripts have names that end in `.py`.

```
test.py (~/) - gedit
Open          ⊞          Save
print('The result is')
print(24+18)
```
Tab Width: 4 ▾   Ln 3, Col 1   ▾   INS

- To execute the script, just call the interpreter and pass it the name of the file. For example:

```
$ python3 test.py
The result is
42
```

- In **script mode**, Python does not show the prompt and does not print results automatically. You need to call `print()`!
- The details of executing scripts may differ.

Script mode programming

- Invoking the interpreter with a script parameter begins the execution of the script. *Python* files have extension `.py`
- Lines and indentation - Blocks of code are denoted by line **indentation**, which is rigidly enforced. The number of spaces in the indentation is variable, but all statements within the block must be indented the same amount.
- Statements in *Python* typically end with a new line. However, a backslash (`\`) in the end of the line indicates that the statement continues in the next line.
- The semicolon (`;`) allows multiple statements on a single line.
- A line containing only whitespace is known as a blank line and *Python* totally ignores it.

What is a program?

- A program is a sequence of instructions that specifies how to perform a computation. The details look different in different languages, but a few basic types of instruction appear in just about every language:
  - **input**: Get data from the keyboard, a file, or some other device.
  - **output**: Display data on the screen or send data to a file.
  - **assignment**: Store values in variables, to recall later on.
  - **math**: Perform basic mathematical operations.
  - **conditional execution**: Check for certain conditions and execute the appropriate code.
  - **repetition**: Perform some action repeatedly, usually with some variation.
- That is pretty much all there is to it. Every program, no matter how complicated, is made up of instructions like these.

Errors and debugging

- Programming errors are called **bugs**.
- Tracking down and correcting bugs is called **debugging**.
- There are three kinds of errors: syntax errors, runtime errors, and semantic errors.
- A **syntax error** occurs if the program contains code that does not respect the rules of the programming language.
- A **runtime error** only appears after the program has started running. These errors are also called **exceptions** because they indicate that something exceptional (and wrong) has happened.
- If there is a **semantic error** in a program, it may run with no error messages, but it will produce the wrong results. The program is not doing what the programmer *intended*. It is doing *exactly* what it was *told* to do.

Values and types

- A **value** is one of the basic things a program works with, like a letter or a number: `33, 3.14, 'ola', 1+2j`.
- Values belong to different **types** (or **classes**): `int, float, str, complex`.
- It is possible to ask the interpreter about it:
```
>>> type('Hello, World!')
<class 'str'>
>>> type(17)
<class 'int'>
>>> type(3+5j)
<class 'complex'>
```
- Types determine what you can do with values. For instance, you cannot add ints and strings:
```
>>> 3 + 'cats'
TypeError: unsupported operand type(s) for +: 'int' and 'str'
```

Data types

- *Python* has several *built-in data types*, including:
  - Numeric types: `int`, `float`, `complex`
  - Sequences: Strings (`str`), `list`, `tuple`
  - Sets: `set`.
  - Mappings: Dictionary (`dict`).
  - Boolean (`bool`): `True` and `False` are the only boolean literals.
  - (In conditional instructions, the following values are also considered as false: 0 - zero , 0.0, `[]` - empty list , `()` - empty tuple , `{}` - empty dictionary)

- You can define new data types – called classes – but we'll leave that for another course.

Conversion between types

- Sometimes we need to convert values to a different type.
- We use type conversion functions: `str`, `int`, `float`, ...
- Just about any kind of value may be converted to string:

```
>>> str(1+2)
'3'
>>> str(1.0/2)
'0.5'
```

- In fact, this happens *implicitly* when you `print` values.
- Some strings may be converted to int or float:

```
>>> 100 + int(33)
133
>>> float('0.12') / 10000
1.2e-05
```

- Converting a float to int *truncates* toward zero:

```
>>> int(2.78)
2
```

Variables and assignment

- A **variable** is a name (aka identifier) that refers to a value.
- An **assignment statement** assigns a value to a variable.
  ```
  >>> n = 5
  >>> pi = 3.14
  ```
- In an expression, a variable is substituted by its value.
  ```
  >>> 2*pi*n
  31.4000
  ```
- You can assign a new value to a variable. The old value is forgotten!
  ```
  >>> n = n+1
  >>> print(n)
   6
  ```
- Variable names may include both letters and digits, but they must begin with a letter.
- If you give a variable an illegal name, you get a syntax error:
  ```
  >>> 76trombones = 'big parade'
  SyntaxError: invalid syntax
  ```

More on assignment

- *Python* allow *simultaneous assignment* syntax like this:
  ```
  name, age, height = "Maria", 21, 1.63
  ```

- There are special *augmented assignment operators*:

`n += 1`	equivalent to	`n = n + (1)`
`x -= pi`	equivalent to	`x = x - (pi)`
`n *= 1+p`	equivalent to	`n = n * (1+p)`
`x /= 2.2`	equivalent to	`x = x / (2.2)`
`n %= 3`	equivalent to	`n = n % (3)`

Keywords

- The interpreter uses **keywords** to recognize the structure of the program.
- Keywords are *reserved* words: they cannot be used as variable names or any other identifier.
- In *Python3*, the keywords are:

```
False     class      finally   is          return
None      continue   for       lambda      try
True      def        from      nonlocal    while
and       del        global    not         with
as        elif       if        or          yield
assert    else       import    pass
break     except     in        raise
```

Operators, expressions and statements

- **Operators** are special symbols that represent computations (`+`, `-`, `*`, `/`, `**`, `%`, `<=`, `or`).
- The values combined by operators are called **operands**.
- For a given operator, operands must have compatible types. The result type depends on the operand types.
- An **expression** is a combination of values, variables, and operators.
- A **statement** is a unit of code that the Python interpreter can execute.
- The important difference is that an expression has a value (even if `None`); a statement does not.
- In script mode, an expression, all by itself, has no visible effect (unlike interactive mode).

Operators and precedence

- When more than one operator appears in an expression, the *order of evaluation* depends on the rules of precedence (**PEMDAS**).
- Use parentheses to make it obvious!
- The + operator performs concatenation in **strings**.
- The * operator also works on **strings**; it performs repetition. For example, `'Ah'*3` is `'AhAhAh'`.
- It is a good idea to add notes to a program to explain in natural language what the program is doing. These notes are called **comments**, and they start with the **#** symbol.

Calling functions

- In the context of programming, a **function** is a named sequence of statements that performs a computation.
- We'll see how to *define* functions later in the course.
- Functions are **called** (or **invoked**) by name:
  ```
  >>> print(10*t, "km")
  30 km
  ```
- The name of the function is `print`.
- The expressions in parentheses are called the *arguments* of the function. There are two, in this case.
- A function "takes" zero or more arguments and "returns" a result and/or produces some effect (like printing something).

Math functions

- *Python* has a math module that provides most of the familiar mathematical functions.
- A module is a file that contains a collection of related functions and objects.
- Before using a module, it should be imported:

```
>>> import math
```

- To access one of the functions, specify the name of the module and the name of the function, separated by a dot.

```
>>> degrees = 45
>>> radians = degrees / 360.0 * 2 * math.pi
>>> math.sin(radians)
0.707106781187
```

Receiving input from the console

- The `input` function is used to get input from the console.
- It has an optional argument called the *prompt* and returns a string.

```
>>> name = input("What's your name? ")
What's your name? tim
>>> name
'tim'
```

- To get other types of values, you must convert!

```
>> age = int(input('Enter your age: '))
Enter your age: 22
>>> age
22
>>> type(age)
<class 'int'>
```

Writing to the console

- To output text to the screen, use the `print` function:
  ```
  print("Hello World")
  ```
- To write multiple lines, add the '`\n`' character:
  ```
  print("Hello World\nThis is a message")
  ```
- To print multiple values (separated by blanks):
  ```
  print("speed =", v)
  ```
- The print function has some optional keyword arguments:
  ```
  print(..., sep=' ',end='\n',file=sys.stdout,flush=False)
  ```
- Use `end=` is used for ending the output of the values.
- Redefining the keyword parameter "file" the output is sent into a different stream (eg. file).
  ```
  >>> fh = open("data.txt", "w")
  >>> print("Some text", file=fh)
  >>> fh.close()
  ```