









Measurements of geometrical properties of kernels belonging to three different varieties of wheat. A soft X-ray technique and GRAINS package were used to construct all seven, real-...

Dataset Characteristics

Multivariate

Associated Tasks

Classification, Clustering

Instances

210

Subject Area

Biology

Feature Type

Real

Features

_

Dataset Information

Additional Information

The examined group comprised kernels belonging to three different varieties of wheat: Kama, Rosa and Canadian, 70 elements each, randomly selected for the experiment. High quality visualization of the internal kernel structure was detected usin...

Has Missing Values?

No

Introductory Paper

Complete Gradient Clustering Algorithm for Features Analysis of X-Ray Images

By M. Charytanowicz, J. Niewczas, P. Kulczycki, Piotr A. Kowalski, Szymon Łukasik, Slawomir Zak. 2010 Published in Information Technologies in Biomedicine

By using the UCI Machine Learning Repository, you acknowledge and accept the cookies and privacy practices used by the UCI Machine Learning Repository.

ACCEPT

READ POLICY

| Variable Name | Role | Туре | Description | Units | Missing Values |
|---------------|------|------|-----------------|--------|----------------|
| | | | | | no |
| | | | Rows per page (| 5 0 to | o7 of7 |

Additional Variable Information

To construct the data, seven geometric parameters of wheat kernels were measured:

- 1. area A,
- 2. perimeter P, ...

| File Size seeds_dataset.txt 9.1 KB | Dataset Files | | ^ |
|------------------------------------|-------------------|--------|---|
| seeds_dataset.txt 9.1 KB | File | Size | |
| | seeds_dataset.txt | 9.1 KB | |

Papers Citing this Dataset

By using the UCI Machine Learning Repository, you acknowledge and accept the cookies and privacy practices used by the UCI Machine Learning Repository.

READ POLICY

| Published in ArXiv. | | | | | | | |
|---|--|--|--|--|--|--|--|
| Statistical Inference Using Mean Shift Denoising By Yunhua Xiang, Yen-Chi Chen. 2016 Published in | | | | | | | |
| Diversity-Driven Widening of Hierarchical Agglomerative Clustering By Alexander Fillbrunn, Michael Berthold. 2015 Published in IDA. Clustering Heterogeneous Data with k-Means by Mutual Information-Based Unsupervise By Min Wei, Tommy Chow, Rosa Chan. 2015 Published in Entropy. | | | | | | | |
| | | | | | | | |
| Rows per page 5 0 to 5 of 8 | | | | | | | |
| Reviews | | | | | | | |
| There are no reviews for this dataset yet. WRITE A REVIEW | | | | | | | |
| DOWNLOAD (9.2 KB) | | | | | | | |
| CITE | | | | | | | |
| 99 8 citations • 52629 views | | | | | | | |
| Creators | | | | | | | |
| Magorzata Charytanowicz | | | | | | | |
| Jerzy Niewczas | | | | | | | |
| Piotr Kulczycki | | | | | | | |
| By using the UCI Machine Learning Repository, you | | | | | | | |
| i acknowledge and accept the cookies and privacy practices used by the UCI Machine Learning Repository. | | | | | | | |

DOI

10.24432/C5H30K

License

This dataset is licensed under a **Creative Commons Attribution 4.0 International** (CC BY 4.0) license.

This allows for the sharing and adaptation of the datasets for any purpose, provided that the appropriate credit is given.

THE PROJECT

About Us

CML

National Science Foundation

NAVIGATION

Home

View Datasets

Donate a Dataset

LOGISTICS

Contact

Privacy Notice

Feature Request or Bug Report

By using the UCI Machine Learning Repository, you acknowledge and accept the cookies and privacy practices used by the UCI Machine Learning Repository.

READ POLICY