

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for register.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 1; to line 1, column 23
`@extends('layouts.app')<@sec`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** The character encoding was not declared. Proceeding using `windows-1252`.
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1; to line 1, column 23
`@extends('layouts.app')<@sec`
- Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1; to line 1, column 23
`@extends('layouts.app')<@sec`
Content model for element `head`:
If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one

is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Bad value `{{ asset('/assets/register_img.jpg') }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 10, column 13; to line 10, column 181

```

```

6. **Error** Bad value `{{ route('register') }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

From line 17, column 13; to line 17, column 89

```
<form method="POST" action="{{ route('register') }}" style="margin-
top:1em;">
```

7. **Error** A document must not include more than one `autofocus` attribute.

From line 30, column 15; to line 30, column 154

```
<input id="name" class="form-control" style="background-color:
white;" type="text" name="name" value="{{ old('name') }}" required
autofocus>
```

8. **Error** Saw `=` when expecting an attribute name. Probable cause: Attribute name missing.

At line 32, column 37

```
class="error" ="font-weight:
```

9. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 32, column 38

```
class="error" ="font-weight: b
```

10. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 32, column 73

```
color: #ff3333;">
```

11. **Warning** Attribute `"font-weight: bold"` is not serializable as XML 1.0.

From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">
```

12. **Warning** Attribute `bold;` is not serializable as XML 1.0.
From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">↵
```
13. **Warning** Attribute `color:` is not serializable as XML 1.0.
From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">↵
```
14. **Warning** Attribute `#ff3333; "` is not serializable as XML 1.0.
From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">↵
```
15. **Error** Attribute `"font-weight:` not allowed on element `span` at this point.
From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">↵
```

Attributes for element `span`:
[Global attributes](#)

16. **Error** Attribute `bold;` not allowed on element `span` at this point.
From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">↵
```

Attributes for element `span`:
[Global attributes](#)

17. **Error** Attribute `color:` not allowed on element `span` at this point.
From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">↵
```

Attributes for element `span`:
[Global attributes](#)

18. **Error** Attribute `#ff3333; "` not allowed on element `span` at this point.
From line 32, column 17; to line 32, column 74

```
<span class="error" ="font-weight: bold; color: #ff3333;">↵
```

Attributes for element `span`:
[Global attributes](#)

19. **Error** Bad value `{{ route('login') }}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.
From line 75, column 41; to line 75, column 101

```
ss="col"> <a class="button button-outline" href="{{ route('login') }}"> Retur
```

Document checking completed.

Used the HTML parser.

Total execution time 14 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.25