Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for faq.blade.php

Checker Input
Show source outline image report
Options
Check by file upload Escolher ficheiro Nenhum ficheiro selecionado
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a [lang] attribute to the [html] start tag to declare the language of this document.

From line 1, column 1; to line 1, column 23
@extends('layouts.app') ← @sec
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

- 2. Error The character encoding was not declared. Proceeding using windows-
- 8. Error Non-space characters found without seeing a doctype first. Expected

 <!DOCTYPE html>.

 From line 1, column 1; to line 1, column 23

 @extends('layouts.app') ↔ @sec
- 4. Error Element [head] is missing a required instance of child element [title].

 From line 1, column 1; to line 1, column 23

 [@extends('layouts.app')↔@sec]

 Content model for element head:

 If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one

```
is a <u>title</u> element and no more than one is a <u>base</u> element.
```

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
Error Bad value {{ asset('/assets/logo.png') }} for attribute | src | on
    element <u>img</u>: Illegal character in path segment: { is not allowed.
    From line 32, column 9; to line 32, column 101
                 <img src="{{ asset('/assets/logo.png') }}" class="logo mx-auto d-</pre>
    block" heigth=400 width=400>↔
    [Error] Attribute | heigth | not allowed on element | img | at this point.
6.
    From line 32, column 9; to line 32, column 101
                 <img src="{{ asset('/assets/logo.png') }}" class="logo mx-auto d-</pre>
    block" heigth=400 width=400>←
    Attributes for element img:
       Global attributes
       alt — Replacement text for use when images are not available
       <u>src</u> — Address of the resource
       srcset — Images to use in different situations, e.g., high-resolution displays, small monitors,
       sizes — Image sizes for different page layouts
       <u>crossorigin</u> — How the element handles crossorigin requests
       usemap — Name of image map to use
       <u>ismap</u> — Whether the image is a server-side image map
       width — Horizontal dimension
       <u>height</u> — Vertical dimension
       <u>referrer policy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element
       <u>decoding</u> — Decoding hint to use when processing this image for presentation
       <u>loading</u> — Used when determining loading deferral
```

7. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

From line 32, column 9; to line 32, column 101

> ← ⟨img src="{{ asset('/assets/logo.png') }}" class="logo mx-auto d-block" heigth=400 width=400> ← ⟨

Total execution time 8 milliseconds.

About this checker • Report an issue • Version: 22.1.25