
Power BI Development on Steroids

Rui Romano

Power BI CAT

Microsoft





in https://www.linkedin.com/in/ruiromano/

https://ruiromanoblog.wordpress.com



Lives in Porto, Portugal

+15 years working on Microsoft Data Stack





Slides here:

https://github.com/RuiRomano/sessionslides

Power BI Dev on Steroids

- Tools
- {Dev} Techniques
- Fast Paced ©

 Focus on the possibilities not details...

Tools

My personal take on:

- DAX Studio
- Tabular Editor
- ALM Toolkit



DAX Studio

https://daxstudio.org/ by Darren Gosbell

Main Use Cases:

- DAX Query Editor / Builder / Formatter
- DAX Performance Tuning & Debugging
- Quick Inspect Model w/ "View Metrics"
- Export Data: Folder / SQL Server



Learn more: Tool Intro


Tabular Editor

https://tabulareditor.com/ by Daniel Otykier

Massive productivity boost!

Main use cases:

- Model Development Efficiently & Faster
- Deployment with options (ex: only schema) ⊕
- Automation with Scripting
- Copy items between PBIX files
- Best Practices Analyzer
- Restore a PBIX from powerbi.com ⊕




Learn more: <u>Tool Intro</u>

ALM Toolkit

http://alm-toolkit.com/
by Christian Wade
Schema diff tool for Tabular Datasets
Main Use Cases:

- Compare between PBIX Files
- Compare local to published ⊕
- Merge models => Multiple Developers!



Learn more: Tool Intro

Development Techniques

```
mirror object to mirror
mirror_object
peration == "MIRROR_X":
irror_mod.use_x = True
urror_mod.use_y = False
irror_mod.use_z = False
 operation == "MIRROR_Y"
irror_mod.use_x = False
lrror_mod.use_y = True
lrror_mod.use_z = False
 _operation == "MIRROR_Z"
 lrror_mod.use_x = False
 itrror_mod.use_y = False
 lrror_mod.use_z = True
 selection at the end -add
  ob.select= 1
  er ob.select=1
   ntext.scene.objects.action
  "Selected" + str(modification
   irror ob.select = 0
 bpy.context.selected_obj
  lata.objects[one.name].sel
 mint("please select exactle
  --- OPERATOR CLASSES ----
    vpes.Operator):
    X mirror to the selected
   ject.mirror_mirror_x"
 ext.active_object is not
```

Create your own Power BI Playground


Very useful to try admin features ©

Create a 365 Developer subscription

- 90 days (renew automatically, if used for DEV)
- 25 Licenses of O365 E5 (PowerBI, PowerApps, PowerAutomate)
- Full Tenant Control







Use Templates!

- FastTrack to new Developments
- Theme files
 Much more than just colors
- Built in common tables
 Calendar & Time
 Calculation Groups
 About

•••

Sample PBIT Download

Sales Analysis




Learn more: https://docs.microsoft.com/en-us/power-bi/desktop-report-themes

"Smart" Calculation Groups

Calculation Groups can do <u>much more</u> than just Time Aggregations / Variations

Other very useful use cases:


- Auto Time Variation on Cards
- Normalization
- Randomize




REST API - Dataset Execute Queries

- The coolest API! ©
- Useful Scenarios:

 Data Integration (*limited)
 Data Quality blog post
 Alerting System using Power BI Data
 App/Website integrations
- Works on Premium & Shared (PRO)
- Requirements
 "Build" permission on the dataset
 "Allow XMLA Endpoints and Analyze in Excel"
- Main Limitations
 Result sets capped to 100k rows
 No parallel queries







Script: execute dax in PS

REST API – Power BI DevOps

Avoid multiple development files

Declare your deployment strategy

Automate the deployment using REST API's


You can make mistakes, the computer don't ©

If you have Premium ♥

Deployment Pipelines

Must Watch: Daniel Otykier Session

- Azure DevOps
- Tabular Editor / bim file vs pbix
- REST API's



Links: <u>pbidevops</u>

Thanks!

- 🏏 @RuiRomano
- in https://www.linkedin.com/in/ruiromano/
- https://ruiromanoblog.wordpress.com