Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for edit_news.blade.php

Checker Input
Show source outline outline Options
Check by file upload v Browse No file selected.
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- to declare the language of this document.

 From line 1, column 1; to line 7, column 4

 @extends('layouts.app')@esection('page-title', 'Edit News

 Post')@esection('content') @esection('page-title', 'Edit News)

 <secti

 For further guidance, consult Declaring the overall language of a page and Choosing language tags.

 If the HTML checker has misidentified the language of this document, please file an
- 2. Error The character encoding was not declared. Proceeding using windows-1252.

issue report or send e-mail to report the problem.

- 3. Error Non-space characters found without seeing a doctype

 first. Expected <!DOCTYPE html>.

 From line 1, column 1; to line 7, column 4

 @extends('layouts.app') ⊕@section('page-title', 'Edit News

 Post') ⊕@section('content') ⊕ @include('partials.header') ⊕ ≪secti
- 4. Error Element head is missing a required instance of child element title.

 From line 1, column 1; to line 7, column 4

```
@extends('layouts.app')↔@section('page-title', 'Edit News
   Post')←@section('content')←← @include('partials.header')←←
   <secti
   Content model for element <u>head</u>:
      If the document is <u>an iframe srcdoc document</u> or if title information is available
      from a higher-level protocol: Zero or more elements of metadata content, of
      which no more than one is a title element and no more than one is a base
      element.
      Otherwise: One or more elements of metadata content, of which exactly one is a
      title element and no more than one is a base element.
    Error Bad value {{ route('update news') }} for attribute
5.
    action on element form: Illegal character in path segment: {
   is not allowed.
   From line 12, column 13; to line 12, column 156
               <form method="POST" enctype="multipart/form-data"</pre>
   id="create news form" name="edit form" action="{{
   route('update news') }}" autocomplete="off">↔
   Error Element <u>li</u> not allowed as child of element <u>section</u> in
6.
   this context. (Suppressing further errors from this subtree.)
   From line 19, column 25; to line 19, column 42
               class="error">{{$err}
   Contexts in which element <u>li</u> may be used:
      Inside ol elements.
      Inside <u>ul</u> elements.
      Inside menu elements.
   Content model for element <u>section</u>:
      Flow content.
   Warning Section lacks heading. Consider using h2 h6 elements
7.
   to add identifying headings to all sections, or else use a div
   element instead for any cases where no heading is needed.
   From line 15, column 17; to line 15, column 49
              <section id="title" class="mb-5">₽
   Error Element <u>li</u> not allowed as child of element <u>section</u> in
8.
   this context. (Suppressing further errors from this subtree.)
   From line 27, column 25; to line 27, column 42
               class="error">{{$err}
   Contexts in which element <u>li</u> may be used:
```

```
Inside ol elements.

Inside ul elements.

Inside menu elements.

Content model for element section:

Flow content.
```

9. Warning Section lacks heading. Consider using h2-h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 23, column 17; to line 23, column 48

<section id="body" class="mb-5">==

11. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 34, column 29; to line 34, column 136

<input id="radio-for-checkboxes" class="d-none"

<input id="radio-for-checkboxes" class="d-none"

type="radio" name="radio-for-required-checkboxes" required/> <!--</pre>

12. Error Bad value {{ \$tag->tag_name }} for attribute for on element label: An ID must not contain whitespace.

From line 36, column 33; to line 36, column 66

<label for="{{ \$tag->tag_name }}">

13. Error Bad value {{ \$tag->tag_name }} for attribute id on element input: An ID must not contain whitespace.

From line 38, column 41; to line 38, column 155

<input type="checkbox" id="{{ \$tag->tag_name }}"

class="check" value="{{ \$tag->tag_name }}" name="tags[]" checked/>

□

14. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 38, column 41; to line 38, column 155
<input type="checkbox" id="{{ \$tag->tag_name }}"

```
class="check" value="{{ $tag->tag_name }}" name="tags[]" checked/> ←
     Error Duplicate ID {{ $tag->tag_name }}.
15.
    From line 40, column 41; to line 40, column 147
               <input type="checkbox" id="{{ $tag->tag name }}"
    class="check" value="{{ $tag->tag name }}" name="tags[]"/> ↔
    Warning The first occurrence of ID {{ $tag->tag name }} was
16.
    here.
    From line 38, column 41; to line 38, column 155
              <input type="checkbox" id="{{ $tag->tag name }}"
    class="check" value="{{ $tag->tag name }}" name="tags[]" checked/> ₽
    Error Bad value {{ $tag->tag name }} for attribute id on
17.
    element <u>input</u>: An ID must not contain whitespace.
    From line 40, column 41; to line 40, column 147
               <input type="checkbox" id="{{ $tag->tag name }}"
    class="check" value="{{ $tag->tag_name }}" name="tags[]"/> ←
18.
    Error The label element may contain at most one button,
     input, meter, output, progress, select, or textarea
    descendant.
    From line 40, column 41; to line 40, column 147
               <input type="checkbox" id="{{ $tag->tag name }}"
    class="check" value="{{ $tag->tag name }}" name="tags[]"/> ₽
19.
     Warning label element with multiple labelable descendants.
    From line 36, column 33; to line 36, column 66
              <label for="{{ $tag->tag name }}">₽
    Info Trailing slash on void elements has no effect and interacts
20.
    badly with unquoted attribute values.
    From line 40, column 41; to line 40, column 147
              <input type="checkbox" id="{{ $tag->tag_name }}"
    class="check" value="{{ $tag->tag name }}" name="tags[]"/> ₽
    Error Element <u>li</u> not allowed as child of element <u>section</u> in
21.
    this context. (Suppressing further errors from this subtree.)
    From line 48, column 25; to line 48, column 42
               class="error">{{$err}
```

```
Contexts in which element <u>li</u> may be used:
       Inside ol elements.
       Inside <u>ul</u> elements.
       Inside menu elements.
    Content model for element <u>section</u>:
       Flow content.
    Warning Section lacks heading. Consider using h2 h6 elements
22.
    to add identifying headings to all sections, or else use a div
    element instead for any cases where no heading is needed.
    From line 31, column 17; to line 31, column 48
              <section id="tags" class="mb-5">↩
    Warning Section lacks heading. Consider using h2 h6 elements
23.
    to <u>add identifying headings to all sections</u>, or else use a div
    element instead for any cases where no heading is needed.
    From line 52, column 17; to line 52, column 92
              <section id="submission" class="container</pre>
    create_post_buttons mb-2 mb-lg-0">↔
    Warning Section lacks heading. Consider using h2 h6 elements
24.
    to add identifying headings to all sections, or else use a div
    element instead for any cases where no heading is needed.
    From line 11, column 9; to line 11, column 57
              <section class="container w-100 mt-4 form-group">←
    بب
    Error Bad value {{ asset('js/tinymce/tinymce.min.js') }} for
25.
    attribute src on element script: Illegal character in path
    segment: { is not allowed.
    From line 68, column 5; to line 68, column 59
               <script src="{{ asset('js/tinymce/tinymce.min.js')</pre>
    }}"></scri
    Error The value of the for attribute of the label element
26.
    must be the ID of a non-hidden form control.
```

must be the ID of a non-hidden form control.

From line 32, column 21; to line 32, column 67

<label for="select-tags" class="h5 form-label">Tags -

Document checking completed.

Used the HTML parser.

Total execution time 36 milliseconds.

About this checker • Report an issue • Version: 22.12.5