

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for create_news.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 7, column 4

```
@extends('layouts.app')@section('page-title', 'Create News
Post')@section('content')@include('partials.header')
<secti
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

3. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 7, column 4

```
@extends('layouts.app')@section('page-title', 'Create News
Post')@section('content')@include('partials.header')
<secti
```

4. **Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 7, column 4

```
@extends('layouts.app')@section('page-title', 'Create News
Post')@section('content')@include('partials.header')
<secti
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** **Bad value** `{{ route('create_news') }}` **for attribute** `action` **on element** `form`: **Illegal character in path segment: {** **is not allowed.**

From line 12, column 13; to line 12, column 139

```
<form method="POST" enctype="multipart/form-data"
id="create_news_form" action="{{ route('create_news') }}"
autocomplete="off">
```

6. **Error** **Element** `li` **not allowed as child of element** `section` **in this context. (Suppressing further errors from this subtree.)**

From line 18, column 25; to line 18, column 42

```
<li class="error">{{$err
```

Contexts in which element [li](#) may be used:

Inside [ol](#) elements.

Inside [ul](#) elements.

Inside [menu](#) elements.

Content model for element [section](#):

[Flow content](#).

7. **Warning** **Section lacks heading. Consider using** `h2` - `h6` **elements to** [add identifying headings to all sections](#), **or else use a** `div` **element instead for any cases where no heading is needed.**

From line 14, column 17; to line 14, column 49

```
<section id="title" class="mb-5">
```

8. **Error** **Element** `li` **not allowed as child of element** `section` **in this context. (Suppressing further errors from this subtree.)**

From line 26, column 25; to line 26, column 42

```
<li class="error">{{$err
```

Contexts in which element [li](#) may be used:

Inside [ol](#) elements.

Inside [ul](#) elements.

Inside [menu](#) elements.

Content model for element [section](#):

[Flow content](#).

9. **Warning** **Section lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed.**

From line 22, column 17; to line 22, column 48

```
<section id="body" class="mb-5">↵
```

10. **Error** **Attribute `required` not allowed on element `div` at this point.**

From line 32, column 25; to line 32, column 98

```
<div id="tag-list" style="overflow-y: hidden; max-height: 15vh;" required> ↵
```

Attributes for element [div](#):

[Global attributes](#)

11. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

From line 33, column 29; to line 33, column 136

```
<input id="radio-for-checkboxes" class="d-none" type="radio" name="radio-for-required-checkboxes" required/> <!--
```

12. **Error** **Bad value `{{ $tag->tag_name }}` for attribute `for` on element `label`: An ID must not contain whitespace.**

From line 35, column 33; to line 35, column 66

```
<label for="{{ $tag->tag_name }}">↵
```

13. **Error** **Bad value `{{ $tag->tag_name }}` for attribute `id` on element `input`: An ID must not contain whitespace.**

From line 36, column 37; to line 36, column 143

```
<input type="checkbox" id="{{ $tag->tag_name }}" class="check" value="{{ $tag->tag_name }}" name="tags[]"> ↵
```

14. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

From line 36, column 37; to line 36, column 143

```
<input type="checkbox" id="{{ $tag->tag_name }}"
```

```
class="check" value="{{ $tag->tag_name }}" name="tags[]"/> ↵
```

15. **Error** Element `li` not allowed as child of element `section` in this context. (Suppressing further errors from this subtree.)

From line 43, column 25; to line 43, column 42

```
<li class="error">{{$err
```

Contexts in which element `li` may be used:

Inside `ol` elements.

Inside `ul` elements.

Inside `menu` elements.

Content model for element `section`:

[Flow content](#).

16. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 30, column 17; to line 30, column 48

```
<section id="tags" class="mb-5">↵
```

17. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 47, column 17; to line 47, column 92

```
<section id="submission" class="container  
create_post_buttons mb-2 mb-lg-0">↵
```

18. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 11, column 9; to line 11, column 57

```
↵↵ <section class="container w-100 mt-4 form-group">↵
```

19. **Error** Bad value `{{ asset('js/tinymce/tinymce.min.js') }}` for attribute `src` on element `script`: Illegal character in path segment: `{` is not allowed.

From line 63, column 5; to line 63, column 59

```
E -->↵ <script src="{{ asset('js/tinymce/tinymce.min.js')  
}}"></scri
```

20. **Error** The value of the `for` attribute of the `label` element

must be the ID of a non-hidden form control.

From line 31, column 21; to line 31, column 67

```
<label for="select-tags" class="h5 form-label">Tags -
```

Document checking completed.

Used the HTML parser.

Total execution time 34 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5