

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for profile\_preview.blade.php

### Checker Input

Show ☐ source ☐ outline ☐ image report

Check by   No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Warning Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.**

From line 1, column 1; to line 1, column 31

```
@if($user_preview -> id !== 5)␣<artic
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error The character encoding was not declared. Proceeding using `windows-1252`.**

3. **Error Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.**

From line 1, column 1; to line 1, column 31

```
@if($user_preview -> id !== 5)␣<artic
```

4. **Error Element `head` is missing a required instance of child element `title`.**

From line 1, column 1; to line 1, column 31

```
@if($user_preview -> id !== 5)␣<artic
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of

which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** **Bad value** `{{asset('pictures/user/' . $user_preview->picture ) }}` **for attribute** `src` **on element** `img`: **Illegal character in path segment: { is not allowed.**

From line 3, column 5; to line 3, column 132

```
}}">  <
```

6. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images](#).

From line 3, column 5; to line 3, column 132

```
}}">  <
```

7. **Error** **Bad value** `/profile/{{ $user_preview->id }}` **for attribute** `href` **on element** `a`: **Illegal character in path segment: { is not allowed.**

From line 5, column 9; to line 5, column 121

```
> <a class="mini-username mb-2 h4 fw-bold text-truncate  
text-nowrap col-12 " href="/profile/{{ $user_preview->id }}">{{ $us
```

8. **Warning** **Attribute** `auth::id()` **is not serializable as XML 1.0.**

From line 11, column 13; to line 11, column 95

```
<input type="hidden" class="user-{{Auth::id() }}" name="id1"  
value={{ Auth::id() }}>
```

9. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 11, column 13; to line 11, column 95

```
<input type="hidden" class="user-{{Auth::id() }}" name="id1"  
value={{ Auth::id() }}>
```

10. **Error** **Attribute** `auth::id()` **not allowed on element** `input` **at this point.**

From line 11, column 13; to line 11, column 95

```
<input type="hidden" class="user-{{Auth::id()}}"
name="id1" value={{ Auth::id() }}>
```

Attributes for element [input](#):

[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>

<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

# 11. **Error** **Attribute `}}` not allowed on element `input` at this point.**

From line 11, column 13; to line 11, column 95

```
<input type="hidden" class="user-{{Auth::id()}}"
name="id1" value={{ Auth::id() }}>
```

Attributes for element `input`:

## [Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>

<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

12. **Warning** Attribute `$user_preview-` is not serializable as XML

**1.0.**

From line 12, column 13; to line 12, column 103

```
<input type="hidden" class="user-{{$user_preview->id}}"
name="id2" value={{ $user_preview->id }}>
```

13. **Error** Attribute `$user_preview-` not allowed on element [input](#) at this point.

From line 12, column 13; to line 12, column 103

```
<input type="hidden" class="user-{{$user_preview->id}}"
name="id2" value={{ $user_preview->id }}>
```

Attributes for element [input](#):

[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>

<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

14. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to **add identifying headings to all articles**.

From line 2, column 1; to line 2, column 175

```
id !== 5)<article id="user-prev" class="news mx-auto my-3 mx-auto
col-11 py-2 py-md-6 px-3 px-md-2 px-lg-4 d-flex flex-row border bg-
light rounded-2" data-id="{{ $user_preview->id }}"><
```

### Document checking completed.

Used the HTML parser.

Total execution time 18 milliseconds.

