Assignment 3: User-based Collaborative Filtering

(Adapted from University of Minnesota CSci 1901H Class project)

Assignment Overview

In this assignment you will implement a simple user-based collaborative filtering recommender system for predicting the ratings of an item using the data given. This prediction should be done using k nearest neighbors and Pearson correlation. Finally using the similarity of the k nearest neighbors, you are required to predict the ratings of the new item for the given user.

Format of ratings file

- The input file consists of one rating event per line. Each rating event is of the form: user_id\trating\tmovie_title
- The user_id is a string that contains only alphanumeric characters and hyphens and spaces (no tabs).
- The rating is one of the float values 0.5, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, and 5.0.
- The movie_title is a string that may contain space characters (to separate the words).
- The three fields -- user_id, rating, and the movie_title -- are separated by a single tab character (\t).

Submission Details

You need to turn in a python script script <a href="mailto:strame_collabFilter.

Requirements:

- 1. pearson_correlation(user1, user2):
 - This function calculates the pearson correlation between 2 users.
 - Return value is a float between 1 and -1.
 - For calculating the average for each user, include all the user's ratings and not just the intersection of the 2 user's ratings.
 - However when computing summation, use only items that both users have rated.
- 2. K_nearest_neighbors(user1, k):
 - This function calculates the k nearest neighbors of user1 based on pearson similarity.
 - Returns a list of k nearest neighbors and their similarity.
 - For calculating the average for each user, include all the user's ratings and not just the intersection of the 2 user's ratings.
 - However when computing summation, use only items that both users have rated.
 - When sorting similarities, if 2 users have the same similarity sort them by user id.
- 3. Predict(user1, item, k_nearest_neighbors):
 - This function calculates the final prediction for item for user1 using k nearest neighbors.
 - You will compute a simple weighted average of the ratings provided by the k nearest neighbors.
 - Use only the neighbors who have rated the input item.
 - Prediction = $\sum (W_{i,1})*(rating_{i,item}) / \sum (W_{i,1})$ where $W_{i,1}$ is the similarity of user i with user1 from the k nearest neighbors.

For full credits divide your code into these 3 functions.

Running your code

The program takes 4 arguments

- Ratings input file
- User id (user name)
- Movie name to calculate prediction for
- K for k neighbors

Execution

Python pooja_anand_ collabFilter.py ratings-dataset.tsv Kluver 'The Fugitive' 10

ratings-dataset.tsv: input file

Kluver: User id Movie: The Fugitive

K: 10

Output:

The program will output:

- K nearest neighbors with their user ids and similarity values separated by space as per the output file
- Rating prediction for item.

General Instructions:

- 1. Do not zip your files
- 2. Make sure your code compiles before submitting
- 3. Make sure to follow the output format and the file naming format.
- 4. Make sure not to write the output to any files. Use standard output to print them.
- 5. We will be using Moss for plagiarism detection.