#### 平成 n 年度 卒業論文

### 住井研究室の ステキな論文クラスファイルの使用例

東北大学 工学部 情報知能システム総合学科

X0XX1234 ラムダ 小太郎

指導教員: 亀山 充隆 教授 論文指導教員: 住井 英二郎 准教授

平成 26 年 4 月 18 日

# 要旨

ステキな論文の概要

# 謝辞

ステキな論文の謝辞

# 目 次

第 <b>1</b> 章 1.1	<b>序論</b> 定理環境	<b>4</b>
第2章	本論	5
第3章	結論	6

### 第1章 序論

序論とか本論とか結論とか [1]

#### 1.1 定理環境

定理 1.1 (定理のタイトル) 定理の内容

補題 1.1 (補題のタイトル) 補題の内容

系 1.1 (系のタイトル) 系の内容

命題 1.1 (命題のタイトル) 命題の内容

定義 1.1 (定義のタイトル) 定義の内容

公理 1.1 (公理のタイトル) 公理の内容

証明 1.1 (証明のタイトル) 証明の内容

### 第2章 本論

ソースコード 2.1 は二分木を深さ優先探索して、ノードを列挙する関数である。

ソースコード 2.1: 二分木のノードのリストアップ

```
type 'a bin_tree =
leaf of 'a
leaf of 'a leaf of 'a bin_tree * 'a bin_tree

type 'a bin_tree =
leaf of 'a
leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a leaf of 'a
```

ソースコードの書き方等については slide ブランチの slide.tex を参照されたし。

# 第3章 結論

# 参考文献

[1] Benjamin C. Pierce.  $\it Types$  and  $\it Programming Languages.$  MIT Press, Cambridge, MA, USA, 2002.