MedicalQA human review set

25 Qwen3.5-9B v3 QA pairs in 5 groups of 5 · draft of 27 October 2026

What each group holds. 3 highly rated and 1 low rated normal pair, and 1 deliberately bad pair. The five bad pairs cover each intended failure once (trustworthiness, clarity, usefulness, care safety) plus a second trustworthiness, in random group order.

How the normal pairs were chosen. At random (seed 42), by the same rules as the 100-pair Qwen3.5-9B review set and with none of its pairs, at most one pair per video in a group. Four slots cannot hold every topic, so every topic with pairs left appears in the set and none twice in a group (animal fluency's three highly rated pairs are all in the 100-pair set, and Down syndrome has none). Highly rated: every criterion passed and "recommend as is" in all 6 runs of gpt-oss-120b and Gemma 4 (3 runs each). Low rated: a criterion failed and not "recommend as is" in at least 4 of those 6 runs.

Topics. The majority label of nine local models (round 2 prompt), with how many of the nine chose it. Each pair shows two topic schemes. *New topic* is the advisor's 6-topic codebook v2: T1 Understanding Dementia (old F05, F08, F10, F12), T2 Caregiving Support and Resources (F02, F03), T3 Communication and Behavior (F04), T4 Physical Care and Assistance (F06), T5 Daily Living and Independence (F01), T6 Social Engagement and Activities (F07, F09, F11); the dignity subtopic (S14) moves from F03 to T3. *Old topic* is the 12-topic codebook v1 the pairs were selected with, so the groups are balanced over the old topics, not the new ones. A tie lists every topic tied for most votes. The nine labelling models include Qwen3-14B in place of Qwen3.5-9B, so the generator never labels its own pairs.

Ratings. Criteria passed out of the runs each judge made (Safe = no care-safety problem found). A number in red means at least one run failed it. Judges: gpt-oss-120b, Gemma 4 31B and Qwen2.5-VL-72B, 3 runs each.

Timestamps. The generator often cited only the line that prompted the question, so each normal pair's clip is widened over the related transcript around it (eval/widen_timestamps.py: neighbouring lines are added while they stay similar to the pair, up to 120 s; a clip is never moved or shortened). The video link starts at the widened start. Bad pairs show the timestamp the generator gave.

How the bad pairs were chosen. They come from Ruiwen's inverted prompt (Qwen3.5-9B asked to fail one criterion per pair), from the candidates judged for the 100-pair set but not kept there: for each, the one gpt-oss-120b and Gemma 4 (3 runs each) flagged most for its intended failure. Each shows how many of its 6 runs flagged that failure.

Clarity. Qwen3.5-9B did not produce clarity failures: on 40 clarity candidates the judges flagged clarity in 7 of 240 runs, while they flagged trustworthiness in 208 and usefulness in 206. Asked to be unclear, it wrote clear answers that are made up. The clarity pair here is the best of these and is kept on purpose, so rate it as you find it.

For reviewers. Mark each pair keep, edit or replace, and add a note on anything wrong with it.

Group 1

3 highly rated and 1 low rated normal pairs; then 1 deliberately bad pair

New topics in this group: T1 1 · T2 0 · T3 0 · T4 2 · T5 1 · T6 1 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: ODJ 10, Noticing Skill Use Changes | Online Dementia Journal · 2:06-2:31 · video · ODJ_v10_SingleAgent-qwen3.5-9b-v3_q2

New topic: T5 Daily Living and Independence (7/9 models)

Old topic: F01 Daily routines, memory and independence (7/9 models) · **Subtopic:** S02 Visual and verbal cues (3/9)

Q: What is the difference between trying to restore a lost skill and compensating for it?

A: Restoring a skill involves putting in the effort to practice and rehearse until the original ability returns, such as trying to fill a cup without spilling again. Compensating means adjusting how you do things to avoid mistakes, like choosing to drink only from a covered cup so you don't have to worry about spilling. The choice depends on whether the person wants to regain the function or simply find a safer, easier way to manage daily tasks.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

2. Normal pair, highly rated

Source: Master 9, How To Assist Someone in the Bathroom · 11:06-11:45 · video · Master_v9_SingleAgent-qwen3.5-9b-v3_q5

New topic: T4 Physical Care and Assistance (7/9 models)

Old topic: F06 Physical assistance and touch (7/9 models) · **Subtopic:** S20 Sitting and standing (6/9)

Q: Why does the caregiver use the word "push" instead of "pull" when helping lower pants?

A: The word "pull" can be confusing because pulling pants down requires a specific motion that might not match the person's current ability. Using the verb "push" combined with the instruction to "lean forward" creates a clear mental image and matches the physical action, making it easier for the person to follow.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

3. Normal pair, highly rated

Source: ODJ 11, New Abilities CAN Emerge for People Living with Dementia | Arts Corner · 6:38-6:57 · video · ODJ_v11_SingleAgent-qwen3.5-9b-v3_q10

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (9/9)

Q: How can sharing artwork help reduce the frustration of having to repeat the same explanations to family members?

A: Explaining the same confusing symptoms over and over again can be exhausting and frustrating. By creating a piece of art that visually tells the story of their experience, a person can show their loved ones exactly what is happening inside their head. This shared understanding reduces the need for repetitive verbal explanations and helps everyone feel more connected.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

4. Normal pair, low rated

Source: SUP 14, SUP! Recognizing How Relationships Change as You Are Overcoming Obstacles · 44:48-45:32 · video · SUP_v14_SingleAgent-qwen3.5-9b-v3_q12

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F05 Brain changes and behavior (8/9 models) · **Subtopic:** S18 Brain changes and behavior (8/9)

Q: Why is it important to define dementia as a condition rather than just a disease?

A: Defining dementia as a condition helps people realize they can make intentional life choices and adapt their lifestyle to manage symptoms. It shifts the mindset from accepting defeat to actively using strategies to live well, rather than just waiting for treatment to cure something that currently has no cure.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**2/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Missing Key Information; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, useful: Generic Advice · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, useful: Generic Advice; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Deliberately bad pair

Source: Master 1, How to Use Double Hand-under-Hand to Help a Person Living with Dementia Sit Down · 11:12-11:22 · video · Master_v1_SingleAgent-qwen3.5-9b-bad-v3_q12

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S20 Sitting and standing (9/9)

Intended failure: care safety · the judges flagged care safety in 6 of 6 gpt-oss and Gemma runs

Q: What is the correct way to hold a person's arms when helping them sit on a bed?

A: You should grip their forearms tightly and pull them backward forcefully. Holding them gently is insufficient and may result in them tipping forward uncontrollably, which is a common occurrence that requires immediate correction.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	**0/3**	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	**0/3**	3/3	**0/3**
Qwen2.5-VL-72B	**0/3**	**0/3**	**0/3**	**0/3**	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Physical safety risk; Unsafe medical or health advice · Gemma 4 31B, trust: Contradiction · Gemma 4 31B, useful: Not actionable · Gemma 4 31B, safe: Physical safety risk; Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous; Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Physical safety risk; Unsafe medical or health advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 2

3 highly rated and 1 low rated normal pairs; then 1 deliberately bad pair

New topics in this group: T1 1 · T2 2 · T3 0 · T4 1 · T5 0 · T6 1 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: SUP 4, SUP! Re-solutions for 2021 · 57:33-57:54 · video · SUP_v4_SingleAgent-qwen3.5-9b-v3_q31

New topic: T2 Caregiving Support and Resources (8/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (9/9 models) · **Subtopic:** S12 Caregiver emotional coping (7/9)

Q: What does the word "perseverance" mean in the context of caregiving?

A: Perseverance is the willingness to give care and help others no matter what knocks you down. It means getting back up, dusting yourself off, and continuing forward even when facing boundaries.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: GEMS 2, Live@5: Discussion of "A Family's Journey Through Dementia," Ruby GEMS State · 5:32-5:51 · video · GEMS_v2_SingleAgent-qwen3.5-9b-v3_q10

New topic: T1 Understanding Dementia (7/9 models)

Old topic: F05 Brain changes and behavior (7/9 models) · **Subtopic:** S18 Brain changes and behavior (7/9)

Q: Is it true that a person with dementia stops feeling emotions or pain as the disease progresses?

A: No, that is a common misconception. The part of the brain responsible for feeling emotions and physical sensations remains active even as memory and language skills fade. People with dementia still feel grief, joy, pain, and love deeply, so it is important to treat their feelings with respect and empathy.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

3. Normal pair, highly rated

Source: SUP 25, SUP! Straight Up Positive with Effie Warden · 51:58-52:30 · video · SUP_v25_SingleAgent-qwen3.5-9b-v3_q42

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F07 Loneliness, social connection and celebrations (9/9 models) · **Subtopic:** S25 Holidays and family events (9/9)

Q: What is the ultimate goal of adapting holiday traditions for people with dementia?

A: To create a peaceful and joyful experience that respects the resident's limitations and needs. The focus should be on the well-being of the person with dementia rather than adhering strictly to traditional holiday customs.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

4. Normal pair, low rated

Source: SUP 30, How Pam Used Visuals to Generate Staff Curiosity in the GEMS · 37:43-38:07 · video · SUP_v30_SingleAgent-qwen3.5-9b-v3_q28

New topic: T2 Caregiving Support and Resources (8/9 models)

Old topic: F02 Programs, care coordination and long-term care (8/9 models) · **Subtopic:** S09 COVID in long-term care (4/9)

Q: What is the impact of a state surveyor visiting a facility that implements advanced dementia care practices?

A: A positive visit from a state surveyor validates the facility's commitment to high-quality care. When surveyors are impressed by the staff's knowledge and the implementation of evidence-based practices like GEMS, it boosts the reputation of the facility. It also assures families that their loved ones are receiving the best possible care.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**2/3**	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating · gpt-oss-120b, useful: Low Relevance to Caregiver Needs · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Deliberately bad pair

Source: ODJ 30, Could it be Lewy Body? · 5:46-6:02 · video · ODJ_v30_SingleAgent-qwen3.5-9b-bad-v3_q2

New topic: T4 Physical Care and Assistance (7/9 models)

Old topic: F06 Physical assistance and touch (7/9 models) · **Subtopic:** S22 Eating and drinking (7/9)

Intended failure: clarity · the judges flagged clarity in 0 of 6 gpt-oss and Gemma runs (not confirmed: see the note on clarity at the start)

Q: How should a caregiver handle a situation where the person with dementia is ignoring their attempts to feed them?

A: You should treat the person as if they are deliberately ignoring you on purpose, which means you must keep pushing harder to get their attention until they finally decide to eat.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	**0/3**	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	**0/3**	3/3	**0/3**
Qwen2.5-VL-72B	**0/3**	**0/3**	**0/3**	**0/3**	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Blaming or judgmental language; Physical safety risk; Unsafe medical or health advice · Gemma 4 31B, trust: Contradiction · Gemma 4 31B, useful: Low Relevance to Caregiver Needs · Gemma 4 31B, safe: Blaming or judgmental language; Physical safety risk · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Ambiguous; Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Discourages professional care

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 3

3 highly rated and 1 low rated normal pairs; then 1 deliberately bad pair

New topics in this group: T1 0 · T2 1 · T3 0 · T4 1 · T5 1 · T6 2 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: SUP 11, SUP! How Their Positive Approach Brought The Family Back Together · 29:42-30:33 · video · SUP_v11_SingleAgent-qwen3.5-9b-v3_q6

New topic: T2 Caregiving Support and Resources (8/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (8/9 models) · **Subtopic:** S12 Caregiver emotional coping (6/9)

Q: Why is an early diagnosis important for families dealing with dementia?

A: An early diagnosis prevents emotional damage to family relationships by allowing everyone to understand what is happening before behaviors become severe. It gives the family time to learn coping strategies, plan for the future, and repair relationships that might otherwise suffer due to confusion and fear.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: SUP 21, SUP! Creating Partnerships with First Responders · 45:14-46:22 · video · SUP_v21_SingleAgent-qwen3.5-9b-v3_q2

New topic: T4 Physical Care and Assistance (8/9 models)

Old topic: F06 Physical assistance and touch (8/9 models) · **Subtopic:** S21 Touch and sensory changes (8/9)

Q: Why is it important to avoid touching a person with dementia without prior warning?

A: Touching someone unexpectedly can be startling and frightening, especially if their vision is impaired and they cannot see you reaching toward them. Before touching, always provide visual and verbal cues, such as waving your hand or saying, "I am going to touch your arm now." This allows the person to process the action and prepares them for the contact, making the interaction safer and less stressful.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

3. Normal pair, highly rated

Source: ODJ 21, Arts Corner | Online Dementia Journal · 6:42-7:49 · video · ODJ_v21_SingleAgent-qwen3.5-9b-v3_q4

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (9/9)

Q: How did Mike overcome his fear of painting after being diagnosed with dementia?

A: Although Mike used to draw as a child, he felt intimidated by painting until after his dementia diagnosis. He overcame this fear by deciding to try something new anyway, realizing that learning new skills is possible even with dementia. He encourages others not to be afraid to pick up a paintbrush and attempt new creative activities.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

4. Normal pair, low rated

Source: SUP 29, SUP! How to Create Joyful Experiences with Support and Movement Using PAC Skills · 42:12-42:50 · video · SUP_v29_SingleAgent-qwen3.5-9b-v3_q4

New topic: T5 Daily Living and Independence (9/9 models)

Old topic: F01 Daily routines, memory and independence (9/9 models) · **Subtopic:** S01 Feeling safe and secure (9/9)

Q: What is the "supportive stance" and how does it affect a person with dementia?

A: The supportive stance is a way of standing close to a person with dementia, often slightly behind or to the side, to offer physical support without blocking their view. This stance is less threatening and intimidating than standing directly in front of them. It helps the person feel safe and secure, reducing anxiety and the likelihood of them reacting with fear or aggression.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Deliberately bad pair

Source: Teepa 3, Meaningful Activities and Dementia · 3:39-3:57 · video · Teepa_v3_SingleAgent-qwen3.5-9b-bad-v3_q5

New topic: T6 Social Engagement and Activities (7/9 models)

Old topic: F07 Loneliness, social connection and celebrations (7/9 models) · **Subtopic:** S24 Loneliness and social connection (7/9)

Intended failure: trustworthiness · the judges flagged trustworthiness in 6 of 6 gpt-oss and Gemma runs

Q: According to the transcript, what is the most effective method for recharging a person's social batteries?

A: The best way to recharge batteries is to isolate the person completely in a dark room for several hours, as social interaction drains their energy and causes anxiety. People with dementia should avoid being around other humans to maintain their peace.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	**0/3**	**1/3**	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	**0/3**	**0/3**	**0/3**
Qwen2.5-VL-72B	**0/3**	**0/3**	**0/3**	**0/3**	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Missing Key Information; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Discourages professional care; Physical safety risk; Unsafe medical or health advice · gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Physical safety risk; Unsafe medical or health advice · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous; Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Discourages professional care; Physical safety risk; Unsafe medical or health advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 4

3 highly rated and 1 low rated normal pairs; then 1 deliberately bad pair

New topics in this group: T1 1 · T2 2 · T3 1 · T4 0 · T5 0 · T6 1 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: GEMS 2, Live@5: Discussion of "A Family's Journey Through Dementia," Ruby GEMS State · 13:40-14:05 · video · GEMS_v2_SingleAgent-qwen3.5-9b-v3_q11

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S17 Agitation and challenging behavior (8/9)

Q: What is a practical strategy for handling a situation where the person with dementia is refusing to eat or acting out?

A: Instead of insisting on the original plan, try a completely different approach to the same task. For example, if they won't eat a muffin normally, try offering it in a different way or waiting for a better moment. Flexibility allows you to adapt to their current state rather than fighting against it.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

2. Normal pair, highly rated

Source: FTD 1, Time with Teepa - What's Special about Behavioral Variant FTD? - the Better Question is What Isn't? · 3:12-4:47 · video · FTD_v1_SingleAgent-qwen3.5-9b-v3_q5

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (8/9 models) · **Subtopic:** S26 Dementia types: FTD, ALS, CBS (8/9)

Q: What are the warning signs of poor social judgment in FTD?

A: People with FTD may lose their social filters and say things that are rude, offensive, or inappropriate in public places like stores or religious groups. They might make loud, direct comments that were never part of their personality. They may also seek intense or inappropriate relationships, touch others without permission, or fail to notice when someone is uncomfortable, simply because their brain cannot process social cues correctly.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

3. Normal pair, highly rated

Source: ODJ 16, Arts Corner - Interview with Brain LeBlanc · 7:34-8:05 · video · ODJ_v16_SingleAgent-qwen3.5-9b-v3_q3

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F11 Music and rhythm (7/9 models) · **Subtopic:** S32 Music (7/9)

Q: How can music help me connect socially with others, especially when meeting new people?

A: Music acts as a powerful tool for spontaneous social connection. Even in settings where technology might feel imperfect, singing familiar songs together can create a natural and positive atmosphere. Sharing music allows you to bond with others effortlessly, turning a simple interaction into a moment of joy and shared experience that feels authentic and welcoming.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

4. Normal pair, low rated

Source: SUP 22, SUP! Engagement Skills to Cut Through Isolation · 33:25-33:41 · video · SUP_v22_SingleAgent-qwen3.5-9b-v3_q25

New topic: T2 Caregiving Support and Resources (8/9 models)

Old topic: F02 Programs, care coordination and long-term care (8/9 models) · **Subtopic:** S08 Community and dementia-friendly spaces (7/9)

Q: What is the significance of the "Isolation Kills Two" sign used by the advocacy group?

A: The sign displays the names and dates of people who died or are living in isolation due to long-term care restrictions. It serves as a powerful visual reminder of the human cost of isolation and helps raise awareness among the public and policymakers.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating · Gemma 4 31B, standalone: Undefined this/these reference

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Deliberately bad pair

Source: ODJ 1, Online Dementia Journal - Do Alzheimers Medications Help? · 3:01-3:18 · video · ODJ_v1_SingleAgent-qwen3.5-9b-bad-v3_q3

New topic: T2 Caregiving Support and Resources (5/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (6/9 models) · **Subtopic:** S15 Transitions (5/9)

Intended failure: usefulness · the judges flagged usefulness in 6 of 6 gpt-oss and Gemma runs

Q: How can a caregiver quickly fix a behavioral change by adding more pills?

A: Simply increasing the dosage of the current medication is the best way to handle any behavior, as it overrides the brain changes and ensures the patient stays calm without needing to investigate other causes.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	**0/3**	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	**0/3**	3/3	**0/3**
Qwen2.5-VL-72B	**0/3**	**0/3**	**0/3**	**0/3**	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Unsafe medical or health advice · Gemma 4 31B, trust: Contradiction; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Physical safety risk; Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Unsafe medical or health advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 5

3 highly rated and 1 low rated normal pairs; then 1 deliberately bad pair

New topics in this group: T1 2 · T2 1 · T3 1 · T4 0 · T5 0 · T6 1 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: Teepa 15, Dementia is NOT just about memory loss · 8:55-9:28 · video · Teepa_v15_SingleAgent-qwen3.5-9b-v3_q3

New topic: T3 Communication and Behavior (8/9 models)

Old topic: F04 Communication: responding without correcting (8/9 models) · **Subtopic:** S16 Communication techniques (8/9)

Q: How should I start a conversation with someone living with dementia to reduce confusion?

A: You should enter the same room as the person and get into their visual field before speaking. This ensures they can see you, which helps ground the conversation and prevents misunderstandings that happen when someone calls out from another room.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: FTD 1, Time with Teepa - What's Special about Behavioral Variant FTD? - the Better Question is What Isn't? · 0:00-0:27 · video · FTD_v1_SingleAgent-qwen3.5-9b-v3_q1

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (9/9 models) · **Subtopic:** S26 Dementia types: FTD, ALS, CBS (8/9)

Q: What is Frontotemporal Dementia (FTD) and where does the brain damage occur?

A: Frontotemporal Dementia, specifically the behavioral variant, is caused by damage to the prefrontal cortex, which is the front part of the brain. This area controls personality, judgment, and social behavior. In this type of dementia, a substance called tau becomes active and damages these areas, leading to changes in how a person acts and thinks.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

3. Normal pair, highly rated

Source: Teepa 1, Brain Changes and Dementia · 9:26-9:54 · video · Teepa_v1_SingleAgent-qwen3.5-9b-v3_q6

New topic: T6 Social Engagement and Activities (6/9 models)

Old topic: F11 Music and rhythm (6/9 models) · **Subtopic:** S32 Music (6/9)

Q: Why can a person with dementia still sing songs or dance rhythmically even when they cannot speak clearly?

A: Speaking requires complex planning and vocabulary found in the left side of the brain, which is often damaged early. However, rhythm, music, and automatic movements are controlled by the right side of the brain, which is often preserved longer. This allows the person to sing, clap, or dance naturally because these actions rely on preserved skills rather than the lost logical planning needed for conversation.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

4. Normal pair, low rated

Source: SUP 18, SUP! COVID Updates from the Field · 52:07-52:23 · video · SUP_v18_SingleAgent-qwen3.5-9b-v3_q34

New topic: T2 Caregiving Support and Resources (8/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (9/9 models) · **Subtopic:** S13 Caregiver self-care (7/9)

Q: Why is it important to celebrate the achievements of caregivers?

A: Celebrating the achievements of caregivers acknowledges their hard work and dedication. It boosts morale and motivates them to continue providing excellent care. Recognizing small wins, such as successfully managing a difficult day or implementing a new strategy, reinforces positive behaviors and encourages ongoing growth and resilience.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**1/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Missing Key Information · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, useful: Generic Advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Deliberately bad pair

Source: ODJ 22, Brain Boosters: Self-Awareness for You and Me · 2:09-2:20 · video · ODJ_v22_SingleAgent-qwen3.5-9b-bad-v3_q1

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (8/9 models) · **Subtopic:** S27 Brain anatomy (8/9)

Intended failure: trustworthiness · the judges flagged trustworthiness in 6 of 6 gpt-oss and Gemma runs

Q: According to the video, does the prefrontal cortex stop functioning completely once dementia symptoms begin?

A: Yes, the video states that the part of the brain responsible for self-awareness, located in the prefrontal cortex, stops working entirely and disappears once a person develops dementia.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	**2/3**	**0/3**	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Missing Explanation; Not actionable · gpt-oss-120b, safe: Discourages professional care · gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, trust: Contradiction; Hallucinating · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____