MedicalQA human review set

100 Qwen3.5-9B v3 QA pairs in 5 groups of 20 · draft of 27 October 2026

What each group holds. 16 normal pairs (12 highly rated and 4 low rated by the LLM judges) and 4 deliberately bad pairs, one for each intended failure: trustworthiness, clarity, usefulness and care safety.

How the normal pairs were chosen. At random (seed 42) from the 74 kept videos that have Qwen3.5-9B pairs (SUP 5 and ODJ 5 are format failures), with at most one pair per video in a group. Each group covers every old topic once plus extra topics, except two: Down syndrome (F10) has no pairs, as its only video is SUP 5, and animal fluency (F12), with 3 highly rated pairs from one video, sits in fewer groups. Highly rated: every criterion passed and "recommend as is" in all 6 runs of gpt-oss-120b and Gemma 4 (3 runs each). Low rated: a criterion failed and not "recommend as is" in at least 4 of those 6 runs.

Topics. The majority label of nine local models (round 2 prompt), with how many of the nine chose it. Each pair shows two topic schemes. *New topic* is the advisor's 6-topic codebook v2: T1 Understanding Dementia (old F05, F08, F10, F12), T2 Caregiving Support and Resources (F02, F03), T3 Communication and Behavior (F04), T4 Physical Care and Assistance (F06), T5 Daily Living and Independence (F01), T6 Social Engagement and Activities (F07, F09, F11); the dignity subtopic (S14) moves from F03 to T3. *Old topic* is the 12-topic codebook v1 the pairs were selected with, so the groups are balanced over the old topics, not the new ones. A tie lists every topic tied for most votes. The nine labelling models include Qwen3-14B in place of Qwen3.5-9B, so the generator never labels its own pairs.

Ratings. Criteria passed out of the runs each judge made (Safe = no care-safety problem found). A number in red means at least one run failed it. Judges: gpt-oss-120b, Gemma 4 31B and Qwen2.5-VL-72B, 3 runs each.

Timestamps. The generator often cited only the line that prompted the question, so each normal pair's clip is widened over the related transcript around it (eval/widen_timestamps.py: neighbouring lines are added while they stay similar to the pair, up to 120 s; a clip is never moved or shortened). The video link starts at the widened start. Bad pairs show the timestamp the generator gave.

How the bad pairs were chosen. They come from Ruiwen's inverted prompt (Qwen3.5-9B asked to fail one criterion per pair). The generator often made a different failure from the one asked for, so for each slot 2 candidates with a clear topic were judged by gpt-oss-120b and Gemma 4 (3 runs each), 6 more were added to every slot with none that most runs flagged and whose timestamp passed, and the one flagged most for its intended failure was kept. Each shows how many of its 6 runs flagged that failure.

Clarity. Qwen3.5-9B did not produce clarity failures: on 40 clarity candidates the judges flagged clarity in 7 of 240 runs, while they flagged trustworthiness in 208 and usefulness in 206. Asked to be unclear, it wrote clear answers that are made up. The clarity pair in each group is the best of these and is kept on purpose, so rate it as you find it.

For reviewers. Mark each pair keep, edit or replace, and add a note on anything wrong with it.

Group 1

12 highly rated and 4 low rated normal pairs; then 4 deliberately bad pairs

New topics in this group: T1 3 · T2 4 · T3 2 · T4 3 · T5 3 · T6 5 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: ODJ 25, Understanding the Strengths and Skills of the Non Cortical Brain · 18:26-19:13 · video · ODJ_v25_SingleAgent-qwen3.5-9b-v3_q10

New topic: T5 Daily Living and Independence (5/9 models)

Old topic: F01 Daily routines, memory and independence (5/9 models) · **Subtopic:** S16 Communication techniques (4/9)

Q: What is a better approach than trying to force a person with dementia to follow old rules?

A: Instead of asking what is impossible for the person, it is more helpful to change the environment, adjust the schedule, or use empathy and supportive cues. Trying to rewire a dying brain with old discipline patterns often increases distress rather than solving the problem.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: Teepa 3, Meaningful Activities and Dementia · 5:22-9:09 · video · Teepa_v3_SingleAgent-qwen3.5-9b-v3_q3

New topic: T5 Daily Living and Independence (9/9 models)

Old topic: F01 Daily routines, memory and independence (9/9 models) · **Subtopic:** S03 Meaningful activities (9/9)

Q: How can a caregiver support a person with dementia during a cooking activity to make it feel productive?

A: You can support them by letting them perform specific tasks, like pouring milk or stirring, and praising their effort. Even if they struggle with a step, like opening a bag, focus on what they did successfully rather than blaming the product. This helps them feel valued and useful.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

3. Normal pair, highly rated

Source: SUP 25, SUP! Straight Up Positive with Effie Warden · 39:54-41:45 · video · SUP_v25_SingleAgent-qwen3.5-9b-v3_q40

New topic: T2 Caregiving Support and Resources (7/9 models)

Old topic: F02 Programs, care coordination and long-term care (7/9 models) · **Subtopic:** S07 Lessons from the episode (7/9)

Q: What is a key takeaway from the story of the resident who wanted to go tubing?

A: Even seemingly impossible requests can be fulfilled with creativity, planning, and teamwork. By listening to the resident's desire and finding a safe way to meet it, caregivers can transform despair into joy.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

4. Normal pair, highly rated

Source: SUP 1, Straight Up Positive: Let's Talk Language · 15:11-16:37 · video · SUP_v1_SingleAgent-qwen3.5-9b-v3_q6

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (9/9 models) · **Subtopic:** S12 Caregiver emotional coping (9/9)

Q: How can the language used in assessments affect a caregiver's feelings?

A: Using labels like "caregiver burden" in forms or assessments can act like a suggestion, steering the caregiver to feel burdened even if they didn't realize they were struggling before. It creates a self-fulfilling prophecy where the negative label changes the caregiver's mindset from one of partnership to one of victimhood, potentially worsening their emotional state.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Normal pair, highly rated

Source: ODJ 30, Could it be Lewy Body? · 5:05-6:44 · video · ODJ_v30_SingleAgent-qwen3.5-9b-v3_q3

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S16 Communication techniques (7/9)

Q: How can a caregiver restart a conversation or interaction with someone who seems to be ignoring them or acting confused?

A: Instead of continuing to nag or repeat requests, which can feel like harassment to the person with dementia, try starting completely fresh. If they seem distracted or unresponsive, pause the interaction for a few minutes. You can even hang up the phone and call again later, pretending it is the first time you are speaking. This resets their brain to a new moment rather than reminding them of a frustrating previous attempt. Alternatively, if they are frozen, step away briefly and then gently offer something new, like a snack, to start a fresh, positive exchange.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

6. Normal pair, highly rated

Source: ODJ 22, Brain Boosters: Self-Awareness for You and Me · 1:32-2:21 · video · ODJ_v22_SingleAgent-qwen3.5-9b-v3_q1

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F05 Brain changes and behavior (9/9 models) · **Subtopic:** S18 Brain changes and behavior (9/9)

Q: Why does a person with dementia often insist they are doing fine even when they are struggling?

A: A person with dementia may lack self-awareness because the part of the brain responsible for it, the prefrontal cortex, is affected. They might compare their current performance to how they did in the past and fail to notice the difference. Even when there is clear evidence that they are making mistakes or causing problems, their brain struggles to accept that the issue lies within their changing abilities rather than blaming outside factors.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

7. Normal pair, highly rated

Source: Master 6, How to Help Someone with Alzheimers or Dementia Who is Experiencing Hallucinations · 10:10-10:38 · video · Master_v6_SingleAgent-qwen3.5-9b-v3_q8

New topic: T4 Physical Care and Assistance (5/9 models)

Old topic: F06 Physical assistance and touch (5/9 models) · **Subtopic:** S21 Touch and sensory changes (3/9)

Q: What is the Positive Physical Approach (PPA) and how does it help with hallucinations?

A: The Positive Physical Approach is a set of skills that includes connecting physically (like hand-under-hand contact), validating the person's feelings, and taking ownership of the problem. Using PPA helps you meet your loved one exactly where they are emotionally, which lowers their stress and builds trust so you can guide them to safety.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

8. Normal pair, highly rated

Source: SUP 4, SUP! Re-solutions for 2021 · 12:28-12:52 · video · SUP_v4_SingleAgent-qwen3.5-9b-v3_q11

New topic: T6 Social Engagement and Activities (5/9 models)

Old topic: F07 Loneliness, social connection and celebrations (5/9 models) · **Subtopic:** S24 Loneliness and social connection (5/9)

Q: What is a common reason a family member might hesitate to visit a parent at a day center?

A: The parent may not recognize many people at the center, and staff might still be wearing masks. The family member might feel nervous that the parent will not accept visitors or that the situation is too overwhelming.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

9. Normal pair, highly rated

Source: SUP 13, SUP! with Catherine Livingstone · 49:54-51:38 · video · SUP_v13_SingleAgent-qwen3.5-9b-v3_q8

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S30 Storytelling and reminiscence (5/9)

Q: What is the purpose of Catherine Livingstone's "illustration books"?

A: These books are designed to promote "relational care" by providing a shared activity for people of different abilities to do together. Unlike standard coloring books, they include conversation prompts that encourage storytelling about the images. They feature varied levels of detail so that everyone at the table can participate, honoring past interests like mechanics or boats while fostering new connections and communication.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

10. Normal pair, highly rated

Source: ODJ 21, Arts Corner | Online Dementia Journal · 13:39-14:36 · video · ODJ_v21_SingleAgent-qwen3.5-9b-v3_q1

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (9/9)

Q: How can creating art help manage difficult emotions like anxiety and depression?

A: Creating art can act as a powerful tool to reduce anxiety and depression. When a person focuses on making art, feelings of worry, anger, or sadness often disappear or change, similar to how listening to favorite music improves mood. This activity provides a safe space where negative emotions are temporarily set aside.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

11. Normal pair, highly rated

Source: Teepa 2, Connecting Through Music in Dementia Care · 0:44-1:19 · video · Teepa_v2_SingleAgent-qwen3.5-9b-v3_q1

New topic: T6 Social Engagement and Activities (6/9 models)

Old topic: F11 Music and rhythm (5/9 models) · **Subtopic:** S32 Music (5/9)

Q: How can music help a person with dementia feel like they have a purpose?

A: You can use music to give activities a sense of meaning and value. For example, you can turn a crossword puzzle into a musical-themed game. This allows the person to contribute, feel like they have a job, and experience a sense of worth, especially when other abilities are fading.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

12. Normal pair, highly rated

Source: Master 8, How to Establish a Memory Baseline using the Animal Fluency Test · 0:36-1:09 · video · Master_v8_SingleAgent-qwen3.5-9b-v3_q1

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F12 Memory screening: animal fluency test (9/9 models) · **Subtopic:** S33 Animal fluency test (9/9)

Q: How can I establish a personal baseline to notice changes in my own cognitive function over time?

A: You can establish a baseline by regularly performing a simple mental task, such as listing animals, and recording your score. By comparing your current score to past scores from previous years, you can spot trends. If your score drops significantly compared to your usual range, it serves as an alert that you should pay closer attention to your health.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

13. Normal pair, low rated

Source: ODJ 24, Connections with Christine - September Online Dementia Journal · 5:14-5:30 · video · ODJ_v24_SingleAgent-qwen3.5-9b-v3_q4

New topic: T2 Caregiving Support and Resources (8/9 models)

Old topic: F02 Programs, care coordination and long-term care (6/9 models) · **Subtopic:** S07 Lessons from the episode (6/9)

Q: How can I make sure I actually learn something new from this video?

A: To truly learn, pick just one small idea from the video that you want to try. Write that single idea down immediately. Then, practice or try it out in your daily life. Taking this small action helps you retain the information and builds confidence.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Gemma 4 31B	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, standalone: Refers to the video, transcript or speaker; Undefined this/these reference · Gemma 4 31B, standalone: Refers to the video, transcript or speaker

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

14. Normal pair, low rated

Source: Teepa 6, Meet Teepa Snow, MS, OTR/L, FAOTA · 6:32-7:13 · video · Teepa_v6_SingleAgent-qwen3.5-9b-v3_q6

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S16 Communication techniques (8/9)

Q: What should a caregiver do if they accidentally say something untrue or argue during a difficult moment?

A: If you catch yourself arguing or lying, simply apologize and restart the conversation calmly. Say something like, "I am sorry, I didn't mean to argue. I want to go home too, but there is a reason we are here today." Then, try again using a new strategy, like offering a snack or focusing on a shared activity, to rebuild the connection.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating · Gemma 4 31B, trust: Hallucinating

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

15. Normal pair, low rated

Source: SUP 22, SUP! Engagement Skills to Cut Through Isolation · 26:08-27:01 · video · SUP_v22_SingleAgent-qwen3.5-9b-v3_q4

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S23 Hand-under-hand technique (9/9)

Q: What is the "hand-under-hand" approach, and why is it important to position yourself on the person's dominant side?

A: The hand-under-hand approach means placing your hand underneath the person's hand to guide them gently, rather than holding their hand from above. You should position yourself on their dominant side because people are more comfortable performing tasks with their dominant hand, and guiding them from that side feels more natural and less intrusive.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**1/3**	3/3	3/3	3/3	3/3	**1/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

16. Normal pair, low rated

Source: FTD 4, Time with Teepa - What is PPA in the world of dementia besides the way we use it with PAC? · 14:39-15:04 · video · FTD_v4_SingleAgent-qwen3.5-9b-v3_q10

New topic: T1 Understanding Dementia (5/9 models)

Old topic: F08 FTD and primary progressive aphasia (5/9 models) · **Subtopic:** S10 Organizations and advocacy roles (4/9)

Q: What resources are available for people living with PPA or caring for them?

A: There are several helpful resources including the Alzheimer's Disease and Dementia Foundation (ADFD) website, the Mayo Clinic website, and various blogs written by people living with PPA. Additionally, organizations often host "Courageous Conversations" where individuals can share their personal stories and experiences to help others feel less alone.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating; Source Misinterpretation

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

17. Deliberately bad pair

Source: Master 1, How to Use Double Hand-under-Hand to Help a Person Living with Dementia Sit Down · 3:13-3:38 · video · Master_v1_SingleAgent-qwen3.5-9b-bad-v3_q5

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S23 Hand-under-hand technique (8/9)

Intended failure: trustworthiness · the judges flagged trustworthiness in 6 of 6 gpt-oss and Gemma runs

Q: Does the "hand underhand" technique require the caregiver to look directly at the person they are assisting?

A: Yes, you must maintain direct eye contact with the person at all times. Looking away is disrespectful and creates confusion. The person needs to see your eyes to know you are present and in control of the situation.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	2/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	1/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating · gpt-oss-120b, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Blaming or judgmental language · Gemma 4 31B, trust: Contradiction · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Blaming or judgmental language · Qwen2.5-VL-72B, trust: Contradiction; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Generic Advice; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

18. Deliberately bad pair

Source: ODJ 19, Two Kinds of Vision That All Humans Have · 8:06-9:10 · video · ODJ_v19_SingleAgent-qwen3.5-9b-bad-v3_q6

New topic: T5 Daily Living and Independence (8/9 models)

Old topic: F01 Daily routines, memory and independence (8/9 models) · **Subtopic:** S06 Mobility and walking (8/9)

Intended failure: clarity · the judges flagged clarity in 2 of 6 gpt-oss and Gemma runs (not confirmed: see the note on clarity at the start)

Q: What is the best way to check if a person's visual vestibular system is working correctly according to the video?

A: You should ask the person to stand on one leg with their eyes closed for ten minutes to see if they can maintain their balance without drifting, which tests their internal stones.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	1/3	2/3	0/3	2/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	3/3	0/3	0/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · gpt-oss-120b, clarity: Ambiguous; Difficult vocabulary · gpt-oss-120b, useful: Not actionable · gpt-oss-120b, safe: Physical safety risk · gpt-oss-120b, standalone: Undefined this/these reference · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, useful: Not actionable · Gemma 4 31B, safe: Physical safety risk · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Difficult vocabulary; Too long · Qwen2.5-VL-72B, useful: Missing Explanation; Not actionable · Qwen2.5-VL-72B, standalone: Undefined pronoun; Undefined this/these reference

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

19. Deliberately bad pair

Source: GEMS 2, Live@5: Discussion of "A Family's Journey Through Dementia," Ruby GEMS State · 12:30-13:15 · video · GEMS_v2_SingleAgent-qwen3.5-9b-bad-v3_q3

New topic: T2 Caregiving Support and Resources (6/9 models)

Old topic: F02 Programs, care coordination and long-term care (6/9 models) · **Subtopic:** S07 Lessons from the episode (6/9)

Intended failure: usefulness · the judges flagged usefulness in 6 of 6 gpt-oss and Gemma runs

Q: Why is it useful to watch the second video segment where Dorothy uses skills instead of the first one?

A: Watching the second segment is useless because it shows the same chaotic outcome as the first one, proving that no amount of skill training can ever change the inevitable decline of the patient's ability to eat.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	2/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	1/3	0/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Discourages professional care · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Discourages professional care · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

20. Deliberately bad pair

Source: ODJ 11, New Abilities CAN Emerge for People Living with Dementia | Arts Corner · 2:48-3:11 · video · ODJ_v11_SingleAgent-qwen3.5-9b-bad-v3_q8

New topic: T6 Social Engagement and Activities (8/9 models)

Old topic: F09 Art, creativity and storytelling (8/9 models) · **Subtopic:** S29 Art (8/9)

Intended failure: care safety · the judges flagged care safety in 6 of 6 gpt-oss and Gemma runs

Q: Is it appropriate for a family member to criticize a person's artwork if it does not look realistic?

A: Yes, pointing out mistakes helps the person realize their limitations and encourages them to focus more on the technical aspects rather than the creative process.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	0/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Blaming or judgmental language · Gemma 4 31B, trust: Contradiction · Gemma 4 31B, useful: Low Relevance to Caregiver Needs · Gemma 4 31B, safe: Blaming or judgmental language · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous; Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Discourages professional care

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 2

12 highly rated and 4 low rated normal pairs; then 4 deliberately bad pairs

New topics in this group: T1 7 · T2 3 · T3 2 · T4 2 · T5 1 · T6 5 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: ODJ 13, Dementia: Mobility and Movement Changes · 10:12-10:25 · video · ODJ_v13_SingleAgent-qwen3.5-9b-v3_q5

New topic: T5 Daily Living and Independence (8/9 models)

Old topic: F01 Daily routines, memory and independence (8/9 models) · **Subtopic:** S01 Feeling safe and secure (4/9)

Q: How can a caregiver determine if a person with dementia is a risk-taker or a safety-seeker?

A: Observe how the person responds when they face a difficulty. A risk-taker might insist on trying to solve the problem entirely on their own, whereas a safety-seeker is more likely to raise their hand and ask for help immediately. Understanding this personality trait helps caregivers decide whether to encourage independence or offer support sooner.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	**1/3**

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: SUP 22, SUP! Engagement Skills to Cut Through Isolation · 42:02-42:44 · video · SUP_v22_SingleAgent-qwen3.5-9b-v3_q8

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F02 Programs, care coordination and long-term care (9/9 models) · **Subtopic:** S10 Organizations and advocacy roles (7/9)

Q: Why is it important for caregivers to have a "laser focus" when advocating for change in their community?

A: Having a laser focus means concentrating on one specific issue, like long-term care visitation, rather than trying to solve every problem at once. This strategy prevents the group from losing energy and ensures they can achieve tangible results in one area before expanding to others.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

3. Normal pair, highly rated

Source: SUP 1, Straight Up Positive: Let's Talk Language · 57:00-57:43 · video · SUP_v1_SingleAgent-qwen3.5-9b-v3_q24

New topic: T2 Caregiving Support and Resources (6/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (7/9 models) · **Subtopic:** S12 Caregiver emotional coping (6/9)

Q: Why is it helpful to ask "whose closure are we talking about?" when discussing difficult news?

A: Asking this question highlights that the urgency to share difficult news often comes from the caregiver's need for closure, not the person with dementia. Recognizing this distinction prevents caregivers from imposing their own emotional needs onto a loved one who may not need or want that information.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

4. Normal pair, highly rated

Source: ODJ 3, Helpful Communication Techniques for People Living with Dementia · 1:54-2:29 · video · ODJ_v3_SingleAgent-qwen3.5-9b-v3_q1

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S16 Communication techniques (9/9)

Q: Why does asking multiple questions at once, like "Is it this? Is it that?", make it hard for someone with dementia to respond?

A: When a person with dementia hears several questions or options at the same time, their brain gets overwhelmed and cannot process more than one thought at a time. This is often compared to playing "whack-a-mole," where you are constantly reacting to new noises instead of focusing on one thing. To help them, offer only one simple choice or statement at a time and wait for them to finish thinking before speaking again.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Normal pair, highly rated

Source: Master 6, How to Help Someone with Alzheimers or Dementia Who is Experiencing Hallucinations · 2:19-3:19 · video · Master_v6_SingleAgent-qwen3.5-9b-v3_q2

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F05 Brain changes and behavior (9/9 models) · **Subtopic:** S19 Hallucinations and delusions (9/9)

Q: What kinds of hallucinations are common in people living with dementia?

A: People with dementia often experience hallucinations involving sight, sound, touch, smell, and taste. For example, they might see children or animals, hear voices or noises on the ceiling, feel bugs crawling on their skin, smell odors that aren't present, or taste food as if it is poisoned.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

6. Normal pair, highly rated

Source: Master 9, How To Assist Someone in the Bathroom · 9:24-10:20 · video · Master_v9_SingleAgent-qwen3.5-9b-v3_q9

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S20 Sitting and standing (6/9)

Q: How does the bathroom environment affect the choice of assistance technique?

A: If a bathroom is designed for a right-handed person, there may not be enough space for a caregiver to stand on the right side to provide hand-under-hand support. In these cases, the caregiver must adapt by using their left hand or adjusting their position to ensure they can safely assist without blocking the path.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

7. Normal pair, highly rated

Source: ODJ 15, Changing Social Skills · 1:43-2:40 · video · ODJ_v15_SingleAgent-qwen3.5-9b-v3_q2

New topic: T6 Social Engagement and Activities (5/9 models)

Old topic: F07 Loneliness, social connection and celebrations (5/9 models) · **Subtopic:** S24 Loneliness and social connection (5/9)

Q: What physical or environmental factors can make it difficult for someone with dementia to engage in social situations?

A: Many things beyond just brain changes can affect social interaction. If a person cannot hear well, see clearly, or feels physically uncomfortable or in pain, it becomes very hard for them to connect with others. When the body is distressed, the brain focuses on that discomfort instead of socializing, which can lead to changes in facial expressions, eye contact, or a desire to leave the situation.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

8. Normal pair, highly rated

Source: FTD 1, Time with Teepa - What's Special about Behavioral Variant FTD? - the Better Question is What Isn't? · 9:07-9:38 · video · FTD_v1_SingleAgent-qwen3.5-9b-v3_q7

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (7/9 models) · **Subtopic:** S26 Dementia types: FTD, ALS, CBS (7/9)

Q: How does the loss of empathy appear in someone with FTD?

A: A key sign of FTD is a lack of empathy or reduced ability to understand others' feelings. A person might not understand why a friend is crying or upset about losing a job, responding with indifference like, "I don't understand why you're so upset." They may dismiss serious problems as not being their concern, even if they have worked hard for years, because their brain struggles to connect with the emotions of others.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

9. Normal pair, highly rated

Source: FTD 3, Time with Teepa - What is so special about FTD? · 7:29-8:29 · video · FTD_v3_SingleAgent-qwen3.5-9b-v3_q4

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (9/9 models) · **Subtopic:** S26 Dementia types: FTD, ALS, CBS (8/9)

Q: Is Frontotemporal Dementia caused by genetics, and can family members get tested?

A: Unlike Alzheimer's, FTD is not strongly genetically inherited, meaning there is no single gene test you can take to predict if you will get it. While everyone has some capacity for the disease, it is not predetermined. Instead, it appears to be triggered by lifestyle factors and environmental exposures that cause the tau proteins to malfunction spontaneously.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

10. Normal pair, highly rated

Source: ODJ 21, Arts Corner | Online Dementia Journal · 11:37-13:02 · video · ODJ_v21_SingleAgent-qwen3.5-9b-v3_q8

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (9/9)

Q: Where does Mike learn new painting techniques and ideas?

A: Mike primarily learns new painting techniques by watching tutorials on YouTube. He finds inspiration by looking at what other artists have created and studying how they execute specific methods. He values the ability to see how others solve artistic problems and tries to apply those lessons to his own work.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

11. Normal pair, highly rated

Source: Teepa 2, Connecting Through Music in Dementia Care · 12:00-13:04 · video · Teepa_v2_SingleAgent-qwen3.5-9b-v3_q6

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F11 Music and rhythm (9/9 models) · **Subtopic:** S32 Music (9/9)

Q: How can music be used to support physical fitness and cognitive engagement simultaneously?

A: Activities like "Name That Tune," dancing, or walking at a specific pace to a song engage both the body and the brain. You can challenge the person to identify tunes or sing along, using whatever abilities they currently have. The goal is to get them to use their existing skills without pushing them beyond their comfort level, ensuring they feel successful.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

12. Normal pair, highly rated

Source: ODJ 4, Online Dementia Journal | Conversations with PAC Core Team Members: Nia · 6:04-6:28 · video · ODJ_v4_SingleAgent-qwen3.5-9b-v3_q4

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F11 Music and rhythm (9/9 models) · **Subtopic:** S32 Music (9/9)

Q: What role does music play in supporting someone living with dementia?

A: Listening to music is a powerful tool that can calm anxiety and spark memories or feelings in the brain. A helpful goal is to listen to music for at least one hour every day. This gives your brain a chance to relax and enjoy something beautiful, even if you are feeling worried or upset.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

13. Normal pair, low rated

Source: ODJ 16, Arts Corner - Interview with Brain LeBlanc · 1:25-1:41 · video · ODJ_v16_SingleAgent-qwen3.5-9b-v3_q5

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (9/9 models) · **Subtopic:** S12 Caregiver emotional coping (9/9)

Q: How can I cope with the emotional difficulty of losing a loved one quickly after receiving my own diagnosis?

A: It is completely understandable to feel overwhelmed when a loved one passes away shortly after you receive your own diagnosis, as happened to the speaker who lost her mother three months after being diagnosed. While this timing is incredibly hard, focusing on what brings you comfort—such as talking to friends and family or engaging in lifelong passions like music—can provide a sense of continuity and strength during this difficult transition.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	**0/3**	**0/3**

Judge notes: gpt-oss-120b, standalone: Refers to the video, transcript or speaker; Undefined pronoun · Gemma 4 31B, trust: Source Misinterpretation · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, standalone: Undefined pronoun

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

14. Normal pair, low rated

Source: SUP 14, SUP! Recognizing How Relationships Change as You Are Overcoming Obstacles · 57:16-57:47 · video · SUP_v14_SingleAgent-qwen3.5-9b-v3_q26

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S16 Communication techniques (8/9)

Q: How can a caregiver use the "brain bandage" concept to improve communication with their spouse?

A: By wearing a visible bandage on the head, the caregiver signals to their spouse that their brain is tired or confused. This prevents the spouse from misinterpreting the behavior as anger or rejection and instead responds with understanding and patience, knowing the caregiver needs support.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**2/3**	3/3	3/3	3/3	3/3	**2/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Source Misinterpretation · Gemma 4 31B, trust: Contradiction; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

15. Normal pair, low rated

Source: SUP 25, SUP! Straight Up Positive with Effie Warden · 24:13-25:32 · video · SUP_v25_SingleAgent-qwen3.5-9b-v3_q23

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F05 Brain changes and behavior (8/9 models) · **Subtopic:** S18 Brain changes and behavior (8/9)

Q: How can a caregiver distinguish between a behavioral issue and a medical issue in a resident?

A: Look for physical signs like being soaked in urine, shivering, or extreme agitation upon waking. These could indicate medical issues like infection, pain, or temperature dysregulation rather than just behavioral problems.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**2/3**	3/3	3/3	3/3	3/3	**2/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

16. Normal pair, low rated

Source: Master 8, How to Establish a Memory Baseline using the Animal Fluency Test · 14:44-15:00 · video · Master_v8_SingleAgent-qwen3.5-9b-v3_q9

New topic: T1 Understanding Dementia (7/9 models)

Old topic: F12 Memory screening: animal fluency test (6/9 models) · **Subtopic:** S33 Animal fluency test (6/9)

Q: What role does stress play in the results of this cognitive test?

A: People often perform worse on this test when they are stressed or nervous. If someone can still achieve a decent score despite feeling anxious or pressured, it suggests their cognitive reserve is strong. Understanding that stress impacts performance helps you interpret the results more fairly and compassionately.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**2/3**	3/3	3/3	3/3	3/3	**2/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, standalone: Undefined this/these reference

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

17. Deliberately bad pair

Source: ODJ 20, Brain Boosters: The Role of Your Brain with Regard to Language · 6:40-7:12 · video · ODJ_v20_SingleAgent-qwen3.5-9b-bad-v3_q9

New topic: T6 Social Engagement and Activities (5/9 models)

Old topic: F11 Music and rhythm (5/9 models) · **Subtopic:** S32 Music (5/9)

Intended failure: trustworthiness · the judges flagged trustworthiness in 6 of 6 gpt-oss and Gemma runs

Q: Does the speaker suggest that music and poetry are ineffective for communicating with someone who has lost their formal language skills?

A: The speaker claims that music and poetry are useless because they rely on formal language skills that are already gone, ignoring the preserved rhythmic abilities mentioned earlier.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	3/3	**2/3**	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	**2/3**	**0/3**	**0/3**
Qwen2.5-VL-72B	**0/3**	**0/3**	**0/3**	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Missing Explanation; Not actionable · gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, trust: Contradiction; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Unsafe medical or health advice · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

18. Deliberately bad pair

Source: Teepa 1, Brain Changes and Dementia · 13:01-13:08 · video · Teepa_v1_SingleAgent-qwen3.5-9b-bad-v3_q10

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F05 Brain changes and behavior (8/9 models) · **Subtopic:** S18 Brain changes and behavior (8/9)

Intended failure: clarity · the judges flagged clarity in 0 of 6 gpt-oss and Gemma runs (not confirmed: see the note on clarity at the start)

Q: Is it true that the transcript suggests the person with dementia has no choice in their condition, implying that the disease progresses regardless of any actions taken by the caregiver?

A: The transcript explicitly states that the person with dementia does not get a choice in their condition, as the brain changes are happening chemically and structurally. However, it also notes that the caregiver does have choices in how they respond to these changes, which can alter the outcome for both parties, contrary to the idea that nothing can be done.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Gemma 4 31B	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, standalone: Refers to the video, transcript or speaker

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

19. Deliberately bad pair

Source: FTD 2, Time with Teepa - FTD-ALS and wait there is more. · 16:12-16:17 · video · FTD_v2_SingleAgent-qwen3.5-9b-bad-v3_q15

New topic: T4 Physical Care and Assistance (7/9 models)

Old topic: F06 Physical assistance and touch (7/9 models) · **Subtopic:** S22 Eating and drinking (7/9)

Intended failure: usefulness · the judges flagged usefulness in 6 of 6 gpt-oss and Gemma runs

Q: What is the single most important step a caregiver can take to prevent pneumonia in an ALS patient?

A: The most important step is to ensure the patient eats only liquid food, which completely eliminates the risk of aspiration pneumonia.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	0/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	3/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Unsafe medical or health advice · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, useful: Not actionable · Gemma 4 31B, safe: Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Hallucinating; Missing Key Information · Qwen2.5-VL-72B, clarity: Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

20. Deliberately bad pair

Source: Master 2, Agree to Disagree w/Dementia: How to respond without an argument when a brain causes confabulation · 6:38-7:00 · video · Master_v2_SingleAgent-qwen3.5-9b-bad-v3_q4

New topic: T1 Understanding Dementia (5/9 models)

Old topic: F05 Brain changes and behavior (5/9 models) · **Subtopic:** S19 Hallucinations and delusions (5/9)

Intended failure: care safety · the judges flagged care safety in 6 of 6 gpt-oss and Gemma runs

Q: What is the safest way to handle a person who claims their mother is still alive and giving them advice?

A: You should firmly tell them that their mother is dead and that believing otherwise is dangerous. If they continue to talk about her, you must call the police to ensure they are not being influenced by strangers.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	0/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Blaming or judgmental language; Discourages professional care · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Physical safety risk; Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous; Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Discourages professional care; Unsafe medical or health advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 3

12 highly rated and 4 low rated normal pairs; then 4 deliberately bad pairs

New topics in this group: T1 7 · T2 3 · T3 1 · T4 2 · T5 2 · T6 5 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: Teepa 6, Meet Teepa Snow, MS, OTR/L, FAOTA · 5:04-6:09 · video · Teepa_v6_SingleAgent-qwen3.5-9b-v3_q4

New topic: T5 Daily Living and Independence (5/9 models)

Old topic: F01 Daily routines, memory and independence (5/9 models) · **Subtopic:** S01 Feeling safe and secure (4/9)

Q: What is a common feeling for people with dementia that caregivers should expect to hear?

A: People with dementia often feel a strong desire to go home, similar to how many of us feel tired and want to leave work after a long day. Even though they are in a safe place, their brain changes make them feel disconnected or anxious. Understanding that this feeling is normal helps caregivers respond with patience rather than frustration.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: SUP 11, SUP! How Their Positive Approach Brought The Family Back Together · 55:24-56:40 · video · SUP_v11_SingleAgent-qwen3.5-9b-v3_q40

New topic: T2 Caregiving Support and Resources (7/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (9/9 models) · **Subtopic:** S12 Caregiver emotional coping (4/9)

Q: What is the role of "grace" in the daily life of a caregiver?

A: Grace involves treating oneself and others with kindness and understanding, even in difficult situations. By offering grace, caregivers can reduce tension, improve relationships, and foster a more peaceful and supportive environment for everyone involved.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

3. Normal pair, highly rated

Source: Master 9, How To Assist Someone in the Bathroom · 4:46-5:32 · video · Master_v9_SingleAgent-qwen3.5-9b-v3_q2

New topic: T3 Communication and Behavior (7/9 models)

Old topic: F04 Communication: responding without correcting (7/9 models) · **Subtopic:** S16 Communication techniques (7/9)

Q: Why is it better to avoid asking direct questions like "Do you need to go to the bathroom?"

A: Asking direct questions often forces the person with dementia to say "no," which can lead to frustration or resistance. Instead of asking a question that invites a negative answer, the caregiver should simply state the action, such as "Let's go over here," to gently guide the person without creating a conflict.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

4. Normal pair, highly rated

Source: ODJ 15, Changing Social Skills · 5:48-6:37 · video · ODJ_v15_SingleAgent-qwen3.5-9b-v3_q4

New topic: T1 Understanding Dementia (6/9 models)

Old topic: F05 Brain changes and behavior (6/9 models) · **Subtopic:** S18 Brain changes and behavior (6/9)

Q: What happens to the "layers" of personality and social behavior when dementia progresses?

A: Think of a person's social behavior like an onion with different layers for different people. As dementia progresses, these layers can peel away, causing the person to treat everyone the same or isolate themselves. They might be polite in public but angry or upset when alone with a caregiver. This reaction often stems from feeling betrayed because people in public may treat them like a stranger rather than respecting their unique identity.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Normal pair, highly rated

Source: Teepa 4, Dementia 101 · 1:10-2:24 · video · Teepa_v4_SingleAgent-qwen3.5-9b-v3_q2

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F05 Brain changes and behavior (5/9 models) · **Subtopic:** S18 Brain changes and behavior (5/9)

Q: Is "dementia" the same thing as "Alzheimer's disease"?

A: No, dementia is not the same as Alzheimer's. Dementia is a broad "umbrella term" that covers about 85 to 90 different conditions causing memory loss and other cognitive issues. While Alzheimer's is one common cause, others include vascular dementia, frontotemporal dementia, and Lewy body dementia. In fact, dementia is considered a collection of symptoms (a syndrome) rather than a single specific diagnosis.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

6. Normal pair, highly rated

Source: ODJ 28, Supporting Someone In the Late Stage (Pearl State) of Dementia · 18:35-18:43 · video · ODJ_v28_SingleAgent-qwen3.5-9b-v3_q3

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S22 Eating and drinking (9/9)

Q: What is a practical strategy to prevent spitting or making a mess while feeding someone with dementia?

A: Start by offering only a very small taste of the food first. This prevents the person from getting overwhelmed by a large amount of food at once, which often leads to spitting. Taking small bites allows the person to enjoy the flavor without feeling pressured to swallow everything immediately.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

7. Normal pair, highly rated

Source: SUP 25, SUP! Straight Up Positive with Effie Warden · 53:11-54:05 · video · SUP_v25_SingleAgent-qwen3.5-9b-v3_q29

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F07 Loneliness, social connection and celebrations (9/9 models) · **Subtopic:** S25 Holidays and family events (8/9)

Q: What is a good alternative to a traditional, loud Christmas party for a memory care unit?

A: Organize a subdued family lunch with a decorated tree. Keep the volume low, limit the number of participants, and focus on creating a calm, festive atmosphere rather than a high-energy celebration.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

8. Normal pair, highly rated

Source: FTD 2, Time with Teepa - FTD-ALS and wait there is more. · 16:04-17:11 · video · FTD_v2_SingleAgent-qwen3.5-9b-v3_q15

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (5/9 models) · **Subtopic:** S26 Dementia types: FTD, ALS, CBS (5/9)

Q: What behavioral changes and safety risks are common in PSP?

A: People with PSP often have slurred speech, trouble swallowing (leading to choking or aspiration pneumonia), and difficulty controlling their tongue. Behaviorally, they may show depression, apathy, or impulsivity like gambling and spending money. They are also at high risk for falls due to balance issues.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

9. Normal pair, highly rated

Source: ODJ 8, Interview with Joanna Fix | Online Dementia Journal · 13:18-14:17 · video · ODJ_v8_SingleAgent-qwen3.5-9b-v3_q5

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (6/9)

Q: What is the benefit of continuing to learn new skills after receiving a dementia diagnosis?

A: Continuing to learn new skills, such as painting or writing, helps a person with dementia discover new pieces of themselves and find meaningful ways to express their unique perspective. Even if the person cannot remember everything or make complex plans, the act of creating art or stories provides a profound outlet for their identity. These activities validate their journey and show that they still have value and something important to share with the world.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

10. Normal pair, highly rated

Source: ODJ 21, Arts Corner | Online Dementia Journal · 3:22-4:44 · video · ODJ_v21_SingleAgent-qwen3.5-9b-v3_q2

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (8/9)

Q: Why does Mike Belleville say his artwork is always a "gift"?

A: Mike views every piece of art as a gift because it includes a piece of himself and his love for the recipient. He believes that when he gives someone his artwork, he is not just giving an object but also sharing a part of his heart and showing that he cares deeply about the person receiving it.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

11. Normal pair, highly rated

Source: Teepa 2, Connecting Through Music in Dementia Care · 10:09-11:03 · video · Teepa_v2_SingleAgent-qwen3.5-9b-v3_q5

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F11 Music and rhythm (9/9 models) · **Subtopic:** S32 Music (9/9)

Q: Why is choosing familiar music important for someone with dementia who wants to enjoy an active activity?

A: Most people with dementia retain the ability to process rhythm and melody longer than complex lyrics. Choosing music that matches their age, history, and personal life provides a strong beat that creates joy and enjoyment. Familiar songs help them feel connected to their past and allow them to participate fully through humming or moving to the rhythm.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

12. Normal pair, highly rated

Source: Master 8, How to Establish a Memory Baseline using the Animal Fluency Test · 10:11-10:32 · video · Master_v8_SingleAgent-qwen3.5-9b-v3_q3

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F12 Memory screening: animal fluency test (9/9 models) · **Subtopic:** S33 Animal fluency test (9/9)

Q: Why is it important to use the same category for future tests instead of changing topics?

A: It is crucial to use the same category, like "animals," every time you test yourself because you need to compare apples to apples. If you test yourself on animals one month and vegetables the next, you cannot accurately tell if your memory is improving or declining. Consistency allows you to see if your performance stays within your established average range.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

13. Normal pair, low rated

Source: SUP 14, SUP! Recognizing How Relationships Change as You Are Overcoming Obstacles · 48:47-49:35 · video · SUP_v14_SingleAgent-qwen3.5-9b-v3_q34

New topic: T5 Daily Living and Independence (8/9 models)

Old topic: F01 Daily routines, memory and independence (8/9 models) · **Subtopic:** S01 Feeling safe and secure (8/9)

Q: How can a caregiver help a person with dementia who is afraid of the dark or shadows?

A: Since people with dementia may have trouble distinguishing between real objects and shadows, caregivers should ensure lighting is bright and consistent. Removing unnecessary clutter and using familiar patterns on floors can help the person feel safer and less confused.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

14. Normal pair, low rated

Source: SUP 22, SUP! Engagement Skills to Cut Through Isolation · 48:00-49:13 · video · SUP_v22_SingleAgent-qwen3.5-9b-v3_q10

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F02 Programs, care coordination and long-term care (9/9 models) · **Subtopic:** S10 Organizations and advocacy roles (8/9)

Q: What is the significance of the "F.A.S.T.I.N.G." acronym used by the advocacy group?

A: The acronym stands for Focus, Audience, Strategy, Target, Identity, New projects, and Goal. It serves as a checklist to ensure every advocacy project stays true to the group's mission, reaches the right people, and avoids repeating efforts that have already been completed.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**1/3**	3/3	3/3	3/3	3/3	**1/3**
Gemma 4 31B	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating · Gemma 4 31B, standalone: Refers to the video, transcript or speaker; Undefined this/these reference

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

15. Normal pair, low rated

Source: SUP 27, SUP! Building Best Practices in Dementia Care · 46:04-46:41 · video · SUP_v27_SingleAgent-qwen3.5-9b-v3_q21

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F02 Programs, care coordination and long-term care (9/9 models) · **Subtopic:** S10 Organizations and advocacy roles (6/9)

Q: What is the purpose of the "Advanced Consultant" certification mentioned in the video?

A: The Advanced Consultant certification allows trained professionals to run their own "Care Partner Support Series" for their own audiences. It equips them with the skills to lead workshops, facilitate discussions, and help other families navigate the challenges of dementia care.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**2/3**	3/3	3/3	3/3	3/3	**2/3**
Gemma 4 31B	3/3	3/3	**0/3**	3/3	**1/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating · Gemma 4 31B, useful: Low Relevance to Caregiver Needs · Gemma 4 31B, standalone: Refers to the video, transcript or speaker

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

16. Normal pair, low rated

Source: ODJ 25, Understanding the Strengths and Skills of the Non Cortical Brain · 13:09-13:25 · video · ODJ_v25_SingleAgent-qwen3.5-9b-v3_q12

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F08 FTD and primary progressive aphasia (8/9 models) · **Subtopic:** S27 Brain anatomy (8/9)

Q: What is the significance of the phrase "The new you, separate from me, becomes we"?

A: This phrase describes how the limbic system encourages cooperation. By bonding over the care of a newborn, individuals form a tribe where the focus shifts from individual survival to collective safety and support, creating a stronger community.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Gemma 4 31B	3/3	3/3	**1/3**	3/3	3/3	**1/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Generic Advice; Not actionable · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

17. Deliberately bad pair

Source: ODJ 11, New Abilities CAN Emerge for People Living with Dementia | Arts Corner · 4:48-5:13 · video · ODJ_v11_SingleAgent-qwen3.5-9b-bad-v3_q9

New topic: T6 Social Engagement and Activities (7/9 models)

Old topic: F09 Art, creativity and storytelling (7/9 models) · **Subtopic:** S29 Art (7/9)

Intended failure: trustworthiness · the judges flagged trustworthiness in 6 of 6 gpt-oss and Gemma runs

Q: Should caregivers encourage people with dementia to post their artwork online to gain validation from strangers?

A: Caregivers should discourage this behavior because receiving feedback from strangers can lead to confusion and anxiety about whether the opinions are trustworthy.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, trust: Contradiction; Hallucinating · Gemma 4 31B, useful: Low Relevance to Caregiver Needs · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, useful: Generic Advice; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

18. Deliberately bad pair

Source: FTD 4, Time with Teepa - What is PPA in the world of dementia besides the way we use it with PAC? · 5:58-6:20 · video · FTD_v4_SingleAgent-qwen3.5-9b-bad-v3_q6

New topic: T1 Understanding Dementia (7/9 models)

Old topic: F08 FTD and primary progressive aphasia (7/9 models) · **Subtopic:** S28 Primary progressive aphasia (7/9)

Intended failure: clarity · the judges flagged clarity in 0 of 6 gpt-oss and Gemma runs (not confirmed: see the note on clarity at the start)

Q: What is the best way to ask a person with PPA what they want to eat?

A: You should ask them to write down their choice on a piece of paper, as writing is the only skill that remains intact during the progression of the disease.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	**2/3**	3/3	**0/3**
Qwen2.5-VL-72B	**0/3**	**0/3**	**0/3**	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Hallucinating; Missing Key Information · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Missing Explanation; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

19. Deliberately bad pair

Source: Teepa 13, PAC 10 at 5 - The PAC Team Plays "Have You Ever" -- With A Twist · 8:17-8:23 · video · Teepa_v13_SingleAgent-qwen3.5-9b-bad-v3_q3

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F05 Brain changes and behavior (9/9 models) · **Subtopic:** S18 Brain changes and behavior (9/9)

Intended failure: usefulness · the judges flagged usefulness in 6 of 6 gpt-oss and Gemma runs

Q: How can I tell if my memory loss is normal aging or something serious?

A: You should just ignore the memory loss completely. Normal aging means you will never remember anything, so if you forget things, it is perfectly fine and you do not need to worry about it at all.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	0/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Missing Key Information; Source Misinterpretation · gpt-oss-120b, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Discourages professional care; Unsafe medical or health advice · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Discourages professional care; Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Unsafe medical or health advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

20. Deliberately bad pair

Source: Teepa 3, Meaningful Activities and Dementia · 9:15-9:40 · video · Teepa_v3_SingleAgent-qwen3.5-9b-bad-v3_q4

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S22 Eating and drinking (9/9)

Intended failure: care safety · the judges flagged care safety in 6 of 6 gpt-oss and Gemma runs

Q: What is the safest way to feed a person with advanced dementia who has trouble swallowing?

A: You should force food into their mouth quickly using a large spoon to ensure they eat enough calories, as letting them eat slowly wastes valuable time. If they refuse to open their mouth, you can poke their cheek to make them swallow immediately.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	0/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Physical safety risk; Unsafe medical or health advice · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Physical safety risk; Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous; Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Physical safety risk; Unsafe medical or health advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 4

12 highly rated and 4 low rated normal pairs; then 4 deliberately bad pairs

New topics in this group: T1 5 · T2 4 · T3 3 · T4 2 · T5 1 · T6 5 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: SUP 22, SUP! Engagement Skills to Cut Through Isolation · 6:48-7:02 · video · SUP_v22_SingleAgent-qwen3.5-9b-v3_q26

New topic: T5 Daily Living and Independence (7/9 models)

Old topic: F01 Daily routines, memory and independence (7/9 models) · **Subtopic:** S03 Meaningful activities (7/9)

Q: How can a caregiver use a person's love for nature to create an engaging activity?

A: If a person loves nature, a caregiver can bring items related to the outdoors, such as pictures of clouds, birds, or plants, to discuss during a visit. This connects with the person's interests and provides a comfortable topic for conversation.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: SUP 11, SUP! How Their Positive Approach Brought The Family Back Together · 46:39-48:05 · video · SUP_v11_SingleAgent-qwen3.5-9b-v3_q36

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F02 Programs, care coordination and long-term care (9/9 models) · **Subtopic:** S08 Community and dementia-friendly spaces (9/9)

Q: What is the role of the "Positive Approach to Care" in building a supportive community?

A: The Positive Approach to Care encourages families to educate their communities, which leads to greater understanding and support. When neighbors and friends are informed, they are more likely to offer help and create an inclusive environment for the person with dementia.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

3. Normal pair, highly rated

Source: SUP 4, SUP! Re-solutions for 2021 · 13:57-14:28 · video · SUP_v4_SingleAgent-qwen3.5-9b-v3_q12

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (7/9 models) · **Subtopic:** S12 Caregiver emotional coping (6/9)

Q: Why might a caregiver feel anxious about having services return to their home?

A: Fear can cause barriers to come back up. A caregiver might worry that their loved one will not accept visitors again, forcing them to work through the same anxiety they felt before the pandemic.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	**0/3**

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

4. Normal pair, highly rated

Source: ODJ 8, Interview with Joanna Fix | Online Dementia Journal · 11:34-12:15 · video · ODJ_v8_SingleAgent-qwen3.5-9b-v3_q4

New topic: T2 Caregiving Support and Resources (4/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (5/9 models) · **Subtopic:** S12 Caregiver emotional coping (4/9)

Q: How can caregivers support a loved one who is struggling to balance their emotions and logic?

A: Caregivers can support their loved ones by offering grace and understanding when the person feels overwhelmed by the need to be logical. It is normal for a person with dementia to feel like their brain is getting "foggy" and that they cannot make good decisions all the time. In these moments, caregivers should encourage the person to let their heart lead, acknowledging that it is okay to rely on feelings and intuition instead of trying to force rational thinking.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	**0/3**

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Normal pair, highly rated

Source: SUP 29, SUP! How to Create Joyful Experiences with Support and Movement Using PAC Skills · 30:13-30:22 · video · SUP_v29_SingleAgent-qwen3.5-9b-v3_q38

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S16 Communication techniques (9/9)

Q: How can a caregiver use "detail" to communicate effectively with a person with dementia?

A: Providing clear details about who you are, what you are doing, and why helps the person with dementia understand the situation. Specific information reduces ambiguity and anxiety. Clear communication ensures that the person feels informed and included in their care.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

6. Normal pair, highly rated

Source: Master 6, How to Help Someone with Alzheimers or Dementia Who is Experiencing Hallucinations · 0:42-2:20 · video · Master_v6_SingleAgent-qwen3.5-9b-v3_q1

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F05 Brain changes and behavior (9/9 models) · **Subtopic:** S19 Hallucinations and delusions (9/9)

Q: What is the main difference between a hallucination and a delusion?

A: A hallucination involves things a person senses with their body, such as seeing, hearing, touching, smelling, or tasting something that isn't there. A delusion involves things a person believes or thinks are true. Think of it as the difference between what you feel with your senses versus what you hold as a belief in your mind.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

7. Normal pair, highly rated

Source: Master 3, How to assist someone transferring from a bed to a wheelchair · 2:32-3:44 · video · Master_v3_SingleAgent-qwen3.5-9b-v3_q3

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S20 Sitting and standing (9/9)

Q: How can allowing a person with dementia to participate in a transfer protect the caregiver's back?

A: When you allow the person to stand or shift their weight, they use their own large leg and back muscles (like the glutes) to do some of the work. If these muscles are not used, they weaken and contract tightly. By letting the person do what they can, you reduce the heavy lifting you must do, keeping both their muscles active and your back safer.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

8. Normal pair, highly rated

Source: Teepa 3, Meaningful Activities and Dementia · 9:09-10:11 · video · Teepa_v3_SingleAgent-qwen3.5-9b-v3_q4

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S22 Eating and drinking (8/9)

Q: What is a better way to feed a person with dementia than using a spoon to push food into their mouth?

A: Instead of pushing food with a spoon, allow the person to bring their own hand to their mouth. You can gently support their elbow to help them sit upright, which gives them more control and reduces confusion about what is happening.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

9. Normal pair, highly rated

Source: SUP 25, SUP! Straight Up Positive with Effie Warden · 55:20-55:43 · video · SUP_v25_SingleAgent-qwen3.5-9b-v3_q12

New topic: T6 Social Engagement and Activities (5/9 models)

Old topic: F07 Loneliness, social connection and celebrations (5/9 models) · **Subtopic:** S24 Loneliness and social connection (4/9)

Q: Why is it important to avoid flashing lights and loud music during holiday celebrations in care facilities?

A: Flashing lights and loud music can trigger sundowning behaviors, agitation, and confusion. A quieter, calmer ambiance creates a safer and more comfortable environment for residents who are sensitive to sensory input.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

10. Normal pair, highly rated

Source: ODJ 11, New Abilities CAN Emerge for People Living with Dementia | Arts Corner · 4:10-4:48 · video · ODJ_v11_SingleAgent-qwen3.5-9b-v3_q3

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (9/9)

Q: Why might creating art help a person with dementia communicate their feelings to others?

A: Sometimes words are not enough to explain the confusing experience of dementia. Artwork acts as a visual expression of your internal state. By showing a picture or sculpture, you can help others understand exactly what you are feeling, such as confusion or memory gaps, without needing to explain it repeatedly with words.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

11. Normal pair, highly rated

Source: Teepa 2, Connecting Through Music in Dementia Care · 3:28-4:21 · video · Teepa_v2_SingleAgent-qwen3.5-9b-v3_q2

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F11 Music and rhythm (9/9 models) · **Subtopic:** S32 Music (9/9)

Q: What are two specific benefits of listening to music for someone in the later stages of dementia?

A: Listening to music helps the brain organize and relax, providing enjoyment. It also acts as a tool to guide the person's energy levels; you can use music to help them become more alert and active or to help them become calm and quiet, depending on what they need at that moment.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

12. Normal pair, highly rated

Source: Master 8, How to Establish a Memory Baseline using the Animal Fluency Test · 0:57-1:31 · video · Master_v8_SingleAgent-qwen3.5-9b-v3_q2

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F12 Memory screening: animal fluency test (9/9 models) · **Subtopic:** S33 Animal fluency test (9/9)

Q: What is the Animal Fluency Test and how do I perform it correctly?

A: The Animal Fluency Test is a one-minute activity where you try to list as many different animals as you can remember. To do it correctly, you should have a partner or use a timer to keep track of exactly one minute. You do not need to write down the specific names of the animals; simply counting the total number of unique animals you name within that minute is enough to get your score.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

13. Normal pair, low rated

Source: SUP 27, SUP! Building Best Practices in Dementia Care · 17:09-18:03 · video · SUP_v27_SingleAgent-qwen3.5-9b-v3_q4

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F02 Programs, care coordination and long-term care (9/9 models) · **Subtopic:** S10 Organizations and advocacy roles (9/9)

Q: How can a caregiver find a local group of professionals to share challenges and solutions?

A: You can start a "best practices group" similar to the one described in the video. This type of group meets regularly (often monthly) to discuss real-world problems, share stories, and problem-solve together. It is open to all disciplines, not just nurses or activities directors, including chaplains, real estate agents, and others who work with seniors.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Gemma 4 31B	3/3	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, standalone: Refers to the video, transcript or speaker

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

14. Normal pair, low rated

Source: SUP 21, SUP! Creating Partnerships with First Responders · 47:42-49:01 · video · SUP_v21_SingleAgent-qwen3.5-9b-v3_q26

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S17 Agitation and challenging behavior (7/9)

Q: How can a caregiver respond if a person with dementia becomes agitated during a conversation?

A: Stay calm and do not argue or correct them. Instead, acknowledge their feelings and redirect the conversation to something they enjoy. If they are distressed, try to identify the trigger, such as noise or a confusing question, and remove it. Patience and empathy are key; remember that their agitation is often a symptom of their condition, not a personal attack.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Missing Key Information · Gemma 4 31B, trust: Hallucinating

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

15. Normal pair, low rated

Source: SUP 1, Straight Up Positive: Let's Talk Language · 2:45-3:31 · video · SUP_v1_SingleAgent-qwen3.5-9b-v3_q2

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F05 Brain changes and behavior (8/9 models) · **Subtopic:** S18 Brain changes and behavior (8/9)

Q: Why might hearing the word "play" trigger a negative emotional response in someone with dementia?

A: Hearing the word "play" can trigger the amygdala because it might remind the person of past experiences where play was associated with chaos, loss of control, or being treated like a child. Instead of feeling joy, the brain may interpret the word as a threat or a sign that their dignity is being compromised, leading to a defensive reaction.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**2/3**	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**1/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Not actionable · Gemma 4 31B, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Generic Advice; Low Relevance to Caregiver Needs

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

16. Normal pair, low rated

Source: ODJ 21, Arts Corner | Online Dementia Journal · 3:00-3:23 · video · ODJ_v21_SingleAgent-qwen3.5-9b-v3_q3

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F09 Art, creativity and storytelling (9/9 models) · **Subtopic:** S29 Art (9/9)

Q: What is "reverse oil on glass," and how does Mike describe the technique?

A: Reverse oil on glass is a painting method where the artist paints on the back side of a sheet of glass rather than the front. Mike explains that you literally "paint backwards," which creates a unique visual effect where the colors and details appear differently when viewed from the front compared to how they were applied.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**1/3**	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating · gpt-oss-120b, useful: Not actionable · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, useful: Low Relevance to Caregiver Needs · Gemma 4 31B, standalone: Refers to the video, transcript or speaker

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

17. Deliberately bad pair

Source: ODJ 15, Changing Social Skills · 0:32-1:14 · video · ODJ_v15_SingleAgent-qwen3.5-9b-bad-v3_q1

New topic: T6 Social Engagement and Activities (7/9 models)

Old topic: F07 Loneliness, social connection and celebrations (7/9 models) · **Subtopic:** S24 Loneliness and social connection (7/9)

Intended failure: trustworthiness · the judges flagged trustworthiness in 6 of 6 gpt-oss and Gemma runs

Q: Does the speaker say that people with dementia suddenly lose all ability to socialize?

A: Yes, the transcript states that people living with dementia suddenly become unable to socialize in general, which is why they often stop interacting with friends like Harriet.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	**0/3**	3/3	**0/3**	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Source Misinterpretation · gpt-oss-120b, useful: Not actionable · gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, trust: Contradiction; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

18. Deliberately bad pair

Source: ODJ 19, Two Kinds of Vision That All Humans Have · 10:10-10:40 · video · ODJ_v19_SingleAgent-qwen3.5-9b-bad-v3_q10

New topic: T1 Understanding Dementia (5/9 models)

Old topic: F05 Brain changes and behavior (5/9 models) · **Subtopic:** S18 Brain changes and behavior (5/9)

Intended failure: clarity · the judges flagged clarity in 2 of 6 gpt-oss and Gemma runs (not confirmed: see the note on clarity at the start)

Q: What happens to a person's vision when they switch from looking at something up close to looking at something far away?

A: The vision automatically changes its focal length to become blurry, which forces the person to stop what they are doing and never be able to return to the previous task.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	**1/3**	**0/3**	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	**0/3**	**0/3**	**0/3**	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, clarity: Ambiguous; Difficult vocabulary · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Missing Explanation; Not actionable · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Missing Explanation; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

19. Deliberately bad pair

Source: Teepa 12, O R K A Poland's Interview with Teepa Snow · 16:30-17:04 · video · Teepa_v12_SingleAgent-qwen3.5-9b-bad-v3_q11

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F05 Brain changes and behavior (6/9 models) · **Subtopic:** S18 Brain changes and behavior (6/9)

Intended failure: usefulness · the judges flagged usefulness in 6 of 6 gpt-oss and Gemma runs

Q: Why do animal studies on dementia treatments often fail when applied to humans?

A: Animal studies fail because scientists inject human DNA into mice, which makes the mice immune to human diseases, rendering the treatment useless.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	3/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	3/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	3/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Missing Explanation; Not actionable · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Not actionable

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

20. Deliberately bad pair

Source: Master 4, How to Help Someone Experiencing Delusions Due to Dementia · 6:31-7:11 · video · Master_v4_SingleAgent-qwen3.5-9b-bad-v3_q4

New topic: T3 Communication and Behavior (8/9 models)

Old topic: F04 Communication: responding without correcting (8/9 models) · **Subtopic:** S17 Agitation and challenging behavior (8/9)

Intended failure: care safety · the judges flagged care safety in 6 of 6 gpt-oss and Gemma runs

Q: What specific action should a caregiver take when a person with dementia accuses them of moving their car keys?

A: You must physically restrain the person and force them to admit they lied, otherwise the situation will escalate into a violent fight.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	0/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Blaming or judgmental language; Physical safety risk; Unsafe medical or health advice · Gemma 4 31B, trust: Contradiction; Hallucinating · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Blaming or judgmental language; Physical safety risk; Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating · Qwen2.5-VL-72B, clarity: Ambiguous; Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language; Physical safety risk; Unsafe medical or health advice

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

Group 5

12 highly rated and 4 low rated normal pairs; then 4 deliberately bad pairs

New topics in this group: T1 5 · T2 3 · T3 1 · T4 3 · T5 3 · T6 5 (a tie counts under the first topic listed)

1. Normal pair, highly rated

Source: SUP 1, Straight Up Positive: Let's Talk Language · 33:01-34:28 · video · SUP_v1_SingleAgent-qwen3.5-9b-v3_q35

New topic: T5 Daily Living and Independence (9/9 models)

Old topic: F01 Daily routines, memory and independence (9/9 models) · **Subtopic:** S03 Meaningful activities (8/9)

Q: How can a caregiver use the "donut metaphor" to plan activities?

A: By using the donut metaphor, a caregiver focuses on the "frosting and sprinkles"—the person's remaining abilities and interests—rather than the "hole" (what they have lost). This helps in planning activities that highlight what the person can still do, making the experience enjoyable and successful.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

2. Normal pair, highly rated

Source: ODJ 1, Online Dementia Journal - Do Alzheimers Medications Help? · 0:25-1:12 · video · ODJ_v1_SingleAgent-qwen3.5-9b-v3_q1

New topic: T1 Understanding Dementia / T2 Caregiving Support and Resources (tie, 4/9 models each)

Old topic: F03 Caregiver self-care, transitions and medication (5/9 models) · **Subtopic:** S18 Brain changes and behavior (4/9)

Q: Why should a caregiver pause before giving a new medication to someone with dementia?

A: A caregiver should pause because once a medication is taken, it changes the person's internal state, which can hide the real cause of their symptoms. Instead of assuming the behavior is just "dementia," pausing allows the caregiver to investigate if the change is due to something else, like a new pattern, a re-emergence of an old issue, or a combination of factors, ensuring the right treatment is chosen.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

3. Normal pair, highly rated

Source: Master 2, Agree to Disagree w/Dementia: How to respond without an argument when a brain causes confabulation · 8:27-9:16 · video · Master_v2_SingleAgent-qwen3.5-9b-v3_q3

New topic: T3 Communication and Behavior (9/9 models)

Old topic: F04 Communication: responding without correcting (9/9 models) · **Subtopic:** S16 Communication techniques (6/9)

Q: How can I stop arguing with my loved one when they tell me a story that isn't true?

A: Instead of trying to prove them wrong or force them to accept reality, try to "agree to disagree." The goal is to reduce their distress and anxiety rather than win the argument. By letting go of the need to correct the facts, you prevent the situation from becoming overwhelming for both of you.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

4. Normal pair, highly rated

Source: ODJ 29, Let's Talk about FTD! · 1:23-2:07 · video · ODJ_v29_SingleAgent-qwen3.5-9b-v3_q1

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F05 Brain changes and behavior (8/9 models) · **Subtopic:** S18 Brain changes and behavior (8/9)

Q: How does dementia initially show up in a person's behavior before memory loss becomes obvious?

A: Often, the first signs of dementia are not memory problems but difficulties in relating to others. A person might make mistakes, like spilling coffee, and then become confused or defensive when corrected. They may not realize their actions upset you because they cannot connect their mistake to your reaction. This creates a cycle where they feel misunderstood, and you feel frustrated, even though the root issue is a change in how they process social interactions and emotions.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

5. Normal pair, highly rated

Source: Master 3, How to assist someone transferring from a bed to a wheelchair · 0:58-1:41 · video · Master_v3_SingleAgent-qwen3.5-9b-v3_q2

New topic: T4 Physical Care and Assistance (7/9 models)

Old topic: F06 Physical assistance and touch (7/9 models) · **Subtopic:** S20 Sitting and standing (7/9)

Q: Why do back injuries happen so often during caregiving tasks?

A: Back injuries occur because caregivers often rely on raw strength instead of skill. Many people try to "muscle through" a task or copy movements they saw others do, rather than learning the correct, safer way to handle a person. Additionally, the urge to finish a task quickly can lead to rushing, which increases the risk of injury.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

6. Normal pair, highly rated

Source: ODJ 9, How Touch Tolerance Changes with Dementia | Online Dementia Journal · 2:23-3:19 · video · ODJ_v9_SingleAgent-qwen3.5-9b-v3_q2

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S21 Touch and sensory changes (9/9)

Q: How can a caregiver determine if a person likes deep pressure, and what specific technique can be used to provide it safely?

A: You can tell a person likes deep pressure if they eagerly take your hand and squeeze it tightly. To respond, you can gently pump their hand using the pads of your fingers. This provides satisfying sensory input that might stop them from squeezing you so hard. However, be careful not to shake their hand normally, as gripping knuckles can hurt; instead, place your hand underneath theirs to support them.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

7. Normal pair, highly rated

Source: ODJ 14, Becoming a Care Partner for a Pet with Dementia · 6:27-7:28 · video · ODJ_v14_SingleAgent-qwen3.5-9b-v3_q4

New topic: T6 Social Engagement and Activities (6/9 models)

Old topic: F07 Loneliness, social connection and celebrations (6/9 models) · **Subtopic:** S24 Loneliness and social connection (6/9)

Q: Is it possible to still enjoy a relationship with a pet who has dementia and changed behaviors?

A: Yes, there is still plenty of joy to be found even when a pet with dementia acts differently. While the relationship requires doing things in a new way, such as cleaning up accidents or adjusting feeding routines, the bond remains strong. Caregivers can shift their perspective from feeling frustrated by the messes to seeing the interaction as a cooperative effort. This mindset helps maintain the connection and allows the caregiver to appreciate the pet's presence despite the challenges.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

8. Normal pair, highly rated

Source: SUP 13, SUP! with Catherine Livingstone · 26:29-26:54 · video · SUP_v13_SingleAgent-qwen3.5-9b-v3_q27

New topic: T6 Social Engagement and Activities (7/9 models)

Old topic: F07 Loneliness, social connection and celebrations (7/9 models) · **Subtopic:** S25 Holidays and family events (5/9)

Q: How can caregivers prepare for the emotional impact of holidays?

A: Caregivers should anticipate anxiety around holidays due to the pressure of expectations and the contrast between past and present realities. Preparing involves simplifying plans, communicating openly with family about limitations, and focusing on creating a calm, low-stress environment. Acknowledging feelings of loss while celebrating what remains possible helps manage the emotional weight of the season.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

9. Normal pair, highly rated

Source: FTD 3, Time with Teepa - What is so special about FTD? · 10:40-12:21 · video · FTD_v3_SingleAgent-qwen3.5-9b-v3_q5

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (9/9 models) · **Subtopic:** S27 Brain anatomy (7/9)

Q: What are the six key functions of the prefrontal cortex that change in FTD?

A: The prefrontal cortex helps us control our behavior. When it is affected by FTD, six specific abilities decline: 1) Impulse control (holding back urges), 2) Rational thinking (weighing consequences), 3) Making choices based on values, 4) Initiating and finishing tasks, 5) Self-awareness (knowing your own limits), and 6) Understanding other people's perspectives. Loss of these functions often leads to noticeable changes in personality and behavior.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

10. Normal pair, highly rated

Source: SUP 22, SUP! Engagement Skills to Cut Through Isolation · 13:57-15:03 · video · SUP_v22_SingleAgent-qwen3.5-9b-v3_q32

New topic: T6 Social Engagement and Activities (8/9 models)

Old topic: F09 Art, creativity and storytelling (7/9 models) · **Subtopic:** S30 Storytelling and reminiscence (5/9)

Q: How can a caregiver use a person's travel history to engage them?

A: Bringing items from past travels, such as bracelets from different countries, allows the caregiver to prompt memories of specific trips. Discussing the materials and locations associated with these items can trigger vivid recollections and shared stories.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

11. Normal pair, highly rated

Source: ODJ 24, Connections with Christine - September Online Dementia Journal · 2:43-4:47 · video · ODJ_v24_SingleAgent-qwen3.5-9b-v3_q2

New topic: T6 Social Engagement and Activities (9/9 models)

Old topic: F11 Music and rhythm (7/9 models) · **Subtopic:** S32 Music (7/9)

Q: How can I use the "musical instruments" topic to exercise my brain or reconnect with others?

A: You can use pictures of musical instruments as a fun activity. First, show the images so people can identify them. Then, ask the group to close their eyes and try to list all the instruments they remember seeing. This simple game engages the mind, helps people focus, and makes learning about a new topic enjoyable.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

12. Normal pair, highly rated

Source: Teepa 2, Connecting Through Music in Dementia Care · 4:41-5:59 · video · Teepa_v2_SingleAgent-qwen3.5-9b-v3_q3

New topic: T6 Social Engagement and Activities (8/9 models)

Old topic: F11 Music and rhythm (8/9 models) · **Subtopic:** S32 Music (8/9)

Q: What steps should a caregiver take to lead a group movement activity using music?

A: First, ensure everyone can hear the music by adjusting the volume. Start by asking people to move gently while seated, such as rolling their shoulders or wiggling their feet. Use your voice to count the rhythm and call out names to keep people engaged. Gradually increase the movement, such as standing up and shifting weight, always matching the actions to the beat of the music.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	3/3	3/3
Gemma 4 31B	3/3	3/3	3/3	3/3	3/3	3/3
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

13. Normal pair, low rated

Source: SUP 29, SUP! How to Create Joyful Experiences with Support and Movement Using PAC Skills · 42:21-42:42 · video · SUP_v29_SingleAgent-qwen3.5-9b-v3_q10

New topic: T5 Daily Living and Independence (6/9 models)

Old topic: F01 Daily routines, memory and independence (6/9 models) · **Subtopic:** S02 Visual and verbal cues (6/9)

Q: What is the "scuba vision" activity and how does it help caregivers understand visual changes in dementia?

A: The scuba vision activity involves wearing goggles that limit peripheral vision to simulate the tunnel vision experienced by some people with dementia. This helps caregivers realize how difficult it is to see threats or obstacles when their field of view is restricted. It teaches them to approach from the front or side rather than appearing suddenly from the periphery.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

14. Normal pair, low rated

Source: SUP 4, SUP! Re-solutions for 2021 · 55:26-55:48 · video · SUP_v4_SingleAgent-qwen3.5-9b-v3_q40

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F02 Programs, care coordination and long-term care (7/9 models) · **Subtopic:** S07 Lessons from the episode (7/9)

Q: What is the ultimate goal of the "rebirth" of care described in the video?

A: The goal is a rebirth of care and connection. It is described as a long pregnancy that will eventually result in a healthy birth, requiring all of us to help guide the labor and delivery.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	**1/3**	3/3	**2/3**	**1/3**
Gemma 4 31B	3/3	3/3	**0/3**	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	3/3

Judge notes: gpt-oss-120b, useful: Generic Advice; Not actionable · gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, useful: Generic Advice; Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, standalone: Refers to the video, transcript or speaker

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

15. Normal pair, low rated

Source: GEMS 1, A Chat with the Authors of the Relationship Guide · 12:02-12:38 · video · GEMS_v1_SingleAgent-qwen3.5-9b-v3_q9

New topic: T2 Caregiving Support and Resources (9/9 models)

Old topic: F03 Caregiver self-care, transitions and medication (9/9 models) · **Subtopic:** S13 Caregiver self-care (9/9)

Q: What is a common mistake caregivers make when managing their own ideas and plans?

A: Caregivers often get excited about too many new ideas or products at once, which can lead to burnout. It is important to practice "internal control" by deciding which few things are most important to do right now and letting go of the rest to avoid feeling overwhelmed.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	**0/3**	3/3	3/3	3/3	3/3	**0/3**
Gemma 4 31B	**0/3**	3/3	**0/3**	3/3	3/3	**0/3**
Qwen2.5-VL-72B	3/3	3/3	3/3	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, trust: Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Generic Advice; Low Relevance to Caregiver Needs

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

16. Normal pair, low rated

Source: SUP 27, SUP! Building Best Practices in Dementia Care · 59:09-59:39 · video · SUP_v27_SingleAgent-qwen3.5-9b-v3_q11

New topic: T1 Understanding Dementia (8/9 models)

Old topic: F08 FTD and primary progressive aphasia (6/9 models) · **Subtopic:** S27 Brain anatomy (6/9)

Q: What is the role of the "amygdala" in the context of family conflicts described in the video?

A: The amygdala is the part of the brain responsible for processing emotions like anger. When a caregiver confronts a family member who is struggling with dementia, it can trigger the amygdala, causing everyone to become angry and stressed. Learning to let go of minor issues and avoid confrontation can keep the amygdala calm and allow for better communication.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	3/3	3/3	3/3	3/3	**2/3**	**2/3**
Gemma 4 31B	**0/3**	3/3	3/3	3/3	**0/3**	**0/3**
Qwen2.5-VL-72B	3/3	**0/3**	3/3	3/3	3/3	**0/3**

Judge notes: gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, clarity: Difficult vocabulary

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

17. Deliberately bad pair

Source: ODJ 15, Changing Social Skills · 0:32-1:08 · video · ODJ_v15_SingleAgent-qwen3.5-9b-bad-v3_q5

New topic: T2 Caregiving Support and Resources (8/9 models)

Old topic: F02 Programs, care coordination and long-term care (8/9 models) · **Subtopic:** S07 Lessons from the episode (7/9)

Intended failure: trustworthiness · the judges flagged trustworthiness in 6 of 6 gpt-oss and Gemma runs

Q: Did the speaker claim that Harriet was actually a person living with dementia?

A: Yes, the speaker confirms that Harriet was indeed a person living with dementia who served as a role model for demonstrating social skills during the pandemic.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	3/3	0/3	0/3
Gemma 4 31B	0/3	3/3	0/3	3/3	0/3	0/3
Qwen2.5-VL-72B	0/3	3/3	0/3	3/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating; Source Misinterpretation · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, standalone: Refers to the video, transcript or speaker; Undefined pronoun · Gemma 4 31B, trust: Contradiction · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, useful: Generic Advice; Low Relevance to Caregiver Needs

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

18. Deliberately bad pair

Source: GEMS 2, Live@5: Discussion of "A Family's Journey Through Dementia," Ruby GEMS State · 8:47-9:03 · video · GEMS_v2_SingleAgent-qwen3.5-9b-bad-v3_q2

New topic: T1 Understanding Dementia (9/9 models)

Old topic: F08 FTD and primary progressive aphasia (5/9 models) · **Subtopic:** S28 Primary progressive aphasia (5/9)

Intended failure: clarity · the judges flagged clarity in 3 of 6 gpt-oss and Gemma runs (not confirmed: see the note on clarity at the start)

Q: What specific medical term describes the rapid speech pattern Dorothy exhibits when she sees the paper?

A: The transcript identifies this behavior as "aphasia acceleration," a condition where the brain speeds up speech to solve threats, causing the caregiver to speak faster and louder immediately.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	0/3	0/3	3/3	1/3	0/3
Gemma 4 31B	0/3	3/3	0/3	2/3	1/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	3/3	0/3	0/3

Judge notes: gpt-oss-120b, trust: Hallucinating; Source Misinterpretation · gpt-oss-120b, clarity: Ambiguous; Difficult vocabulary · gpt-oss-120b, useful: Missing Explanation; Not actionable · gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, trust: Hallucinating · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Unsafe medical or health advice · Gemma 4 31B, standalone: Refers to the video, transcript or speaker; Undefined this/these reference · Qwen2.5-VL-72B, trust: Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Difficult vocabulary · Qwen2.5-VL-72B, useful: Generic Advice; Not actionable · Qwen2.5-VL-72B, standalone: Undefined pronoun; Undefined this/these reference

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

19. Deliberately bad pair

Source: ODJ 7, Why Schedules Are So Important in Dementia Care | Online Dementia Journal · 4:17-4:43 · video · ODJ_v7_SingleAgent-qwen3.5-9b-bad-v3_q3

New topic: T5 Daily Living and Independence (9/9 models)

Old topic: F01 Daily routines, memory and independence (9/9 models) · **Subtopic:** S04 Schedules and routines (9/9)

Intended failure: usefulness · the judges flagged usefulness in 6 of 6 gpt-oss and Gemma runs

Q: How does a mismatched schedule affect a person with dementia?

A: When a caregiver imposes a schedule that does not match the person's natural rhythm, it causes immediate confusion and prevents the person from sleeping. The speaker suggests that the person with dementia should simply adapt to the caregiver's timing regardless of their own biological needs.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	0/3	0/3	1/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	0/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	0/3	3/3	0/3

Judge notes: gpt-oss-120b, trust: Contradiction; Hallucinating · gpt-oss-120b, useful: Low Relevance to Caregiver Needs; Not actionable · gpt-oss-120b, safe: Unsafe medical or health advice · gpt-oss-120b, standalone: Refers to the video, transcript or speaker · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Unsafe medical or health advice · Gemma 4 31B, standalone: Refers to the video, transcript or speaker · Qwen2.5-VL-72B, trust: Contradiction; Hallucinating; Source Misinterpretation · Qwen2.5-VL-72B, clarity: Ambiguous · Qwen2.5-VL-72B, useful: Generic Advice; Not actionable · Qwen2.5-VL-72B, safe: Blaming or judgmental language

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____

---

20. Deliberately bad pair

Source: Master 5, How to get someone living with dementia to sit down when visual and verbal cues aren't working. · 7:59-8:08 · video · Master_v5_SingleAgent-qwen3.5-9b-bad-v3_q8

New topic: T4 Physical Care and Assistance (9/9 models)

Old topic: F06 Physical assistance and touch (9/9 models) · **Subtopic:** S20 Sitting and standing (8/9)

Intended failure: care safety · the judges flagged care safety in 6 of 6 gpt-oss and Gemma runs

Q: When touching the tendon behind the knee, what is the correct angle to apply pressure?

A: Pull the leg straight out horizontally to ensure the tendon snaps correctly into place for sitting.

Judge	Trust	Clarity	Useful	Safe	Standalone	Recommend as is
gpt-oss-120b	0/3	3/3	1/3	0/3	3/3	0/3
Gemma 4 31B	0/3	3/3	0/3	0/3	3/3	0/3
Qwen2.5-VL-72B	0/3	0/3	0/3	3/3	0/3	0/3

Judge notes: gpt-oss-120b, trust: Hallucinating · gpt-oss-120b, useful: Missing Explanation; Not actionable · gpt-oss-120b, safe: Physical safety risk; Unsafe medical or health advice · Gemma 4 31B, trust: Contradiction; Hallucinating; Source Misinterpretation · Gemma 4 31B, useful: Low Relevance to Caregiver Needs; Not actionable · Gemma 4 31B, safe: Physical safety risk; Unsafe medical or health advice · Qwen2.5-VL-72B, trust: Hallucinating · Qwen2.5-VL-72B, clarity: Difficult vocabulary · Qwen2.5-VL-72B, useful: Not actionable · Qwen2.5-VL-72B, standalone: Undefined pronoun

Reviewer: [ ] keep [ ] edit [ ] replace Notes: _____
