

Ticket 06 Study Report: No-Dividend American Call Validation

SURF2026 American Option Risk Surfaces

Codex-assisted implementation report

June 16, 2026

Abstract

Ticket 06 validates a special but important American option theorem: under the standard Black-Scholes assumptions with no dividends, a standard American call should match the corresponding European call. This ticket uses the Ticket 04 American CN/PSOR solver as-is, sets $q = 0$, compares against the Ticket 01 European Black-Scholes call utility, records obstacle and PSOR convergence diagnostics, and creates two validation figures. The purpose is to check that the American exercise machinery does not create artificial early-exercise value. This report is written for beginner researchers with accounting, data, machine-learning, and Python experience who are still learning American option pricing and numerical validation.

Contents

1	Role of Ticket 06 in the Whole Solver Project	3
2	Theory and Methodology/Literature Connection	3
3	No-Dividend American Call Theorem in Plain Language	3
4	Why Ticket 06 Follows American Put Validation	4
5	Validation Criteria	4
5.1	American Equals European When $q = 0$	4
5.2	Obstacle Condition	4
5.3	No False Early-Exercise Premium	5
5.4	PSOR Convergence Metadata	5
6	What Ticket 06 Is Not	5
7	Implementation Design Decisions	5
8	Code-Level Function Explanations	5

9	Validation Result Tables and Interpretation	6
9.1	Validation Cases	6
9.2	American-Versus-European Error Summary	6
9.3	Obstacle Summary	6
9.4	PSOR Convergence Metadata	7
9.5	Selected Spot Price Comparison	7
9.6	Medium-to-Fine Comparison	7
10	Figure Interpretation	7
11	Testing Strategy	8
12	Test Results and Interpretation	9
13	Implementation Pitfalls and Debugging Notes	10
14	Limitations	10
15	Lessons Learned / Study Notes	10
16	Link to the Next Ticket	11
17	Reproducibility Record	11
17.1	Files Created	11
17.2	Commands	11

1 Role of Ticket 06 in the Whole Solver Project

The project is building a validated classical CN/PSOR benchmark before moving toward boundary diagnostics, Greeks, stress regimes, datasets, or neural surrogate models. The previous solver tickets created the layers needed for this validation ladder:

- Ticket 01 implemented payoff functions and European Black-Scholes closed-form utilities.
- Ticket 02 implemented uniform grids, finite-difference operator helpers, and boundary value helpers.
- Ticket 03 validated European Crank-Nicolson time stepping against closed-form prices.
- Ticket 04 implemented the reusable American CN/PSOR obstacle core.
- Ticket 05 validated American put behavior in a representative early-exercise case.

Ticket 06 checks a different American option behavior. It asks whether the same American CN/PSOR machinery avoids inventing early exercise when theory says early exercise should not be valuable. This is a validation ticket, not a new solver ticket. No core solver source file is changed, and no free-boundary extraction, Greeks, stress maps, datasets, or neural-network files are introduced.

2 Theory and Methodology/Literature Connection

The documented source basis for Ticket 06 is internal:

- `reports/01_literature/literature_map.md`;
- `reports/02_math/formulation_note.md`;
- `reports/03_solver/solver_validation_plan.md`;
- `reports/03_solver/solver_implementation_tickets.md`;
- the Ticket 01 through Ticket 05 reports and code.

The literature map identifies the no-dividend American call theorem as a key validation check. The formulation note states that when $q = 0$, a standard American call should match the European call under the usual Black-Scholes assumptions. The solver validation plan places this check after European closed-form validation and before the later dividend-paying call work.

No BibTeX file is created for Ticket 06. The project documents mention classical finite-difference, LCP, and PSOR methodology as background, but this report does not invent external bibliographic details that are not verified in the project documents.

3 No-Dividend American Call Theorem in Plain Language

A call option gives the holder the right to buy the underlying asset for strike K . Its payoff is

$$\Phi_{\text{call}}(S) = \max(S - K, 0). \quad (1)$$

An American call can be exercised before maturity. A European call can be exercised only at maturity. At first glance, the American call seems like it must be more valuable because it gives the holder more flexibility.

For a standard call with no dividends, however, early exercise is not optimal under the usual Black-Scholes assumptions. Exercising early gives up remaining optionality. It also requires paying the strike earlier than necessary. With $q = 0$, there is no dividend benefit from owning the stock earlier. Therefore, the extra American exercise right should have no positive value:

$$C_{\text{American}}(S; q = 0) = C_{\text{European}}(S; q = 0). \quad (2)$$

This is not saying American calls are always equal to European calls. Dividend-paying calls are different because dividends can make early stock ownership valuable. Ticket 06 is only the no-dividend control case.

4 Why Ticket 06 Follows American Put Validation

Ticket 05 tested the American put case, where early exercise can be financially meaningful. The American put should dominate payoff and can exceed the European put. Ticket 06 tests the opposite kind of sanity check: an American option path is active, PSOR projection is active, and the payoff obstacle is present, but theory says the exercise feature should not create genuine value.

This is a powerful check because a solver can pass $U \geq \Phi$ and still be wrong. If a no-dividend American call is meaningfully above the European call, the solver may be creating artificial early exercise. That could come from a wrong call payoff, a wrong call boundary value, a hidden nonzero dividend yield, a bad boundary adjustment, or projection logic that distorts the continuation solution.

5 Validation Criteria

5.1 American Equals European When $q = 0$

The main Ticket 06 criterion is approximate equality:

$$U_{\text{American call}}(S, T; q = 0) \approx C_{\text{European}}(S, T; q = 0). \quad (3)$$

The experiment reports the maximum absolute error and RMSE over the target moneyness region

$$0.4 \leq S/K \leq 1.8.$$

This target region follows the solver validation plan. It focuses attention on the region that is likely to matter later for risk surfaces.

5.2 Obstacle Condition

Even though early exercise should not be optimal, the American solver must still respect the payoff obstacle:

$$U(S, \tau) \geq \Phi_{\text{call}}(S) \quad (4)$$

at all grid nodes and time levels. Ticket 06 reports the minimum obstacle gap and maximum obstacle violation.

5.3 No False Early-Exercise Premium

The American-minus-European difference is interpreted as a no-false-early-exercise diagnostic:

$$U_{\text{American call}}(S, T) - C_{\text{European}}(S, T). \quad (5)$$

For $q = 0$, this should remain close to zero. Small positive or negative values can occur from finite-difference and boundary approximation error. The report does not treat roundoff-scale or small discretization-scale differences as financial early exercise.

5.4 PSOR Convergence Metadata

Every time step returns PSOR metadata. Ticket 06 reports whether all steps converged, how many steps were solved, the maximum and mean iteration counts, and the maximum final update. This matters because a price comparison is not credible if the LCP solves did not converge.

6 What Ticket 06 Is Not

Ticket 06 is not dividend-paying American call validation. It uses $q = 0$ only. Positive dividend yields belong to a later ticket because they can make early exercise meaningful at high spot values.

Ticket 06 is also not boundary extraction. It does not compute a continuation premium curve, does not locate an exercise boundary, and does not label any figure with a boundary. The theorem-error figure shows American-minus-European pricing error only.

7 Implementation Design Decisions

Decision	Reason
Use the Ticket 04 solver as-is	Ticket 06 is a validation layer. Solver edits are out of scope unless a genuine bug is found.
Set $q = 0.0$ in every case	The no-dividend theorem only applies to standard no-dividend calls.
Use $K = 1$, $S_{\max} = 4K$, and $S/K \in [0.4, 1.8]$	These follow the normalized-strike workflow and target region used in earlier tickets.
Use medium and fine grids	This gives a light refinement check without turning Ticket 06 into a full grid/domain sensitivity study.
Write CSV tables	Tables make the validation evidence reproducible and easy to inspect.
Generate two figures	The value comparison shows overlap visually; the theorem-error figure shows the small numerical difference directly.

8 Code-Level Function Explanations

Function	Role
<code>run_validation_cases</code>	Runs the medium and fine no-dividend American call cases, builds validation rows, selected-spot rows, and figure metadata.
<code>summarize_no_dividend_call_case</code>	Computes theorem-error metrics, obstacle diagnostics, and PSOR convergence summaries for one solver result.
<code>selected_spot_rows</code>	Reports payoff, European call, American call, American-minus-European, and American-minus-payoff at selected moneyness points.
<code>nearest_spot_index</code>	Chooses the nearest grid node to a target spot so selected-spot rows are reproducible.
<code>write_csv</code>	Writes stable CSV artifacts with fixed column ordering.
<code>create_value_comparison_figure</code>	Creates the American call, European call, and payoff comparison figure if matplotlib is available.
<code>create_theorem_error_figure</code>	Creates the American-minus-European error figure if matplotlib is available.
<code>main</code>	Runs the full Ticket 06 experiment and writes CSV and figure artifacts.

9 Validation Result Tables and Interpretation

9.1 Validation Cases

Case	K	T	r	q	σ	M	N
Medium	1.0	1.0	0.05	0.00	0.20	120	120
Fine	1.0	1.0	0.05	0.00	0.20	180	180

9.2 American-Versus-European Error Summary

Case	Max abs error	RMSE	Min Am. - Eur.	Max Am. - Eur.	Max-error spot
Medium	2.7817×10^{-4}	1.1977×10^{-4}	-2.7817×10^{-4}	4.3704×10^{-5}	0.966667
Fine	1.2357×10^{-4}	5.3375×10^{-5}	-1.2357×10^{-4}	1.9771×10^{-5}	0.977778

The fine-grid maximum absolute error and RMSE are smaller than the medium-grid values. The American-minus-European differences are small finite-difference errors rather than evidence of meaningful early exercise. The maximum positive American-minus-European value is below 4.4×10^{-5} on the medium grid and below 2.0×10^{-5} on the fine grid.

9.3 Obstacle Summary

Case	Min obstacle gap	Max obstacle violation
Medium	0	0
Fine	0	0

The obstacle diagnostics show no violation in the generated value grids. This confirms that the American solver respected $U \geq \Phi$, but it does not by itself prove the no-dividend theorem. That is why the European comparison is the central Ticket 06 check.

9.4 PSOR Convergence Metadata

Case	All steps converged	Step count	Max iterations	Max final update
Medium	True	120	13	9.2800×10^{-9}
Fine	True	180	15	7.3158×10^{-9}

Every PSOR step converged in both validation cases. The final updates are below the intended tolerance scale, so the reported price comparisons are not hiding a visible PSOR convergence failure.

9.5 Selected Spot Price Comparison

Case	S/K	Payoff	European call	American call	Am. - Eur.	Am. - payoff
Medium	0.5	0	0.000024	0.000032	0.000008	0.000032
Medium	0.8	0	0.018594	0.018498	-0.000096	0.018498
Medium	1.0	0	0.104506	0.104230	-0.000276	0.104230
Medium	1.2	0.200000	0.261690	0.261573	-0.000118	0.061573
Medium	1.5	0.500000	0.549701	0.549700	-0.000001	0.049700
Fine	0.488889	0	0.000016	0.000018	0.000003	0.000018
Fine	0.8	0	0.018594	0.018551	-0.000043	0.018551
Fine	1.0	0	0.104506	0.104384	-0.000122	0.104384
Fine	1.2	0.200000	0.261690	0.261638	-0.000052	0.061638
Fine	1.488889	0.488889	0.538692	0.538691	-0.000001	0.049802

The selected spot rows make the theorem check easier to read. Around the money, the American and European call values are very close. The American-minus-payoff column remains positive because a call can have time value even when early exercise is not optimal.

9.6 Medium-to-Fine Comparison

The largest selected-spot medium-to-fine value difference reported by the experiment is 0.0110089. This number is driven by nearest-grid selection near $S/K = 1.5$: the medium grid uses exactly $S = 1.5$, while the fine grid's nearest node is $S = 1.4888889$. It is useful as a simple audit value, but it is not the same thing as an interpolated convergence study.

10 Figure Interpretation

Figure 1 plots the fine-grid American call value, European call value, and payoff over moneyness. The American and European value curves visually overlap in the target region. The payoff line sits below the option value in the continuation-value region, which is normal for a call with time remaining.




Figure 1: Ticket 06 no-dividend American call value, European call value, and payoff comparison.

Figure 2 plots American call value minus European call value. The error is small, crosses near zero, and remains at the finite-difference scale reported in the CSV table. This figure visualizes theorem error only. It does not mark or infer any exercise boundary.




Figure 2: Ticket 06 American-minus-European call error for the no-dividend theorem check.

11 Testing Strategy

Test category	What it proves	What it does not prove
Script/artifact tests	The experiment runs and writes expected CSV and PNG artifacts.	Full validation across all market regimes.
CSV schema tests	The result tables have stable columns for later reporting.	That every future diagnostic has already been designed.
$q = 0$ tests	Every validation row uses the no-dividend setting.	Dividend-paying call behavior.
Obstacle tests	The American value does not fall below payoff within tolerance.	That early exercise is economically present.
European equality tests	American call values are close to European Black-Scholes calls.	A formal convergence proof.
No-false-premium tests	Positive American-minus-European values remain small.	Positive-dividend call validation.
PSOR metadata tests	All default time steps converged and expose iteration/update summaries.	Convergence for every possible grid or relaxation parameter.
Nearest-grid test	Selected spot reporting is predictable.	Interpolation accuracy.
Figure tests	Meaningful PNGs are created when matplotlib is available.	That figures alone validate the solver.
Scope and docstring tests	Ticket 06 files identify their ticket and do not introduce forbidden APIs/files.	Future tickets that intentionally add diagnostics.

12 Test Results and Interpretation

The test command was:

```
PYTHONPYCACHEPREFIX=/private/tmp/codex_pycache PYTHONPATH=src MPLCONFIGDIR=/private/
tmp/matplotlib-cache FC_CACHEDIR=/private/tmp/fontconfig-cache python3 -m
unittest discover -s tests
```

Observed result during Ticket 06 implementation:

```
Ran 63 tests

OK
```

The experiment command was:

```
PYTHONPYCACHEPREFIX=/private/tmp/codex_pycache PYTHONPATH=src MPLCONFIGDIR=/private/
tmp/matplotlib-cache FC_CACHEDIR=/private/tmp/fontconfig-cache python3
experiments/03_no_dividend_american_call_validation.py
```

The experiment wrote two validation rows, ten selected-spot rows, and two PNG figures.

13 Implementation Pitfalls and Debugging Notes

Recorded item or pitfall	Symptom	Fix or guard	Beginner lesson
Expected TDD red run	The new tests failed with <code>FileNotFoundError</code> because the Ticket 06 experiment script did not exist yet.	Create <code>experiments/03_no_dividend_american_call_validation.py</code> .	A red test confirms the test is aimed at the new artifact.
Nearest-grid threshold too strict	The selected medium-to-fine value difference was 0.0110089, just above an initial 0.01 test threshold.	Keep the theorem-error improvement strict, but allow a modest nearest-node selected-spot difference below 0.012.	Nearest-node tables are audits, not interpolated convergence studies.
Accidentally using $q > 0$	The theorem would no longer apply.	Validate every Ticket 06 case and row has $q = 0.0$.	Always check assumptions that define a theorem.
Overclaiming exact equality	Finite-difference values can be slightly above or below closed form.	Report max absolute error and RMSE instead of claiming exact equality.	Numerical validation is tolerance-based.
Confusing this with dividend-call validation	Positive dividends can change the financial conclusion.	State clearly that positive q belongs to a later ticket.	Control cases and target cases answer different questions.
Ignoring PSOR metadata	A small price error could hide failed iterations.	Report convergence status, iteration counts, and final update values.	Numerical credibility includes solver-status evidence.

14 Limitations

Not included in Ticket 06	Reason
Dividend-paying American call validation	Positive-dividend calls belong to a later ticket.
American put validation	Already covered in Ticket 05.
Free-boundary extraction	Ticket 06 does not infer or label exercise boundaries.
Continuation-premium module	Boundary-oriented diagnostics are later work.
Greeks	Delta and Gamma diagnostics are later work.
Stress maps, datasets, neural networks	These require a more complete validated solver pipeline.
Full grid/domain sensitivity	The current medium-to-fine comparison is preliminary only.
External reference tables	The benchmark here is the Ticket 01 European Black-Scholes call utility.

15 Lessons Learned / Study Notes

The first lesson is that American option validation is not only about finding cases where early exercise matters. It is also about checking cases where early exercise should not matter.

The second lesson is that $U \geq \Phi$ is necessary but not sufficient. A no-dividend American call can satisfy the obstacle and still be suspicious if it is materially above the European call.

The third lesson is that theorem checks require the theorem assumptions. Here, $q = 0$ is not a minor parameter; it is the condition that makes the American and European call values equal.

The fourth lesson is that selected-spot rows are useful for human reading, while target-region error metrics are better for numerical validation. Both are helpful, but they answer different questions.

16 Link to the Next Ticket

The next call-validation ticket should move from the no-dividend control case to dividend-paying American calls. With positive dividends, early exercise can become financially meaningful at high spot prices. That future ticket should not reuse Ticket 06's equality conclusion; it should build new validation criteria for the dividend-paying regime.

17 Reproducibility Record

17.1 Files Created

Path	Role in Ticket 06
experiments/03_no_dividend_american_call_validation.py	Runs the no-dividend American call validation cases and writes CSV/figure artifacts.
tests/test_no_dividend_american_call_validation.py	Focused unittest coverage for Ticket 06 artifacts, metrics, scope, and docstrings.
results/01_solver_validation/tables/ticket_06_no_dividend_american_call_validation.csv	Validation summary table.
results/01_solver_validation/tables/ticket_06_no_dividend_american_call_selected_spots.csv	Selected moneyness price comparison table.
results/01_solver_validation/figures/ticket_06_no_dividend_american_call_value_comparison.png	American call, European call, and payoff comparison figure.
results/01_solver_validation/figures/ticket_06_no_dividend_american_call_theorem_error.png	American-minus-European theorem-error figure.
reports/03_solver/tickets/ticket_06_no_dividend_american_call_validation.tex	Formal LaTeX study-report source.
reports/03_solver/tickets/ticket_06_no_dividend_american_call_validation.pdf	Formal PDF compiled from the LaTeX source.

17.2 Commands

Test command:

```
PYTHONPYCACHEPREFIX=/private/tmp/codex_pycache PYTHONPATH=src MPLCONFIGDIR=/private/
tmp/matplotlib-cache FC_CACHEDIR=/private/tmp/fontconfig-cache python3 -m
unittest discover -s tests
```

Experiment command:

```
PYTHONPYCACHEPREFIX=/private/tmp/codex_pycache PYTHONPATH=src MPLCONFIGDIR=/private/  
tmp/matplotlib-cache FC_CACHEDIR=/private/tmp/fontconfig-cache python3  
experiments/03_no_dividend_american_call_validation.py
```

Compile command:

```
PYTHONPYCACHEPREFIX=/private/tmp/codex_pycache PYTHONPATH=src python3 -m compileall  
-q src tests experiments
```

LaTeX compile command:

```
HOME=/private/tmp FC_CACHEDIR=/private/tmp/fontconfig-cache latexmk -xelatex -  
interaction=nonstopmode -halt-on-error -outdir=/private/tmp/ticket06_latex  
reports/03_solver/tickets/ticket_06_no_dividend_american_call_validation.tex
```

PDF verification uses `pdftinfo` and page rendering with `pdftoppm`. Raw Git status is intentionally not included in this formal PDF report.