## SVBIT Practical 10

## **Practical 10**

**Aim:** Define styles sheets for the h1, h2... h6 tags, and create a document with six heading levels that use the newly defined header styles (Use embedded Style sheet).


```
"-//W3C//DTD
                                                                 Transitional//EN"
<!DOCTYPE
              html
                     PUBLIC
                                                 XHTML
                                                           1.0
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<a href="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Embedded Stylesheet </title>
<style type="text/css">
h1{
background:#03C;
}
h2{
      color:#0F0;
}
h3{
background:#03C;
}
h4{
      color:#0F0;
}
h5{
background:#03C;
}
h6{
      color:#0F0;
}
</style>
</head>
<body>
<div style="width:1080px; background-color:#999; margin-left:140px ">
```

WTP 130753116012

SVBIT Practical 10

```
<h1>This is Heading 1...</h1>
<h2>This is Heading 2...</h2>
<h3>This is Heading 3...</h3>
<h4>This is Heading 4...</h4>
<h5>This is Heading 5...</h5>
<h6>This is Heading 6...</h6>
</div>
</body>
</html>
```

## **OUTPUT:**



WTP 130753116012