

Conviction

A real-time risk duel on Solana.

TEAM VS TEAM

HIDDEN THRESHOLDS

VRF CHAOS

GOVERNANCE-DRIVEN

Rujul · @rujulmatta

conviction-nine.vercel.app · Sep 2026

Trading games on L1 can't have secrets.

Three things every interesting game needs, and Solana L1 blocks all three:

Hidden commitments

A "sealed" threshold on L1 is readable by everyone. The rival front-runs the fold and the strategy disappears.

Provable randomness mid-round

A trusted oracle breaks trust. A pre-committed hash breaks the cinematic.

Real-time UX at scale

Per-second price ticks on L1 = paid txs on a 400ms slot. Every state change is permanent bloat.

Conviction: a real-time risk duel.

Two teams each lock a 2-3 token basket behind a sealed threshold band.

The basket that breaks out of the band first auto-folds; the survivor mints FTR (Founder Token) and votes on the next round.

SETUP

Lock basket + band

LIVE

VRF + chaos callbacks

REVEAL

FTR governance

Three primitives, three jobs.

PER

Permissioned ER

Seals each team's threshold behind a member-set until `finalize_round` reveals. Without it, the rival reads your StopLoss PDA off base layer and front-runs the fold.

VRF

MagicBlock VRF

Fires villain token + chaos-event callbacks mid-round. A trusted oracle breaks trust; a pre-committed hash breaks the cinematic.

ER

Ephemeral Rollups

Per-second price ticks cheap, fast, and ephemeral. On L1 every tick is a paid tx on a 400ms slot. ER keeps mid-round state off base and only settles the final result.

How it fits together.

FRONTEND

Next.js 14 (Vercel)

10 routes · shadcn · Framer Motion

app/lib/api/real.ts (18 fns wired)
app/lib/anchor/* (PDA + context)

RPC

MagicBlock devnet

Base layer (solana L1)

ER (per-PDA FQDN)
via router getDelegationStatus

ON-CHAIN

conviction program

24 instructions · 9 accounts

Delegated to ER per match
PER-sealed baskets + thresholds

SIDECAR

Birdeye public API

10s price polling on every basket mint in the live round. Chart flips "Mock walk" → "Birdeye live" pill automatically.

How a round plays.

- 1. SETUP** Each team picks a 2-3 token basket + a bps band (e.g. -14% floor, -5% edge). Locked via lockInPreRound; delegated to ER; PER-sealed.
- 2. LIVE** Price ticks stream from Birdeye. VRF picks a villain token. Chaos events fire mid-round. The chart band visualizes the auto-fold trigger.
- 3. AUTO-FOLD** When the worst-performer drops below the band floor, the whole team folds (`Team.folded = true`, `Team.alive = 0`).
- 4. REVEAL** revealRound closes PER, distributes the pot, mints 1 FTR to the winning wallet.
- 5. GOVERNANCE** Winner proposes next-round parameters (duration, chaos count, basket mix.) FTR-weighted vote reshapes round 2.

What's live on devnet today.

- **Anchor program**

Fh6b...JHJbH · 24 instructions · 9 accounts · all files $\leq$ 150 LOC

- **Frontend**

10 routes · shadcn primitives · Framer Motion FLIP animations

- **MagicBlock helpers**

Dual-connection base/ER + router getDelegationStatus

- **Birdeye live prices**

10s polling with seeded-walk fallback + Sonner toast on 401

- **real.ts**

All 18 api functions wired against the on-chain program (zero notWired)

- **Idempotent bootstrap**

init_config + init_ftr_mint script; re-runs detect existing PDAs

- **Vercel deploy**

<https://conviction-nine.vercel.app> — all 7 routes return 200

- **GitHub repo**

11 commits, README + ADRs 0001-0005 + demo recording script

Devnet state, fully bootstrapped.

PROGRAM

Fh6bQUgE35Hq7nP22GZ1Youwnph2UaiEh9xTtDjuHJbH

GameConfig PDA

54Lyv5mQqUm2z5hCp4nzDWSWwRZUViohvRt82kkgeti2

RoundCounter PDA

7tizNzRh66ah4jB4HzEG7nHryNv2hvyV38fb4BPdTkwS

FTR mint (SPL)

21Rki1gfiUYbM4bdyhma4TRWjYeS1SCXNb8ENKqsTr7V

EXPLORER

explorer.solana.com/address/Fh6b...JHJbH?cluster=devnet

Phases 0 → 8, all shipped.

Phase 0	ER / PER / VRF spike — architecture proven	Phase 3	real.ts wire-up against devnet — all 18 functions
Phase A	Conviction MVP deployed to devnet	Phase 4	Birdeye live prices wired into price-chart
Phase B	Frontend with 10 routes + mock-first data layer	Phase 5	On-chain bootstrap (GameConfig + FTR mint)
Phase B+	Per-ix file refactor (50+ files, all ≤ 150 LOC)	Phase 6	Vercel deploy artifacts (live at conviction-nine.vercel.app)
Phase B+2	Spectator trim — 26 → 23 instructions	Phase 7	Spectator mock-data fallback
Phase 1	On-chain gap fixes: fold + leave_match + tick_price persistence	Phase 8	Frontend redesign (mission control, reveal, landing)
Phase 2	Basket-band fix (StopLossRange model)		

Spectator PER-sealed bids.

A prediction market that runs alongside the round.

1. PLACE

Spectators commit a hashed prediction + amount to /spectate/[id]. The bid is sealed behind a PER member-set so the rival can't see the prediction pool.

2. WAIT

Round plays out. Bids stay sealed.

3. REVEAL

At reveal_round, PER opens. Preimages are checked against on-chain outcomes (first-fold, last-holding, chaos-count, perfect-round).

4. SETTLE

Correct bids win the pool (minus a small house cut). FTR minted to top predictors earns the "Whale Watcher" badge.

WHY IT MATTERS

Spectator bids are the second economy. They make the watch-as-good-as-play thesis real.

Token universe governance.

FTR holders curate which SPL mints are eligible to be picked.

- 1. PROPOSE** Any FTR holder calls `proposeAddToken` with a SPL mint address + a short rationale. The proposal hits the chain immediately.
- 2. VOTE** FTR-weighted vote over a 7-day window. `voteOnToken` with `support_yes` / `support_no`. Quorum = 5% of circulating FTR.
- 3. ADD OR REJECT** `tallyTokenProposal` either appends the mint to `TOKEN_UNIVERSE` or rejects. Both branches emit a `ProposalClosed` event.
- 4. CURATED UNIVERSE** Newly added mints are eligible for villains, basket slots, and chaos events from the next round onwards.

WHY IT MATTERS

The 25-token universe isn't a one-time decision — it's a continuous, token-holder-curated feed.

FTR immunity pick.

FTR holders exclude one mint from VRF's reach for the round they vote on.

VRF PICK (default)

Uniform random over 25

Each round, VRF rolls a uniform random index over `TOKEN_UNIVERSE` and the chosen mint becomes the villain.

This is fair and provable, but means any held token can be the villain — including one you're long on.

IMMUNITY PICK (FTR-gated)

One mint excluded per round

Before `requestVillainVrf`, FTR holders vote on a single mint to exclude. The VRF roll skips that index.

FTR concentration creates strategic immunity — long-term holders can protect their position across many rounds.

FLOW

FTR vote → `tallyImmunityPick` → `excludeIndex` → VRF rolls over the filtered universe

The game is the startup pitch.

Every round of Conviction is a 15-minute governance experiment. The winner shapes the next round.

FTR mints create an economy

Players who win rounds accumulate governance weight. Skin in the game.

Baskets diversify risk

A winning meta emerges as FTR holders vote on which tokens belong in TOKEN_UNIVERSE.

Immunity creates moats

Long-term FTR holders can protect their long positions — same mechanic as token-curated registries.

Spectator bids add liquidity

The prediction market becomes the second economy. Whale Watcher badge as reputation.

THANKS · MAGICBLOCK BLITZ V8

Conviction.

Risk duel on Solana · ER · PER · VRF

LIVE conviction-nine.vercel.app

REPO github.com/Rujul-1105/conviction

EXPLORER [Fh6b...JHJbH](#) (devnet)

Rujul · @rujulmatta