

# DTSC 5301 PROJECT

9/2/2021

## Read in Data from GitHub Repository

```
covid_daily_df <- read_csv("https://raw.githubusercontent.com/OpportunityInsights/EconomicTracker/main/d
```

```
## Rows: 30447 Columns: 24
```

```
## -- Column specification -----  
## Delimiter: ","  
## chr (20): new_case_count, new_death_count, case_count, death_count, vaccine_...  
## dbl (4): year, month, day, statefips
```

```
##  
## i Use 'spec()' to retrieve the full column specification for this data.  
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

```
move_daily_df <- read_csv("https://raw.githubusercontent.com/OpportunityInsights/EconomicTracker/main/d
```

```
## Rows: 28611 Columns: 11
```

```
## -- Column specification -----  
## Delimiter: ","  
## chr (2): gps_parks, gps_transit_stations  
## dbl (9): year, month, day, statefips, gps_retail_and_recreation, gps_grocery...
```

```
##  
## i Use 'spec()' to retrieve the full column specification for this data.  
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

```
affinity_daily_df <- read_csv("https://raw.githubusercontent.com/OpportunityInsights/EconomicTracker/ma
```

```
## Rows: 29937 Columns: 28
```

```
## -- Column specification -----  
## Delimiter: ","  
## chr (23): freq, spend_all, spend_aap, spend_acf, spend_aer, spend_apg, spend...  
## dbl (5): year, month, day, statefips, provisional
```

```
##  
## i Use 'spec()' to retrieve the full column specification for this data.  
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

```

job_listings_weekly_df <- read_csv("https://raw.githubusercontent.com/OpportunityInsights/EconomicTracker/main/data/G...

## Rows: 4488 Columns: 17

## -- Column specification -----
## Delimiter: ","
## dbl (17): year, month, day_endofweek, statefips, bg_posts, bg_posts_ss30, bg...

##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.

employment_daily_df <- read_csv("https://raw.githubusercontent.com/OpportunityInsights/EconomicTracker/main/data/G...

## Rows: 27081 Columns: 16

## -- Column specification -----
## Delimiter: ","
## chr (10): emp, emp_incq1, emp_incq2, emp_incq3, emp_incq4, emp_incmiddle, em...
## dbl (6): year, month, day, statefips, emp_incbelowmed, emp_ss70

##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.

ui_claims_weekly_df <- read_csv("https://raw.githubusercontent.com/OpportunityInsights/EconomicTracker/main/data/G...

## Rows: 4437 Columns: 18

## -- Column specification -----
## Delimiter: ","
## chr (6): contclaims_count_peuc, contclaims_count_pua, contclaims_count_comb...
## dbl (12): year, month, day_endofweek, statefips, initclaims_count_regular, c...

##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.

state_id <- read_csv("https://raw.githubusercontent.com/OpportunityInsights/EconomicTracker/main/data/G...

## Rows: 51 Columns: 4

## -- Column specification -----
## Delimiter: ","
## chr (2): statename, stateabbrev
## dbl (2): statefips, state_pop2019

##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.

```

```
#stimulus <- read_csv("")
```

## Join the datasets we're interested in into one dataset.

Here we join the datasets of interest based on a shared date and state of measurements.

```
df <- left_join(affinity_daily_df, move_daily_df, by = c("year", "month", "day", "statefips"))
df <- left_join(df, covid_daily_df, by = c("year", "month", "day", "statefips"))
df <- left_join(df, employment_daily_df, by = c("year", "month", "day", "statefips"))
```

```
## Warning: One or more parsing issues, see 'problems()' for details
```

```
df <- full_join(df, job_listings_weekly_df, by = c("year", "month", "day" = "day_endofweek", "statefips"))
df <- full_join(df, ui_claims_weekly_df, by = c("year", "month", "day" = "day_endofweek", "statefips"))
df <- left_join(df, state_id, by = c("statefips"))
```

## Combine “month”, “day”, and “year” columns into a “date” column

```
# https://tidyr.tidyverse.org/reference/unite.html
df <- df %>% unite("date", day:month:year, remove = FALSE, sep = "-")
```

```
## Warning in x:y: numerical expression has 2 elements: only the first used
```

```
# https://lubridate.tidyverse.org/reference/ymd.html
df$date <- dmy(df$date)
```

```
df <- df %>% mutate(week = week(date))
```

```
# There's definitely a better way to do this, I just don't know what it is.
```

```
df <- df %>%
  select(date, year, month, day, week, statename, stateabbrev, state_pop2019, initclaims_rate_regular,
  mutate(
    spend_all = as.double(spend_all),
    gps_parks = as.double(gps_parks),
    new_case_count = as.double(new_case_count),
    new_death_count = as.double(new_death_count),
    case_count = as.double(case_count),
    death_count = as.double(death_count),
    gps_transit_stations = as.double(gps_transit_stations),
    emp = as.double(emp),
    contclaims_rate_combined = as.double(contclaims_rate_combined)
  )
```

```
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion
```

```
glimpse(df)
```

```
## Rows: 30,345
## Columns: 24
## $ date                <date> 2020-01-01, 2020-01-01, 2020-01-01, 2020-01-~
## $ year                <dbl> 2020, 2020, 2020, 2020, 2020, 2020, 2020, 20~
## $ month               <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, ~
## $ day                 <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, ~
## $ week                <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, ~
## $ statename           <chr> "Alabama", "Alaska", "Arizona", "Arkansas", ~
## $ stateabbrev         <chr> "AL", "AK", "AZ", "AR", "CA", "CO", "CT", "D~
## $ state_pop2019       <dbl> 4903185, 731545, 7278717, 3017804, 39512223, ~
## $ initclaims_rate_regular <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ contclaims_rate_combined <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ bg_posts            <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ emp                 <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ spend_all           <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ gps_retail_and_recreation <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ gps_grocery_and_pharmacy <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ gps_parks           <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ gps_transit_stations <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ gps_workplaces       <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ gps_residential      <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ gps_away_from_home   <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ new_case_count       <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ new_death_count      <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ case_count           <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ death_count          <dbl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
```

```
# https://stackoverflow.com/questions/45576805/how-to-replace-all-na-in-a-dataframe-using-tidyrreplace-
```

```
#length(df$date)
```

```
#colSums(is.na(df))
```

```
df <- df %>% replace(is.na(.), 0)
```

[illegible]













[illegible]









[illegible]







[illegible]

```

## and only the first element will be used

## Warning in if (date <= ymd("2021-03-17")) 0 else 1: the condition has length > 1
## and only the first element will be used

## Warning in if (date <= ymd("2021-03-17")) 0 else 1: the condition has length > 1
## and only the first element will be used

## Warning in if (date <= ymd("2021-03-17")) 0 else 1: the condition has length > 1
## and only the first element will be used

## Warning in if (date <= ymd("2021-03-17")) 0 else 1: the condition has length > 1
## and only the first element will be used

lm <- lm(spend_all ~ 0 + gps_retail_and_recreation + emp + first_check + second_check + third_check, df)
summary(lm)

##
## Call:
## lm(formula = spend_all ~ 0 + gps_retail_and_recreation + emp +
##     first_check + second_check + third_check, data = df_weekly)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.31660 -0.05712 -0.00282  0.04407  0.45022
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## gps_retail_and_recreation  0.358910   0.012564  28.566 < 2e-16 ***
## emp                      0.158098   0.026662   5.930 3.26e-09 ***
## first_check                0.008739   0.002602   3.358 0.000792 ***
## second_check              0.138757   0.004560  30.429 < 2e-16 ***
## third_check               -0.025440   0.004827  -5.270 1.42e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08433 on 4585 degrees of freedom
## Multiple R-squared:  0.562, Adjusted R-squared:  0.5615
## F-statistic: 1177 on 5 and 4585 DF, p-value: < 2.2e-16

view(df_weekly)

```

## Plotting spending over time for all states and categories

The dates for the stimulus checks were approximated from this article.

```


# https://stackoverflow.com/questions/38815996/r-adding-geom-vline-labels-to-geom-histogram-labels

ggplot(df, aes(x = date, y = spend_all)) +
  geom_smooth() +
  geom_vline(xintercept = as.Date("2020-04-12")) +
  geom_vline(xintercept = as.Date("2021-01-01")) +


```

```
geom_vline(xintercept = as.Date("2021-03-01")) +
geom_text(aes(x = as.Date("2020-05-28"), label = "1st Check", color = "red", angle = 45, y = 0) +
geom_text(aes(x = as.Date("2020-11-05"), label = "2nd Check", color = "green", angle = 45, y = -.1) +
geom_text(aes(x = as.Date("2021-04-25"), label = "3rd Check", color = "blue", angle = 45, y = -.1)
```

```
## 'geom_smooth()' using method = 'gam' and formula 'y ~ s(x, bs = "cs")'
```




```
ggplot(df, aes(x = gps_retail_and_recreation, y = gps_parks)) +
  geom_point(aes(color = stateabbrev))
```



# <https://stackoverflow.com/questions/38815996/r-adding-geom-vline-labels-to-geom-histogram-labels>

```
ggplot(df, aes(x = date, y = gps_parks)) +
  geom_smooth() +
  geom_vline(xintercept = as.Date("2020-04-12")) +
  geom_vline(xintercept = as.Date("2021-01-01")) +
  geom_vline(xintercept = as.Date("2021-03-01")) +
  geom_text(aes(x = as.Date("2020-05-28"), label = "1st Check", color = "red", angle = 45, y = 0) +
  geom_text(aes(x = as.Date("2020-11-05"), label = "2nd Check", color = "green", angle = 45, y = -.1) +
  geom_text(aes(x = as.Date("2021-04-25"), label = "3rd Check", color = "blue", angle = 45, y = -.1)
```

## 'geom\_smooth()' using method = 'gam' and formula 'y ~ s(x, bs = "cs")'



```
# https://stackoverflow.com/questions/38815996/r-adding-geom-vline-labels-to-geom-histogram-labels

ggplot(df_weekly, aes(x = date, y = spend_all, color = stateabbrev)) +
  geom_point() +
  facet_wrap(. ~ stateabbrev)
```

