

BATTLE OF NEIGHBORHOODS


Port Elizabeth & Durban City

In South Africa

***** CAPSTONE PROJECT *****

| Data Science | March 2020

PORT ELIZABETH Vs. DURBAN



(Source - <https://afrotourism.com/travelogue/>)

Capstone Project

**** Battle of the Neighborhoods in South Africa ****

Table of Contents

Sr.	Name of Topic	Page No
1	Introduction	2--3
	Business problem	
	Target Audience	
2	Data Requirements	4-5
3	Methodology section.	6-7
4	Results section	8-9
5	Discussion section	10
6	Conclusion section	12

Battle of Neighborhoods of -Port Elizabeth & Durban in South Africa

1. Introduction / Business Problem

- When thinking about relocating to a new city or country for work purposes or to start a new life, or to go for a holiday destination people tend to research areas before moving. This research includes population rate, average house price, school ratings, crime rates, weather conditions, recreational facilities, holiday destinations-tourism, Carnivals and Sports events/activity. etc.
- Based on the above, a search engine algorithm would be an efficient tool to use that will allow users to enter cities and get the neighborhood name that best suits their lifestyle or living conditions.
- In this project, we will study in detail the area classification using foursquare data and machine learning segmentation and clustering. And segment areas of two cities based on the most common places captured from Foursquare.
- This could be done as the **aim** of this Project using an algorithm (*Using segmentation and clustering*) that will perform an extensive analysis on
 1. The similarities and dissimilarities between neighborhoods in the two cities of the user's search criteria, and
 2. Determine which neighborhoods best suits their lifestyle.

For this project, I will be developing a recommendation system using the **Port Elizabeth** and **Durban** cities in South Africa as my search criteria:

**** Brief Information About: Port Elizabeth and Durban ****

- **Port Elizabeth** and **Durban** are two major cities in **South Africa** Both the cities become a center of attention for residential, holiday destinations-tourism, education, job employment, shopping and sports activity. Both cities are well known in South Africa and become the top choice for local and foreign communities. Also for the best holiday destinations in the world because of its Mediterranean climate, vibrant nightlife, Michelin Star restaurants, scenic coastal drives, staggering mountain landscape and friendly people; the latter holds the top spot as a family-friendly destination and for its wonderful beaches and water activities.
-

Port Elizabeth

Port Elizabeth or **The Bay**^[2] (Xhosa: iBhayi; Afrikaans: Die Baai [di ' bɑ: i]) is one of the major cities in South Africa; it is situated in the Eastern Cape Province, 770 km (478 mi) east of Cape Town. The city, often shortened to PE and nicknamed "The Windy City", stretches for 16 km along Algoa Bay, and is one of the major seaports in South Africa. Port Elizabeth is the southernmost large city on the African continent, just farther south than Cape Town. Port Elizabeth was founded as a town in 1820 to house British settlers as a way of strengthening the border region between the Cape Colony and the Xhosa. It now forms part of the Nelson Mandela Bay Metropolitan Municipality, which has a population of over 1.3 million.

(Source - https://en.wikipedia.org/wiki/Port_Elizabeth)

Durban

Durban (Zulu: eThekweni, from itheku meaning "bay/lagoon") is the third most populous city in South Africa—after Johannesburg and Cape Town—and the largest city in the South African province of KwaZulu-Natal. Located on the east coast of South Africa, Durban is famous for being the busiest port in the country. It is also seen as one of the major Centres of tourism because of the city's warm subtropical climate and extensive beaches. Durban forms part of the eThekweni Metropolitan Municipality, which includes neighboring towns and has a population of about 3.44 million,[7] making the combined municipality one of the biggest cities on the Indian Ocean coast of the African continent. It is also the second most important manufacturing hub in South Africa after Johannesburg. In 2015, Durban was recognized as one of the New7Wonders Cities (along with Vigan, Doha, La Paz, Havana, Beirut, and Kuala Lumpur).

(Source - <https://en.wikipedia.org/wiki/Durban>)

****Target Audience****

Through this project we are expecting following people to benefit out of the findings.

1. People migrating city for work.
2. Business person looking for new location to start office etc.
3. Tourist.
4. Restaurants to finalized menu based on the type or people, their likings based on feedbacks etc.
5. Sports Events, Activities Organizers and many more.

2. Data Requirements

Required data can be gathered from:

- **Port Elizabeth** and **Durban City** information, including districts and neighborhoods, can be obtained from Wikipedia:
 - o (Source - https://en.wikipedia.org/wiki/Port_Elizabeth) &
 - o (Source - <https://en.wikipedia.org/wiki/Durban>)
- Photos and Picture of **Port Elizabeth** and **Durban City** used for Presentation from (Source - <https://afrotourism.com/travelogue/>)
- The data used for this project will be acquired from <http://www.sapostalcodes.info>. The datasets consists of the postal codes and suburb names of each city.
- In order to obtain venues and their categories we will use Foursquare API search feature [FOURSQUARE] (<https://foursquare.com/>) will be used to collect neighborhood venue information as well as the longitude and latitude details of each suburb. Details about local venues and locality will provide insight into the qualities of a neighborhood.
- In addition to Foursquare, various python packages will be used to create maps and machine learning models to gather further insights and provide efficient recommendations and results into our neighborhood battle project.

These packages includes:

1. Pandas - Library for Data Analysis
2. NumPy – Library to handle data in a vectorized manner
3. JSON – Library to handle JSON files
4. Geopy – To retrieve Location Data
5. Geocoder - For geolocation of neighborhoods
6. Requests – Library to handle http requests
7. Matplotlib – Python Plotting Module
8. Sklearn – Python machine learning Library
9. Folium – Map rendering Library

Basic Work Flow followed as :

- HTTP requests would be made to this Foursquare API server using postal codes of Port Elizabeth Suburbs and Durban Suburbs to pull out the latitude and longitude which will be used for creation of the map as well data analysis.
- Using credentials Foursquare API search feature would be enabled to collect the nearby places of the suburbs. Due to http request limitations, the number of places per suburb parameter would be set to 100 and the radius parameter would be set to 700.
- Folium- Python visualization library would be used to visualize the suburbs cluster distribution of Port Elizabeth and Durban over an interactive leaflet map.
- Extensive comparative analysis of two suburbs would be carried out to derive the desirable insights from the outcomes using python's scientific libraries Pandas, NumPy and Scikit-learn.
- Unsupervised machine learning algorithm K-mean clustering would be applied to form the clusters of different categories of places residing in and around the neighborhoods. These clusters from each of those two chosen suburbs would be analyzed individually collectively and comparatively to derive the conclusions.

3. Methodology

A Jupyter Notebook developed in order to process data and segment the neighborhoods. Following steps are implemented:

1. Import Libraries

The notebook requires the following libraries. And we have installed it

- Pandas - Library for Data Analysis
- NumPy – Library to handle data in a vectorized manner
- JSON – Library to handle JSON files
- Geopy – To retrieve Location Data
- Geocoder - For geolocation of neighborhoods
- Requests – Library to handle http requests
- Matplotlib – Python Plotting Module
- Sklearn – Python machine learning Library
- Folium – Map rendering Library

2. Build neighborhoods list

A list of Suburb and Postal code information is obtained from <http://www.sapostalcodes.info/> for Port Elizabeth, and Durban city of South Africa That list contains the names of the neighborhoods for both the cities. As output a dataset containing a list of "city, suburb" is build.

3. Neighborhoods geolocation

Every element in the neighborhoods dataset is geolocated using Python Geolocator and two columns are updated Containing the latitude and the longitude coordinates of each city, neighborhood. Also the Geographical coordinate of Port Elizabeth, found out.

4. Find Geographical Coordinates and No of Suburbs

As a next stage, the Geographical coordinate of Port Elizabeth, and Durban city found out. Also the no of suburbs are found out for both the cities.

5. Venues compilation

As next step Foursquare services are used for obtaining venues for every neighborhood. The output is a new dataset with many records for every neighborhood containing the venues found for every one of them.

6. Neighborhoods Segmentation

The problem in hand is a case of unsupervised segmentation and, from the possible machine learning algorithms, K-means was chosen. Taking in account that the venues information obtained from Foursquare is categorical, it must be previously processed in order to be handled by K-means algorithm. For this `"pandas.getdummies"` is used for dummies variables.

Therefore For this unsupervised machine learning algorithm K-mean clustering applied to form the clusters of different categories of places residing in and around the neighborhoods.

Next step is build the segmentation dataframe, composed of the top venues for every neighborhood plus a segment label determined by K-means.

7. Segments analysis

Every segment is printed individually, were different characteristics can be observed for each group. These clusters from each of those two chosen suburbs would be analyzed individually collectively and comparatively to derive the conclusions.

Next section describes the results.

4. Results -

1. Outcomes – Port Elizabeth, South Africa

The K-means method was used to cluster the suburbs of Port Elizabeth city into 5 clusters. The details of the clusters are as follows:

1. **Cluster 1** -25 Suburbs

Common Venues include Restaurants, Coffee Shops, Grocery Store, Nightclubs and Shopping Mall

2. **Cluster 2** - 13 Suburbs

Common Venues include Fast Food Restaurant, Coffee Shops, Bookstores, Restaurants, Clothing Store, and Electronics Store

3. **Cluster 3** – 04 Suburbs

Common Venues include Convenience Store, Coffee Shops, Thai Restaurant, Fast Food Restaurant Pubs, Accessory Stores and Electronics Store

4. **Cluster 4** - 14 Suburbs

Common Venues include Fast Food Restaurants, Winery, Beaches and Cafes, Thai Restaurant, Grocery Store, Department Store

5. **Cluster 5** -1 Suburbs

Common Venues include Thai Restaurant, Grocery Store, Fried Chicken Joint, Fast Food Restaurant, Electronics Store, and Department Store




Fig – Visualization - The Resulting Clusters Of Port Elizabeth City

2. Outcomes – Durban, South Africa

The K-means method was used to cluster the suburbs of Durban into 5 clusters. The details of the clusters are as follows:

1. **Cluster 1** -23 Suburbs

Common Venues include Hotels, Lawyer, Water Park, Gift Shop, Electronics Store, Fast Food Restaurant, Flea Market, Furniture / Home Store, Gas Station, Gastropub, Golf Course.

2. **Cluster 2** -2 Suburbs

Common Venue is Lawyer, Water Park, Gift Shop, Electronics Store, Fast Food Restaurant, Flea Market, Furniture / Home Store, Gas Station, Gastropub, Golf Course.

3. **Cluster 3** - 3 Suburbs

Common Venues include Gastro pub, Department Store, Electronics Store, Fast Food Restaurant, Flea Market, Furniture / Home Store, Gas Station, Gift Shop.

4. **Cluster 4** - 25 Suburbs

Common Venues include Water Park, Gift Shop, Electronics Store, Fast Food Restaurant, Flea Market, Furniture / Home Store, Gas Station, Golf Course.

5. **Cluster 5** - 4 Suburbs

Common Venues include Water Park, Gift Shop, Electronics Store, Fast Food Restaurant, Flea Market, Furniture / Home Store, Gas Station, Golf Course



Fig – Visualization - The Resulting Clusters Of Durban City

5. Discussion section

Port Elizabeth has **47 suburbs** with **76 venues**. In addition, the geographical coordinate of Port Elizabeth, South Africa are -33.9617051, 25.6207519. The best suburb to stay in is **GAMTOOS** with the following venues:

Suburb	GAMTOOS
▪ 1st Most Common Venue	Convenience Store
▪ 2nd Most Common Venue	Thai Restaurant
▪ 3rd Most Common Venue	Clothing Store
▪ 4th Most Common Venue	Grocery Store
▪ 5th Most Common Venue	Gas Station
▪ 6th Most Common Venue	Fried Chicken Joint
▪ 7th Most Common Venue	Fast Food Restaurant
▪ 8th Most Common Venue	Electronics Store
▪ 9th Most Common Venue	Diner
▪ 10th Most Common Venue	Department Store

Durban has **69 suburbs** with **132 venues**. In addition, the geographical coordinate of Durban, South Africa are -29.861825, 31.009909. The best suburb to stay in is **DURBAN INTERNASIONALE LUGHAWE** with the following venues:

Suburb	DURBAN INTERNASIONALE LUGHAWE
▪ 1st Most Common Venue	Airport
▪ 2nd Most Common Venue	Water Park
▪ 3rd Most Common Venue	Gift Shop
▪ 4th Most Common Venue	Electronics Store
▪ 5th Most Common Venue	Fast Food Restaurant
▪ 6th Most Common Venue	Flea Market
▪ 7th Most Common Venue	Furniture / Home Store
▪ 8th Most Common Venue	Gas Station
▪ 9th Most Common Venue	Gastropub
▪ 10th Most Common Venue	Golf Course

Many of the neighborhoods are homogenous and are very similar to each other. Both **Port Elizabeth** and **Durban City** consist of suburb clusters that contain majority of the suburbs.

6. Conclusion section

Durban had a significant more number of suburbs and venues than **Port Elizabeth** therefore it would be the better option to relocate to Durban, specifically **DURBAN INTERNASIONALE LUGHAWE** as the most efficient choice. Durban offers a variety in choices for restaurants, gyms, grocery stores, and Water Park, golf course extracurricular activities for individuals and families.