

Intensificación Colaborativa

Nombre: Rocío


Apellidos: López Moyano

UVUS: roclopmy

Enlace al repositorio de GitHub:

Ejercicio Git

Apartado 1



EGC-2425 Public
forked from EGCETSII/EGC-2425

main 1 Branch 0 Tags

Go to file Add file <> Code

This branch is up to date with EGCETSII/EGC-2425:main .

brgutierrez Introduce a bug in the view_dataset card for the exam by co

- app Introduce a bug in t
- core Initialise base proje
- docker Initialise base proje
- migrations Initialise base project 2 days ago

Clone

Local Codespaces

HTTPS SSH GitHub CLI

git@github.com:RukisRo/EGC-2425.git

Download ZIP

```
practica@pc-13-109: ~/Documentos/Examen
practica@pc-13-109:/home$ cd practica/
practica@pc-13-109:~$ ls
Descargas  Escritorio  Música      Plantillas  snap
Documentos Imágenes   opengnsys.log Público      Videos
practica@pc-13-109:~$ cd Documentos/
practica@pc-13-109:~/Documentos$ ls
Examen
practica@pc-13-109:~/Documentos$ cd Examen/
practica@pc-13-109:~/Documentos/Examen$ git clone git@github.com:RukisRo/EGC-2425.git
Clonando en 'EGC-2425'...
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvV6TuJJhpZisF/zLDA0zPMSvHdKr4UvCoQU.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
remote: Enumerating objects: 342, done.
remote: Counting objects: 100% (342/342), done.
remote: Compressing objects: 100% (231/231), done.
remote: Total 342 (delta 69), reused 338 (delta 67), pack-reused 0 (from 0)
Recibiendo objetos: 100% (342/342), 1.60 MiB | 2.57 MiB/s, listo.
Resolviendo deltas: 100% (69/69), listo.
practica@pc-13-109:~/Documentos/Examen$
```

Ejercicio Git

Apartado 2

```
practica@pc-13-109:~/Documentos/Examen$ cd EGC-2425/
practica@pc-13-109:~/Documentos/Examen/EGC-2425$ cp .env.local.example .env
practica@pc-13-109:~/Documentos/Examen/EGC-2425$ echo "webhook" > .moduleignore
practica@pc-13-109:~/Documentos/Examen/EGC-2425$ python3.12 -m venv venv
practica@pc-13-109:~/Documentos/Examen/EGC-2425$ source venv/bin/activate
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425$ flask db upgrade
No se ha encontrado la orden «flask», pero se puede instalar con:
sudo apt install python3-flask
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425$ pip install --upgrade pi
Requirement already satisfied: pip in ./venv/lib/python3.12/site-packages (24.3.1)
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425$ pip install -r requirements.txt
Collecting afmparser==1.0.3 (from -r requirements.txt (line 1))
  Downloading afmparser-1.0.3-py3-none-any.whl.metadata (3.1 kB)
```

```
3-2.2.2 uvlpaser-2.0.1 webdriver-manager-4.0.1 websocket-client-1.8.0 wheel-0.4
3.0 wsproto-1.2.0 zope.event-5.0 zope.interface-6.4.post2 zstandard-0.22.0
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425$ pip install -e ./
Obtaining file:///home/practica/Documentos/Examen/EGC-2425
  Preparing metadata (setup.py) ... done
Requirement already satisfied: click in ./venv/lib/python3.12/site-packages (from
```

```
or enable --use-pep517, and use setuptools >= 64. If the resulting installation
is not behaving as expected, try using --config-settings editable_mode=compat.
Please consult the setuptools documentation for more information. Discussion can
be found at https://github.com/pypa/pip/issues/11457
Running setup.py develop for rosemary
Successfully installed rosemary-0.1.0
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425$ flask db upgrade
INFO [alembic.runtime.migration] Context impl MySQLImpl.
INFO [alembic.runtime.migration] Will assume non-transactional DDL.
INFO [alembic.runtime.migration] Running upgrade -> 001, first migration
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425$ rosemary db:seed
Seeding data for all modules...
AuthSeeder performed.
DataSetSeeder performed.
FeatureModelSeeder performed.
FlamapySeeder performed.
WebhookSeeder performed.
HubfileSeeder performed.
Database populated with test data.
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425$ flask run --host=0.0.0.0
--reload --debug
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.
```

Para este ejercicio he creado el entorno e instalado las dependencias del mismo y poblado la base de datos. Por último se ha lanzado la aplicación.

Ejercicio Git

Apartado 2

The screenshot displays the uvlhub.io website interface. The browser's address bar shows 'localhost:5000'. The website has a dark blue sidebar on the left with the uvlhub.io logo and navigation links: Datasets, Home, Explore, Team, Let's get started!, Login, and Sign Up. The main content area is light gray and features a search bar at the top right. Below the search bar, there are three dataset cards under the heading 'Latest datasets'. Each card includes a title (Sample dataset 4, Sample dataset 3, Sample dataset 2), a timestamp (January 10, 2025 at 03:21 PM), a description, an author (Author 4, Author 3, Author 2), a DOI link, tags (tag1, tag2), and buttons for 'View dataset' and 'Download (1.21 KB)'. To the right of the dataset cards, there is a 'Hub statistics' section showing 4 datasets, 12 feature models, 0 datasets viewed, 0 feature models viewed, 0 datasets downloaded, and 0 feature models downloaded. Below the statistics is a 'Related publication' section with a text block and two buttons: 'Copy in BibTex' and 'Copy in RIS'. At the bottom right, there is a 'Let's get started!' section with a text block and a 'Sign up' button.

uvlhub.io

Search datasets...

Login Sign up

Latest datasets

Sample dataset 4

January 10, 2025 at 03:21 PM

Description for dataset 4

Author 4 (Affiliation 4) (0000-0000-0000-0003)
<http://localhost:5000/doi/10.1234/dataset4>

tag1 tag2

[View dataset](#) [Download \(1.21 KB\)](#)

Sample dataset 3

January 10, 2025 at 03:21 PM

Description for dataset 3

Author 3 (Affiliation 3) (0000-0000-0000-0002)
<http://localhost:5000/doi/10.1234/dataset3>

tag1 tag2

[View dataset](#) [Download \(1.21 KB\)](#)

Sample dataset 2

January 10, 2025 at 03:21 PM

Description for dataset 2

Hub statistics

- 4 datasets
- 12 feature models
- 0 datasets viewed
- 0 feature models viewed
- 0 datasets downloaded
- 0 feature models downloaded

Related publication

David Romero-Organvdez, José A. Galindo, Chico Sundermann, Jose-Miguel Horcas, David Benavides. *UVLHub: A feature model data repository using UVL and open science principles*, Journal of Systems and Software, 2024, 112150, ISSN 0164-1212, <https://doi.org/10.1016/j.jss.2024.112150>

[Copy in BibTex](#) [Copy in RIS](#)

Let's get started!

What are you waiting for to upload your fantastic feature models in UVL format?

[Sign up](#)

Ejercicio Git

Apartado 3

```
1 file changed, 1 insertion(+)  
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git checkout feature/init-bug  
rama 'feature/init-bug' configurada para rastrear 'origin/feature/init-bug'.  
Cambiado a nueva rama 'feature/init-bug'  
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git branch  
* feature/init-bug  
main  
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ flask run --host=0.0.0.0 --reload --debug  
Traceback (most recent call last):  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/bin/flask", line 8, in <module>  
    sys.exit(main())  
    ^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/flask/cli.py", line 1105, in main  
    cli.main()  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/click/core.py", line 1078, in main  
    rv = self.invoke(ctx)  
    ^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/click/core.py", line 1688, in invoke  
    return _process_result(sub_ctx.command.invoke(sub_ctx))  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/click/core.py", line 1434, in invoke  
    return ctx.invoke(self.callback, **ctx.params)  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/click/core.py", line 783, in invoke  
    return _callback(*args, **kwargs)  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/click/decorators.py", line 92, in new_func  
    return ctx.invoke(f, obj, *args, **kwargs)  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/click/core.py", line 783, in invoke  
    return _callback(*args, **kwargs)  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/flask/cli.py", line 953, in run_command  
    raise e from None  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/flask/cli.py", line 937, in run_command  
    app: WSGIApplication = info.load_app()  
    ^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/flask/cli.py", line 339, in load_app  
    app = locate_app(import_name, None, raise_if_not_found=False)  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/venv/lib/python3.12/site-packages/flask/cli.py", line 245, in locate_app  
    __import__(module_name)  
  File "/home/practica/Documentos/Examen/EGC-2425-Examen/app/__init__.py", line 70, in <module>  
    app = create_app()  
    ^^^^^^^^^  
NameError: name 'create_app' is not defined  
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$
```

Ejercicio Git

Apartado 4

Bug: Corrección del error #1

[Edit](#)[New issue](#)

RukisRo opened this issue 1 minute ago · 0 comments



RukisRo commented 1 minute ago

Owner



Debería encontrar un error debido a que alguien ha comentado accidentalmente la función `create_app` en el archivo `app/init.py`.

Log del error:

```
import(module_name)
```

```
File "/home/practica/Documentos/Examen/EGC-2425-Examen/app/init.py", line 70, in
```

```
app = create_app()
```

```
^^^^^^^^
```

```
NameError: name 'create_app' is not defined
```



RukisRo added the `bug` label 1 minute ago



RukisRo self-assigned this 1 minute ago

Assignees



RukisRo

Labels



`bug`

Projects



None yet

Milestone



No milestone

Development




[Create a branch](#) for this issue or link a pull request.

Notifications

[Customize](#)

Ejercicio Git

Apartado 5



```
(venv) practica@pc-13-109: ~/Documentos/Examen/EGC-2425-Examen$ git pull
Desde github.com:RukisRo/EGC-2425-Examen
* [nueva rama]      fix/app-init -> origin/fix/app-init
Ya está actualizado.
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git checkout fix/app-init
rama 'fix/app-init' configurada para rastrear 'origin/fix/app-init'.
Cambiado a nueva rama 'fix/app-init'
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git branch
  feature/init-bug
* fix/app-init
  main
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$
```

Tras cambiar de rama se descomenta el código:

```
21
22
23 def create_app(config_name='development'):
24     app = Flask(__name__)
25
26     # Load configuration according to environment
27     config_manager = ConfigManager(app)
28     config_manager.load_config(config_name=config_name)
29
30     # Initialize SQLAlchemy and Migrate with the app
31     db.init_app(app)
32     migrate.init_app(app, db)
33
34     # Register modules
35     module_manager = ModuleManager(app)
```

Ejercicio Git

Apartado 5

```
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git status
(En la rama fix/app-init
o: Tu rama está actualizada con 'origin/fix/app-init'.

Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
      modificados:   app/__init__.py

sin cambios agregados al commit (usa "git add" y/o "git commit -a")
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git add .
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git commit -m "Bug: Se descomenta la funcion create_app"
[fix/app-init 8e76242] Bug: Se descomenta la funcion create_app
 1 file changed, 2 insertions(+), 2 deletions(-)
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git push
Enumerando objetos: 7, listo.
Contando objetos: 100% (7/7), listo.
Compresión delta usando hasta 16 hilos
Comprimiendo objetos: 100% (3/3), listo.
Escribiendo objetos: 100% (4/4), 489 bytes | 489.00 KiB/s, listo.
Total 4 (delta 2), reused 2 (delta 1), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:RukisRo/EGC-2425-Examen.git
 02d2aef..8e76242  fix/app-init -> fix/app-init
```


Ejercicio Git

Apartado 6

Bug: Se descomenta la funcion create_app #2

Edit < > Code

Open RukisRo wants to merge 1 commit into `feature/init-bug` from `fix/app-init`

Conversation 0

Commits 1

Checks 0

Files changed 1

+2 -2



RukisRo commented now

Owner ...

Se descomenta la funcion create_app de --init-- para solucionar el error reportado en la issue #1



Bug: Se descomenta la funcion create_app

8e76242

RukisRo added the `bug` label now

RukisRo self-assigned this now

Reviewers

No reviews

Still in progress? [Convert to draft](#)

Assignees

RukisRo

Labels

bug

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet



Require approval from specific reviewers before merging

[Rulesets](#) ensure specific people approve pull requests before they're merged.

Add rule



This branch has no conflicts with the base branch


Merging can be performed automatically.

Merge pull request

or view [command line instructions](#).

Ejercicio Git

Apartado 7



```
error: ruta especificada 'feature/conflicto' no concordo con ningun archivo conocido por git
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Desempaquetando objetos: 100% (1/1), 942 bytes | 942.00 KiB/s, listo.
Desde github.com:RukisRo/EGC-2425-Examen
* [nueva rama]      feature/conflicto -> origin/feature/conflicto
  02d2aef..ed0fede feature/init-bug -> origin/feature/init-bug
Ya está actualizado.
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git checkout feature/conflicto
rama 'feature/conflicto' configurada para rastrear 'origin/feature/conflicto'.
Cambiado a nueva rama 'feature/conflicto'
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git branch
* feature/conflicto
  feature/init-bug
  fix/app-init
  main
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$
```

Ejercicio Git

Apartado 7

```
config_manager.load_config(config_name=config_name)

# Initialize SQLAlchemy and Migrate with the app
db.init_app(app, uri=os.getenv('DB_CONNECTION_STRING'))
migrate.init_app(app, db)

# Register modules
```

```
main
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git status
En la rama feature/conflicto
Tu rama está actualizada con 'origin/feature/conflicto'.

Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
    modificados:   app/__init__.py

sin cambios agregados al commit (usa "git add" y/o "git commit -a")
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git add .
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git commit -m "Cambio en db.init.app"
[feature/conflicto e46e83e] Cambio en db.init.app
 1 file changed, 1 insertion(+), 1 deletion(-)
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git push
Enumerando objetos: 7, listo.
Contando objetos: 100% (7/7), listo.
Compresión delta usando hasta 16 hilos
Comprimiendo objetos: 100% (4/4), listo.
Escribiendo objetos: 100% (4/4), 497 bytes | 497.00 KiB/s, listo.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:RukisRo/EGC-2425-Examen.git
   8e76242..e46e83e  feature/conflicto -> feature/conflicto
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$
```

Ejercicio Git

Apartado 7

```
8e70242..e40e83e feature/conflicto -> feature/conflicto
nit(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git checkout fix/app-init
og: Cambiado a rama 'fix/app-init'
Tu rama está actualizada con 'origin/fix/app-init'.
use(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git branch
se: feature/conflicto
dul feature/init-bug
.qi * fix/app-init
main
```

```
config_manager.load_config(config_name=config_name)

# Initialize SQLAlchemy and Migrate with the app
db.init_app(db.init_app(app, uri=os.getenv('DATABASE_URI')))
```

```
migrate.init_app(app, db)

# Register modules
module_manager = ModuleManager(app)
```

Ejercicio Git

Apartado 7

```
Math
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git status
(En la rama fix/app-init
Tu rama está actualizada con 'origin/fix/app-init'.

Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
      modificados:      app/__init__.py

sin cambios agregados al commit (usa "git add" y/o "git commit -a")
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git add .
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git commit -m "Cambio en el db.init_app config"
[fix/app-init 0ce7f8a] Cambio en el db.init_app config
 1 file changed, 1 insertion(+), 1 deletion(-)
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git push
Enumerando objetos: 7, listo.
Contando objetos: 100% (7/7), listo.
Compresión delta usando hasta 16 hilos
Comprimiendo objetos: 100% (4/4), listo.
Escribiendo objetos: 100% (4/4), 512 bytes | 512.00 KiB/s, listo.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:RukisRo/EGC-2425-Examen.git
   8e76242..0ce7f8a  fix/app-init -> fix/app-init
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$
```

Ejercicio Git

Apartado 7

```
28 config_manager = ConfigManager(app)
29 config_manager.load_config(config_name=config_name)
30
31 # Initialize SQLAlchemy and Migrate with the app
32 Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
33 <<<<<< HEAD (Current Change)
34 db.init_app(db.init_app(app, uri=os.getenv('DATABASE_URI'))))
35 =====
36 db.init_app(app, uri=os.getenv('DB_CONNECTION_STRING'))
37 >>>>>> feature/conflicto (Incoming Change)
38 migrate.init_app(app, db)
39
40 # Register modules
41 module_manager = ModuleManager(app)
42 module_manager.register_modules()
43
44 # Register login manager
45 from flask_login import LoginManager
46 login_manager = LoginManager()
47 login_manager.init_app(app)
48 login_manager.login_view = "auth.login"
```

```
Incoming 0 e46e83e · refs/remotes/origin/feature/conflicto, refs/heads/feature/conflicto
23 def create_app(config_name='development'):
24     app = Flask(__name__)
25
26     # Load configuration according to environment
27     config_manager = ConfigManager(app)
28     config_manager.load_config(config_name=config_name)
29
30     # Initialize SQLAlchemy and Migrate with the app
31     db.init_app(app, uri=os.getenv('DB_CONNECTION_STRING'))
32     migrate.init_app(app, db)
33
34     # Register modules
35
36     # Register login manager
37     from flask_login import LoginManager
38     login_manager = LoginManager()
39     login_manager.init_app(app)
40     login_manager.login_view = "auth.login"
```

```
Current 0 0ce7f8a · refs/heads/fix/app-init, refs/remotes/origin/fix/app-init
23 def create_app(config_name='development'):
24     app = Flask(__name__)
25
26     # Load configuration according to environment
27     config_manager = ConfigManager(app)
28     config_manager.load_config(config_name=config_name)
29
30     # Initialize SQLAlchemy and Migrate with the app
31     db.init_app(db.init_app(app, uri=os.getenv('DATABASE_URI'))))
32     migrate.init_app(app, db)
33
34     # Register modules
```

Result app/_init_.py

```
23 def create_app(config_name='development'):
24     app = Flask(__name__)
25
26     # Load configuration according to environment
27     config_manager = ConfigManager(app)
28     config_manager.load_config(config_name=config_name)
29
30     # Initialize SQLAlchemy and Migrate with the app
31     db.init_app(db.init_app(app, uri=os.getenv('DATABASE_URI')), uri=os.getenv('DB_CONNECTION_STRING'))
32     migrate.init_app(app, db)
33
34     # Register modules
35     module_manager = ModuleManager(app)
36     module_manager.register_modules()
37
38     # Register login manager
39     from flask_login import LoginManager
40     login_manager = LoginManager()
41     login_manager.init_app(app)
```

0 Conflicts Remaining

Complete Merge

Ejercicio Git

Apartado 7

```
27 config_manager = ConfigManager(app)
28 config_manager.load_config(config_name=config_name)
29
30 # Initialize SQLAlchemy and Migrate with the app
31 db.init_app(db.init_app(app, uri=os.getenv('DATABASE_URI')), uri=os.getenv('DB_CONNECTION_STRING'))
32 migrate.init_app(app, db)
33
34 # Register modules
35 module_manager = ModuleManager(app)
```

```
• practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git status
En la rama fix/app-init
Tu rama está actualizada con 'origin/fix/app-init'.

Todos los conflictos resueltos pero sigues fusionando.
(usa "git commit" para concluir la fusión)

Cambios a ser confirmados:
  modificados:   app/__init__.py

• practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git commit -m "Se mantienen ambas configuraciones"
[fix/app-init a3718a1] Se mantienen ambas configuraciones
• practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git push
Enumerando objetos: 10, listo.
Contando objetos: 100% (10/10), listo.
Compresión delta usando hasta 16 hilos
Comprimiendo objetos: 100% (4/4), listo.
Escribiendo objetos: 100% (4/4), 509 bytes | 509.00 KiB/s, listo.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:RukisRo/EGC-2425-Examen.git
   0ce7f8a..a3718a1  fix/app-init -> fix/app-init
• practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$
```


Ejercicio GitHub Actions

Apartado 1

```
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git checkout config/ci
rama 'config/ci' configurada para rastrear 'origin/config/ci'.
Cambiado a nueva rama 'config/ci'
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git branch
* config/ci
feature/conflicto
feature/init-bug
fix/app-init
main
```

```
uses: actions/checkout@v1

- uses: actions/setup-python@v5
  with:
    python-version: '3.11'

- name: Prepare environment
```


Ejercicio GitHub Actions

Apartado 1

```
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git checkout config/ci
rama 'config/ci' configurada para rastrear 'origin/config/ci'.
Cambiado a nueva rama 'config/ci'
(venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git branch
* config/ci
feature/conflicto
feature/init-bug
fix/app-init
main
```

```
uses: actions/checkout@v1

- uses: actions/setup-python@v5
  with:
    python-version: '3.11'

- name: Prepare environment
```

Ejercicio GitHub Actions

Apartado 2

```
0   outdated_dependencies:
1     runs-on: ubuntu-latest
2
3     needs: pytest
4
5     steps:
6     - uses: actions/checkout@v4
7
8     - name: Install dependencies
9       run: |
10         python -m pip install --upgrade pip
11         pip install -r requirements.txt
12
13
```

```
• (venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git status
En la rama config/ci
Tu rama está actualizada con 'origin/config/ci'.

Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
    modificados:   .github/workflows/ejercicio_ci.yml

sin cambios agregados al commit (usa "git add" y/o "git commit -a")
• (venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git add .
• (venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git commit -m "cambiada la version y añadido nuevo job"
[config/ci fdcd60] cambiada la version y añadido nuevo job
 1 file changed, 16 insertions(+), 2 deletions(-)
• (venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git push
Enumerando objetos: 9, listo.
Contando objetos: 100% (9/9), listo.
Compresión delta usando hasta 16 hilos
Comprimiendo objetos: 100% (3/3), listo.
Escribiendo objetos: 100% (5/5), 482 bytes | 482.00 KiB/s, listo.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:RukisRo/EGC-2425-Examen.git
 44fe92f..fdcd60  config/ci -> config/ci
```

Ejercicio GitHub Actions

Apartado 3

Ejercicio Pruebas

Apartado 1

Ejercicio Pruebas

Apartado 2

Ejercicio Pruebas

Apartado 3

Ejercicio Pruebas

Apartado 4

Ejercicio Pruebas

Apartado 5

Ejercicio Docker

Apartado 1

```
038197d..0f66817 config/ci -> config/ci
• (venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git checkout chore/docker
rama 'chore/docker' configurada para rastrear 'origin/chore/docker'.
Cambiado a nueva rama 'chore/docker'
• (venv) practica@pc-13-109:~/Documentos/Examen/EGC-2425-Examen$ git branch
* chore/docker
  config/ci
  feature/conflicto
  feature/init-bug
  fix/app-init
  main
```

```
cp .env.docker.example .env
sudo docker compose -f <ruta del archivo docker> up -d
Si da error por mariadb: sudo systemctl stop mariadb
sudo docker ps
Ir a: http://localhost
```

Ejercicio Docker

Apartado 1

The screenshot displays the UVLHub.io website interface. On the left is a dark sidebar with the UVLHub.io logo and navigation links: Home, Explore, Team, Login, and Sign Up. The main content area has a light blue header with a search bar and 'Login'/'Sign up' links. Below the header, the 'Latest datasets' section features three dataset cards. Each card includes a title, date, description, author information, a DOI link, tags, and buttons for 'View dataset' and 'Download (1.21 KB)'. To the right of the datasets are two summary boxes: 'Hub statistics' showing 4 datasets, 12 feature models, and 0 views/downloads; and 'Related publication' listing a paper by David Romero-Organvitez et al. at the bottom right is an orange 'Let's get started!' box with a 'Sign up' button.

uvlhub.io

Search datasets...

Login Sign up

Latest datasets

Sample dataset 4

January 10, 2025 at 04:47 PM

Description for dataset 4

Author 4 (Affiliation 4) (0000-0000-0000-0003)

<http://localhost/doi/10.1234/dataset4>

tag1 tag2

[View dataset](#) [Download \(1.21 KB\)](#)

Sample dataset 3

January 10, 2025 at 04:47 PM

Description for dataset 3

Author 3 (Affiliation 3) (0000-0000-0000-0002)

<http://localhost/doi/10.1234/dataset3>

tag1 tag2

[View dataset](#) [Download \(1.21 KB\)](#)

Sample dataset 2

January 10, 2025 at 04:47 PM

Description for dataset 2

Hub statistics

- 4 datasets
- 12 feature models
- 0 datasets viewed
- 0 feature models viewed
- 0 datasets downloaded
- 0 feature models downloaded

Related publication

David Romero-Organvitez, José A. Galindo, Chico Sundermann, Jose-Miguel Horcas, David Benavides. *UVLHub: A feature model data repository using UVL and open science principles*, Journal of Systems and Software, 2024, 112150, ISSN 0164-1212, <https://doi.org/10.1016/j.jss.2024.112150>

[Copy in BibTex](#) [Copy in RIS](#)

Let's get started!

What are you waiting for to upload your fantastic feature models in UVL format?

[Sign up](#)

Ejercicio Vagrant

Apartado 1