Curl

```
curl -X 'GET' \
  'http://localhost:5102/api/Products' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5102/api/Products
```

Server response

Code	Details
200	Response body

```
[
  {
    "id": 1,
    "name": "Laptop",
    "category": "Electronics",
    "price": 10000000,
    "stockQuantity": 10
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Mon,23 Mar 2026 06:45:37 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	*No links*

POST /api/Products

Parameters

Cancel

Reset

No parameters

Request body

application/json

Edit Value | Schema

```
{
  "id": 0,
  "name": "Bike",
  "category": "AutoMobile",
  "price": 125000,
  "stockQuantity": 10
}
```

Execute

Curl

```
curl -X 'POST' \
  'http://localhost:5102/api/Products' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 0,
  "name": "Bike",
  "category": "AutoMobile",
  "price": 125000,
  "stockQuantity": 10
}'
```

Request URL

```
http://localhost:5102/api/Products
```

Server response

Code	Details
200	Response body

```
{
  "id": 4,
  "name": "Bike",
  "category": "AutoMobile",
  "price": 125000,
  "stockQuantity": 10
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Mon,23 Mar 2026 06:46:59 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	*No links*

GET /api/Products/{id}

Parameters

Cancel

Name	Description
id * required integer($int32) (path)	1

Execute

Responses

Code	Description	Links
200	OK	No links

Curl

```
curl -X 'GET' \
  'http://localhost:5102/api/Products/1' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5102/api/Products/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "name": "Laptop",
  "category": "Electronics",
  "price": 10000000,
  "stockQuantity": 10
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Mon,23 Mar 2026 06:47:51 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	*No links*

PUT /api/Products/{id}

Parameters

Cancel Reset

Name	Description
id * required integer($int32) (path)	1

Request body

application/json

Edit Value | Schema

```
{
  "id": 0,
  "name": "HP Pavilion",
  "category": "Electronics",
  "price": 85000,
  "stockQuantity": 4
}
```

Execute

Curl

```
curl -X 'PUT' \
  'http://localhost:5102/api/Products/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 0,
  "name": "HP Pavilion",
  "category": "Electronics",
  "price": 85000,
  "stockQuantity": 4
}'
```

Request URL

```
http://localhost:5102/api/Products/1
```

Server response

Code	Details
200	Response body

```
{
  "id": 1,
  "name": "HP Pavilion",
  "category": "Electronics",
  "price": 85000,
  "stockQuantity": 4
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Mon,23 Mar 2026 06:49:01 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	*No links*

DELETE /api/Products/{id}

Parameters

Cancel

Name	Description
id * required integer($int32) (path)	1

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:5102/api/Products/1' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5102/api/Products/1
```

Server response

Code	Details

200	Response headers
	`content-length: 0`
	`date: Mon,23 Mar 2026 06:49:44 GMT`
	`server: Kestrel`

Responses

Code	Description	Links
200	OK	*No links*