

Rules for integrands of the form $u (a + b \operatorname{ArcSech}[c + d x])^p$

1. $\int (a + b \operatorname{ArcSec}[c + d x])^p dx$

1: $\int \operatorname{ArcSec}[c + d x] dx$

Reference: G&R 2.821.2, CRC 445, A&S 4.4.62

Reference: G&R 2.821.1, CRC 446, A&S 4.4.61

Derivation: Integration by parts

Rule:

$$\int \operatorname{ArcSec}[c + d x] dx \rightarrow \frac{(c + d x) \operatorname{ArcSec}[c + d x]}{d} - \int \frac{1}{(c + d x) \sqrt{1 - \frac{1}{(c + d x)^2}}} dx$$

Program code:

```
Int[ArcSec[c_+d_.*x_],x_Symbol] :=
  (c+d*x)*ArcSec[c+d*x]/d -
  Int[1/((c+d*x)*Sqrt[1-1/(c+d*x)^2]),x] /;
FreeQ[{c,d},x]
```

```
Int[ArcCsc[c_+d_.*x_],x_Symbol] :=
  (c+d*x)*ArcCsc[c+d*x]/d +
  Int[1/((c+d*x)*Sqrt[1-1/(c+d*x)^2]),x] /;
FreeQ[{c,d},x]
```

2: $\int (a + b \operatorname{ArcSec}[c + d x])^p dx$ when $p \in \mathbb{Z}^+$

Derivation: Integration by substitution

Rule: If $p \in \mathbb{Z}^+$, then

$$\int (a + b \operatorname{ArcSec}[c + d x])^p dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int (a + b \operatorname{ArcSec}[x])^p dx, x, c + d x\right]$$

Program code:

```
Int[(a_.+b_.*ArcSec[c_.+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(a+b*ArcSec[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[p,0]
```

```
Int[(a_.+b_.*ArcCsc[c_.+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(a+b*ArcCsc[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d},x] && IGtQ[p,0]
```

U: $\int (a + b \operatorname{ArcSec}[c + d x])^p dx$ when $p \notin \mathbb{Z}^+$

Rule: If $p \notin \mathbb{Z}^+$, then

$$\int (a + b \operatorname{ArcSec}[c + d x])^p dx \rightarrow \int (a + b \operatorname{ArcSec}[c + d x])^p dx$$

Program code:

```
Int[(a_.+b_.*ArcSec[c_.+d_.*x_])^p_,x_Symbol] :=
  Unintegrable[(a+b*ArcSec[c+d*x])^p,x] /;
FreeQ[{a,b,c,d,p},x] && Not[IGtQ[p,0]]
```

```

Int[(a_.+b_.*ArcCsc[c_+d_.*x_])^p_,x_Symbol] :=
  Unintegrable[(a+b*ArcCsc[c+d*x])^p,x] /;
  FreeQ[{a,b,c,d,p},x] && Not[IGtQ[p,0]]

```

$$2. \int (e + f x)^m (a + b \operatorname{ArcSec}[c + d x])^p dx$$

$$1: \int (e + f x)^m (a + b \operatorname{ArcSec}[c + d x])^p dx \text{ when } d e - c f = 0 \wedge p \in \mathbb{Z}^+$$

Derivation: Integration by substitution

Rule: If $d e - c f = 0 \wedge p \in \mathbb{Z}^+$, then

$$\int (e + f x)^m (a + b \operatorname{ArcSec}[c + d x])^p dx \rightarrow \frac{1}{d} \operatorname{Subst}\left[\int \left(\frac{f x}{d}\right)^m (a + b \operatorname{ArcSec}[x])^p dx, x, c + d x\right]$$

Program code:

```

Int[(e_.+f_.*x_)^m_.*(a_.+b_.*ArcSec[c_+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(f*x/d)^m*(a+b*ArcSec[x])^p,x],x,c+d*x] /;
  FreeQ[{a,b,c,d,e,f,m},x] && EqQ[d*e-c*f,0] && IGtQ[p,0]

```

```

Int[(e_.+f_.*x_)^m_.*(a_.+b_.*ArcCsc[c_+d_.*x_])^p_,x_Symbol] :=
  1/d*Subst[Int[(f*x/d)^m*(a+b*ArcCsc[x])^p,x],x,c+d*x] /;
  FreeQ[{a,b,c,d,e,f,m},x] && EqQ[d*e-c*f,0] && IGtQ[p,0]

```

$$2: \int (e + f x)^m (a + b \operatorname{ArcSec}[c + d x])^p dx \text{ when } p \in \mathbb{Z}^+ \wedge m \in \mathbb{Z}$$

Derivation: Integration by substitution

Basis: If $m \in \mathbb{Z}$, then

$$(e + f x)^m F[\text{ArcSec}[c + d x]] = \frac{1}{d^{m+1}} \text{Subst}[F[x] \text{Sec}[x] \text{Tan}[x] (d e - c f + f \text{Sec}[x])^m, x, \text{ArcSec}[c + d x]] \partial_x \text{ArcSec}[c + d x]$$

Rule: If $p \in \mathbb{Z}^+ \wedge m \in \mathbb{Z}$, then

$$\int (e + f x)^m (a + b \text{ArcSec}[c + d x])^p dx \rightarrow \frac{1}{d^{m+1}} \text{Subst}\left[\int (a + b x)^p \text{Sec}[x] \text{Tan}[x] (d e - c f + f \text{Sec}[x])^m dx, x, \text{ArcSec}[c + d x]\right]$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*(a_.+b_.*ArcSec[c_+d_.*x_])^p_.,x_Symbol] :=
  1/d^(m+1)*Subst[Int[(a+b*x)^p*Sec[x]*Tan[x]*(d*e-c*f+f*Sec[x])^m,x],x,ArcSec[c+d*x]] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[p,0] && IntegerQ[m]
```

```
Int[(e_.+f_.*x_)^m_.*(a_.+b_.*ArcCsc[c_+d_.*x_])^p_.,x_Symbol] :=
  -1/d^(m+1)*Subst[Int[(a+b*x)^p*Csc[x]*Cot[x]*(d*e-c*f+f*Csc[x])^m,x],x,ArcCsc[c+d*x]] /;
FreeQ[{a,b,c,d,e,f},x] && IGtQ[p,0] && IntegerQ[m]
```

3: $\int (e + f x)^m (a + b \text{ArcSec}[c + d x])^p dx$ when $p \in \mathbb{Z}^+$

Derivation: Integration by substitution

Rule: If $p \in \mathbb{Z}^+$, then

$$\int (e + f x)^m (a + b \text{ArcSec}[c + d x])^p dx \rightarrow \frac{1}{d} \text{Subst}\left[\int \left(\frac{d e - c f}{d} + \frac{f x}{d}\right)^m (a + b \text{ArcSec}[x])^p dx, x, c + d x\right]$$

Program code:

```
Int[(e_.+f_.*x_)^m_.*(a_.+b_.*ArcSec[c_+d_.*x_])^p_.,x_Symbol] :=
  1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(a+b*ArcSec[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[p,0]
```

```
Int[(e_.+f_.**x_)^m_.*(a_.+b_.**ArcCsc[c_.+d_.**x_])^p_,x_Symbol] :=
  1/d*Subst[Int[((d*e-c*f)/d+f*x/d)^m*(a+b*ArcCsc[x])^p,x],x,c+d*x] /;
FreeQ[{a,b,c,d,e,f,m},x] && IGtQ[p,0]
```

U: $\int (e + f x)^m (a + b \operatorname{ArcSec}[c + d x])^p dx$ when $p \notin \mathbb{Z}^+$

Rule: If $p \notin \mathbb{Z}^+$, then

$$\int (e + f x)^m (a + b \operatorname{ArcSec}[c + d x])^p dx \rightarrow \int (e + f x)^m (a + b \operatorname{ArcSec}[c + d x])^p dx$$

Program code:

```
Int[(e_.+f_.**x_)^m_.*(a_.+b_.**ArcSec[c_.+d_.**x_])^p_,x_Symbol] :=
  Unintegrable[(e+f*x)^m*(a+b*ArcSec[c+d*x])^p,x] /;
FreeQ[{a,b,c,d,e,f,m,p},x] && Not[IGtQ[p,0]]
```

```
Int[(e_.+f_.**x_)^m_.*(a_.+b_.**ArcCsc[c_.+d_.**x_])^p_,x_Symbol] :=
  Unintegrable[(e+f*x)^m*(a+b*ArcCsc[c+d*x])^p,x] /;
FreeQ[{a,b,c,d,e,f,m,p},x] && Not[IGtQ[p,0]]
```

Rules for integrands involving inverse secants and cosecants

1: $\int u \operatorname{ArcSec} \left[\frac{c}{a + b x^n} \right]^m dx$

Derivation: Algebraic simplification

Basis: $\operatorname{ArcSec} [z] == \operatorname{ArcCos} \left[\frac{1}{z} \right]$

Rule:

$$\int u \operatorname{ArcSec} \left[\frac{c}{a + b x^n} \right]^m dx \rightarrow \int u \operatorname{ArcCos} \left[\frac{a}{c} + \frac{b x^n}{c} \right]^m dx$$

Program code:

```
Int[u_.*ArcSec[c_./(a_.+b_.*x_^n_.)]^m_.,x_Symbol] :=
  Int[u*ArcCos[a/c+b*x^n/c]^m,x] /;
FreeQ[{a,b,c,n,m},x]
```

```
Int[u_.*ArcCsc[c_./(a_.+b_.*x_^n_.)]^m_.,x_Symbol] :=
  Int[u*ArcSin[a/c+b*x^n/c]^m,x] /;
FreeQ[{a,b,c,n,m},x]
```

$$2: \int u f^{c \operatorname{ArcSec}[a+bx]^n} dx$$

Derivation: Integration by substitution

Basis: $F[x, \operatorname{ArcSec}[a+bx]] =$

$$\frac{1}{b} \operatorname{Subst}\left[F\left[-\frac{a}{b} + \frac{\operatorname{Sec}[x]}{b}, x\right] \operatorname{Sec}[x] \operatorname{Tan}[x], x, \operatorname{ArcSec}[a+bx]\right] \partial_x \operatorname{ArcSec}[a+bx]$$

Rule: If $n \in \mathbb{Z}^+$, then

$$\int u f^{c \operatorname{ArcSec}[a+bx]^n} dx \rightarrow \frac{1}{b} \operatorname{Subst}\left[\int \operatorname{Subst}\left[u, x, -\frac{a}{b} + \frac{\operatorname{Sec}[x]}{b}\right] f^{cx^n} \operatorname{Sec}[x] \operatorname{Tan}[x] dx, x, \operatorname{ArcSec}[a+bx]\right]$$

Program code:

```
Int[u_.*f_^(c_.*ArcSec[a_+b_.*x_]^n_),x_Symbol] :=
  1/b*Subst[Int[ReplaceAll[u,x->-a/b+Sec[x]/b]*f^(c*x^n)*Sec[x]*Tan[x],x],x,ArcSec[a+b*x]] /;
FreeQ[{a,b,c,f},x] && IGtQ[n,0]
```

```
Int[u_.*f_^(c_.*ArcCsc[a_+b_.*x_]^n_),x_Symbol] :=
  -1/b*Subst[Int[ReplaceAll[u,x->-a/b+Csc[x]/b]*f^(c*x^n)*Csc[x]*Cot[x],x],x,ArcCsc[a+b*x]] /;
FreeQ[{a,b,c,f},x] && IGtQ[n,0]
```

3. $\int v(a+b \operatorname{ArcSec}[u]) dx$ when u is free of inverse functions

1: $\int \operatorname{ArcSec}[u] dx$ when u is free of inverse functions

Derivation: Integration by parts and piecewise constant extraction

$$\text{Basis: } \partial_x \operatorname{ArcSec}[f[x]] = \frac{\partial_x f[x]}{\sqrt{f[x]^2} \sqrt{f[x]^2 - 1}}$$

$$\text{Basis: } \partial_x \frac{f[x]}{\sqrt{f[x]^2}} == 0$$

Rule: If u is free of inverse functions, then

$$\int \text{ArcSec}[u] \, dx \rightarrow x \text{ArcSec}[u] - \int \frac{x \partial_x u}{\sqrt{u^2} \sqrt{u^2 - 1}} \, dx \rightarrow x \text{ArcSec}[u] - \frac{u}{\sqrt{u^2}} \int \frac{x \partial_x u}{u \sqrt{u^2 - 1}} \, dx$$

Program code:

```
Int[ArcSec[u_], x_Symbol] :=
  x*ArcSec[u] -
  u/Sqrt[u^2]*Int[SimplifyIntegrand[x*D[u,x]/(u*Sqrt[u^2-1]),x],x] /;
InverseFunctionFreeQ[u,x] && Not[FunctionOfExponentialQ[u,x]]
```

```
Int[ArcCsc[u_], x_Symbol] :=
  x*ArcCsc[u] +
  u/Sqrt[u^2]*Int[SimplifyIntegrand[x*D[u,x]/(u*Sqrt[u^2-1]),x],x] /;
InverseFunctionFreeQ[u,x] && Not[FunctionOfExponentialQ[u,x]]
```

$$\mathbf{2:} \int (c + dx)^m (a + b \text{ArcSec}[u]) \, dx \text{ when } m \neq -1 \wedge u \text{ is free of inverse functions}$$

Derivation: Integration by parts and piecewise constant extraction

$$\text{Basis: } \partial_x (a + b \text{ArcSec}[f[x]]) == \frac{b \partial_x f[x]}{\sqrt{f[x]^2} \sqrt{f[x]^2 - 1}}$$

$$\text{Basis: } \partial_x \frac{f[x]}{\sqrt{f[x]^2}} == 0$$

Rule: If $m \neq -1 \wedge u$ is free of inverse functions, then

$$\int (c + dx)^m (a + b \text{ArcSec}[u]) \, dx \rightarrow \frac{(c + dx)^{m+1} (a + b \text{ArcSec}[u])}{d(m+1)} - \frac{b}{d(m+1)} \int \frac{(c + dx)^{m+1} \partial_x u}{\sqrt{u^2} \sqrt{u^2 - 1}} \, dx$$

$$\rightarrow \frac{(c+dx)^{m+1} (a+b \operatorname{ArcSec}[u])}{d(m+1)} - \frac{bu}{d(m+1)\sqrt{u^2}} \int \frac{(c+dx)^{m+1} \partial_x u}{u \sqrt{u^2-1}} dx$$

Program code:

```
Int[(c_.+d_.*x_)^m_.*(a_.+b_.*ArcSec[u_]),x_Symbol] :=
  (c+d*x)^(m+1)*(a+b*ArcSec[u])/(d*(m+1)) -
  b*u/(d*(m+1)*Sqrt[u^2])*Int[SimplifyIntegrand[(c+d*x)^(m+1)*D[u,x]/(u*Sqrt[u^2-1]),x],x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1] && InverseFunctionFreeQ[u,x] && Not[FunctionOfQ[(c+d*x)^(m+1),u,x]] && Not[FunctionOfExponentialQ[u,
```

```
Int[(c_.+d_.*x_)^m_.*(a_.+b_.*ArcCsc[u_]),x_Symbol] :=
  (c+d*x)^(m+1)*(a+b*ArcCsc[u])/(d*(m+1)) +
  b*u/(d*(m+1)*Sqrt[u^2])*Int[SimplifyIntegrand[(c+d*x)^(m+1)*D[u,x]/(u*Sqrt[u^2-1]),x],x] /;
FreeQ[{a,b,c,d,m},x] && NeQ[m,-1] && InverseFunctionFreeQ[u,x] && Not[FunctionOfQ[(c+d*x)^(m+1),u,x]] && Not[FunctionOfExponentialQ[u,
```

3: $\int v (a + b \operatorname{ArcSec}[u]) \, dx$ when u and $\int v \, dx$ are free of inverse functions

Derivation: Integration by parts and piecewise constant extraction

$$\text{Basis: } \partial_x (a + b \operatorname{ArcSec}[f[x]]) = \frac{b \partial_x f[x]}{\sqrt{f[x]^2} \sqrt{f[x]^2 - 1}}$$

$$\text{Basis: } \partial_x \frac{f[x]}{\sqrt{f[x]^2}} = 0$$

Rule: If u is free of inverse functions, let $w = \int v \, dx$, if w is free of inverse functions, then

$$\int v (a + b \operatorname{ArcSec}[u]) \, dx \rightarrow w (a + b \operatorname{ArcSec}[u]) - b \int \frac{w \partial_x u}{\sqrt{u^2} \sqrt{u^2 - 1}} \, dx \rightarrow w (a + b \operatorname{ArcSec}[u]) - \frac{b u}{\sqrt{u^2}} \int \frac{w \partial_x u}{u \sqrt{u^2 - 1}} \, dx$$

Program code:

```
Int[v_*(a_.*b_.*ArcSec[u_]),x_Symbol] :=
  With[{w=IntHide[v,x]},
    Dist[(a+b*ArcSec[u]),w,x] - b*u/Sqrt[u^2]*Int[SimplifyIntegrand[w*D[u,x]/(u*Sqrt[u^2-1]),x],x] /;
    InverseFunctionFreeQ[w,x] /;
    FreeQ[{a,b},x] && InverseFunctionFreeQ[u,x] && Not[MatchQ[v, (c_.*d_.*x)^m_ /; FreeQ[{c,d,m},x]]]
```

```
Int[v_*(a_.*b_.*ArcCsc[u_]),x_Symbol] :=
  With[{w=IntHide[v,x]},
    Dist[(a+b*ArcCsc[u]),w,x] + b*u/Sqrt[u^2]*Int[SimplifyIntegrand[w*D[u,x]/(u*Sqrt[u^2-1]),x],x] /;
    InverseFunctionFreeQ[w,x] /;
    FreeQ[{a,b},x] && InverseFunctionFreeQ[u,x] && Not[MatchQ[v, (c_.*d_.*x)^m_ /; FreeQ[{c,d,m},x]]]
```